

QL

521


E6X

1859

ENT

SMITHSONIAN  
LIBRARY











QL  
531  
LWX  
ENT

CATALOGUS

**HEMIPTERORUM**

(Anton Dohrn)

HERAUSGEGEBEN

VON DEM

**ENTOMOLOGISCHEN VEREIN**

ZU *in*

**STETTIN.** *(Dohrn)*

*Polonia)*

1859 -

STETTIN, MDCCCLIX.

BUCHDRUCKEREI VON HERRCKE & LEBELING.





## VORWORT.

Seit dem Erscheinen von Amyot & Serville's Hemipteren hat sich dieser Zweig der Entomologie merklich gehoben. In England waren es Dallas und Walker, die das reiche Material des British Museum in ihren umfassenden Werken bearbeiteten; in Frankreich Signoret, der durch Veröffentlichung einer Anzahl von Monographien das Studium der Hemipterologie wesentlich förderte; in Deutschland vollendete Herrich-Schäffer das von Hahn begonnene Werk, ausserdem lieferten v. Baerensprung, Stein und vor allem Kirschbaum und Fieber ausgezeichnete Abhandlungen und Monographien; Zetterstedt, Boheman, Wallengrén und besonders Stål vertreten in Schweden diese Ordnung; in Neapel Costa, in der Schweiz Meyer-Dür und in Russland endlich Sahlberg. Dass durch die Arbeiten so vieler und ausgezeichneter Kräfte Ausgezeichnetes geleistet worden, versteht sich; es fehlt aber offenbar an einer concentrirten Uebersicht über alle diese vereinzeltten Leistungen. Eine solche zu geben beabsichtigt der vorliegende Catalog, der durch Aufzählung aller beschriebenen Hemiptera nach einem auf der Basis der neueren Forschungen ruhenden Systeme ein bequemes Handbuch für Hemipterophilen bei dem Tauschverkehr und bei der Classification zu werden hofft. Nutzen und Bedürfniss eines solchen Buches sind durch die grosse Zahl der Auflagen, welche der von dem Stettiner Verein herausgegebene Käfer-Catalog in verhältnissmässig kurzer Zeit erlebt hat, hinreichend dargethan. Die Beifügung des Vaterlandes und meist vollständiger Synonymie der Arten werden nicht unwillkommen sein.

In der Systematik habe ich mich grossentheils den Vorarbeiten von Dallas, Amyot & Serville und Stål angeschlossen, bin jedoch bisweilen von ihnen und besonders da abgewichen, wo ich glaubte, dem natürlichen Systeme den Vorrang vor irgend einem künstlichen bewahren zu müssen. Wegen der Umgestaltung der *Nudirostri* nehme ich Bezug auf das von mir in der Entomol. Ztg. 1859, pag. 91, Gesagte. Ferner habe ich die Genera: *Deltocephalus*, *Thamnotettix*, *Athysanus* wieder mit *Jassus* vereinigt, da es nicht möglich ist, sie streng zu sondern. Grössere Abänderungen habe ich weiter nicht vorgenom-

men; dass hier und da Genera umgestellt worden, auch wohl für einzelne Gruppen besondere Namen aufgestellt sind, bedarf weiter keines Commentar's.

Im Anhange habe ich ausser den Emendanda et Corrigenda und den Genera insertae sedis die Gruppe der *Sciocoridae* nach Fieber aufgeführt; dieselben erschienen gleichzeitig mit Dallas' Sciocoriden; ich konnte aber bei der Schwierigkeit dieser Familie nicht unternehmen, ein System dem andern unterzuordnen, liess daher den Dallas im Zusammenhange und habe den Fieber desshalb im Anhange gegeben.

Etwaige Irrthümer in der Synonymie, Auslassungen, an denen es um so weniger fehlen wird, als es mir nicht möglich war, mehrere Abhandlungen von Say, Hope, Guérin etc. einzusehen, bitte ich durch Einsendungen an die Stett. Entomol. Zeitung zu berichtigen, jede Verbesserung soll bei einer spätern Auflage dankbar benutzt werden.

STETTIN, im Juli 1859.

*Anton Dohrn.*

# HETEROPTERA.

## GEOCORES.

### SCUTATA.

#### Scutelleroides.

#### *Pachycoridae.*

#### **Colcotichus**

*White.*

costatus Fabr.

unicolor Dall.

#### **Solenosthedium**

*Spinola.*

lynceum Fabr.

filigerum Thunb.

furciferum Fabr.

Schestedi Germ.

Schestedi Fabr.

rubropunctatum

Guér.

attenuatum Hope.

chinense Stål.

#### **Sphaerocoris**

*Burmeister.*

unicolor Dall.

flavonotatus Dall.

ocellatus Klug.

annulus Fabr.

Argus Panz.

gibbosus Pal.

Beauv.

annularis Hope.

ocellatus H.-S.

distinctus Sign.

*Nov. Holl.*

*id.*

*Sicil. Barb.*

*Afr. mer.*

*Guinea.*

*Ind. or.*

*Gambia.*

*China.*

*Congo.*

*id.*

*Afr. mer.*

*Africa.*

*Afr. occid.*

{ Argus Fabr.  
simplex H.-S.  
impluviatus Germ.  
var. multipunctatus  
Thunbg.

*Afr. mer.*

poccilus Dall.

niloticus Stål.

pardalinus Schaum.

hamiferus Stål.

punctarius Hope.

polystictus Hope.

tigrinus Germ.

caffer Stål.

lateritius Hope.

4-notatus Germ.

*Gambia.*

*Nubia.*

*Mozamb.*

*Caffr.*

*id.*

*id.*

*id.*

*Afr. mer.*

#### **Augocoris**

*Burmeister.*

{ Ehrenbergi Germ.

olivaceus White.

gigas Hope.

nigripennis Dall.

Gomesi Burm.

rugulosus H.-Sch.

pallidus Pal. Beauv.

unicolor Burm.

cretaceus Panz.

Beskii Burm.

sempunctatus Fabr.

rufus Dall.

*Brasil.*

*Mexico.*

*Venezuela.*

*Parà.*

*Am. mer.*

*Cuba.*

*Para.*

*id.*

*Columb.*

#### **Pocilocoris**

*Dallas.*

latus Dall.

interruptus Hope

Druraei Linné.

obsoletus Dallas.

Druraei Dall.

pulcher Dall.

purpurascens Hope.

Childreni White

*China.*

*Ind. or.*

*Silhet.*

*Ind. or.*

*Malabar.*

*Nepaul.*

*id.*

Hardwicki Hope.  
affinis Hope.  
nepalensis H.-Sch.  
obesus Dall.  
rufigenis Dall.  
longirostris Dall.  
dives Guér.  
ornatus Dall.  
? comes Fabr.  
? pinguis Germ.

*Ind. or.*

*Assam.*

*id.*

*Java.*

*id.*

*Ind. or.*

*Afr. occid.*

*Afr. mer.*

### **Tectocoris**

*Hahn.*

Banski Don.  
var. Schoenherri  
Esch.  
var. Tongae Boisd.  
var. cyanipoda  
Boisd.  
cyanipes Fabr.  
Banksi ♀ Germ.  
var. diophthalmus  
Thunbg.

*Java. Nov.*

*Holl.*

*id.*

### **Cantao**

*Am. et Serv.*

ocellatus Thunb.  
dispar Fabr.  
parentum White.  
rufipes Dall.

*Ind. orient.*

*Nov. Holl.*

*Philipp.*

### **Scutellera**

*Dallas.*

nigricornis Sign.  
nobilis Fabr.  
perplexa Hope.  
lanius Stål.  
fasciata Panz.  
nepalensis Hope.  
amethystina Germ.  
Morgani White.  
oblonga Hope.

*Gambia.*

*Ind. or.*

*Java.*

*Ind. or.*

*Afr. occid.*

*China.*

### **Peltophora**

*Burmeister.*

pieta Guér.  
rubromaculata Guér.  
pedicellata Kirby.  
ernenta Burm.

*Nov. Holl.*

### **Tetrarthria**

*Dallas.*

variegata Dall.

*Philipp.*

### **Libyssa**

*Dallas.*

signata Fabr.

*Afr. occid.*

duodecimpunctata  
Fabr.

examinans White.  
nana H.-Sch.

var. distinguenda  
Reiche

Dregii Germ.

Signoreti Stål.

Bohemani Stål.

*Afr. mer.*

*id.*

*id.*

### **Callidea**

*Burmeister.*

*p. 103*

senator Fabr.

dux Kirby.

corallifera M'Leay

basalis Gray.

binotata Hope.

festiva Germ.

aurantiaco-macu-

lata Blanch.

sellata White.

var. chromatica

White.

Baro Fabr.

pallens Am. et Serv.

grandis Thunbg.

sexmaculata Leach

Iris Germ.

superba Dallas.

coelestis Stål.

atricapilla Guér.

javana Hope.

regia Hope.

dimidiata Dallas.

var. Billardieri Guér.

imperialis Fabr.

prasinia Guér.

excellens Burm.

nobilis Germ.

speciosa White.

nobilis Linné.

pustulata Panz.

Buqueti Guér.

marginella Hope.

pulchella Dallas.

purpurea Hope.

Stockerus Fabr.

chrysoprasina

H.-Sch.

aurata Guér.

aurifera Hope.

basilica Germ.

Stollii Wolff.

Stockerus Guér.

ornata Dall.

Erichsoni Germ.

Taprobanensis

Hope

*Nov. Holl.*

*Philipp.*

*China.*

*Java.*

*id.*

*Ceylon*

*Madras*

*Java*

*id.*

*Philipp.*

*Nov. Holl.*

*Philipp.*

*Asia orient.*

*Bombay*

*Silhet*

*Ind. or.*

*Java*

*?*

*Asia orient.*

*China*

*Ind. or.*

regalis Fabr.	<i>Austral.</i>	leucopterus Germ.	<i>Brasil.</i>
Reynaudi Guér.	<i>Java.</i>	atomarius Germ.	<i>id.</i>
pulchra Hope, Germ.	?	hirtipes H.-Sch.	<i>id.</i>
jactator Stål.	<i>Philipp.</i>	piperitia Hope	<i>Mexico.</i>
Germari Eschsch.	<i>Ind. orient.</i>	scurrilis Stål	<i>Amer. merid.</i>
fascialis White.	<i>id.</i>	arcuatus Fabr.	<i>Columb.</i>
bengalensis Hope.	<i>Java.</i>	obliquus Germ.	<i>Amer. merid.</i>
obtusa Hope.	<i>Assam.</i>	Boscii Fabr.	<i>Columb.</i>
Roylii Hope.	<i>Java.</i>	couicus Germ.	<i>Bolivia.</i>
lateralis Guér.		castaneus Dall.	<i>Mexico</i>
equus Fabr.		luminosus Germ.	<i>Brasil.</i>
formosa Hope.	<i>Borneo.</i>	incarnatus Germ.	<i>Carolina</i>
dorsalis White.		chrysoorrhoeus Fabr.	<i>Brasil.</i>
Stockerus Linné.		guttatus H.-Sch.	<i>id.</i>
dilatocollis Guér.		? lobatus Hope.	
Stolli Hahn.			
abdominalis Hope.	<i>Java.</i>		
Stockerus Am. et Serv.		<b>Macraulax</b>	
bifasciata White.		Dallas.	
purpurata Hope.	<i>Ind. orient.</i>	bipunctatus H.-Sch.	<i>Austral.</i>
vulcanica de Guill.	<i>Timor.</i>		
<i>potuitia - see p. 103</i>	<i>Banda.</i>	<b>Homaemus</b>	
<b>Choerocoris</b>		Dallas.	
Dallas.		exilis H.-Sch.	<i>Amer. sept.</i>
		parvulus H.-Sch.	<i>Florida</i>
		<b>Symphylus</b>	
		Dallas.	
	<i>Austral.</i>	obtusus Dallas.	<i>Columb.</i>
	<i>Swan River.</i>	nebulosus Pal.	<i>Domingo</i>
	<i>Caffr.</i>	Beauv.	<i>id.</i>
	<i>id.</i>	hebraicus Pal. Beauv.	<i>St. Vincent</i>
	<i>id.</i>	flavescens Hope.	<i>Amer. cent</i>
		irroratus Fabr.	
		cordiger Pal.	
		Beauv.	
	<i>Cayenne.</i>	? deplanatus H.-Sch.	<i>Brasil.</i>
	<i>Mexico.</i>	variegatus H.-Sch.	<i>Jamaica</i>
	<i>Brasil.</i>	poecilus Dallas.	<i>Para.</i>
	<i>id.</i>	obscuratus H.-Sch.	<i>Amer. merid.</i>
		Knochii Germ.	<i>id.</i>
		<b>Hotea</b>	
		Am. & Serville.	
	<i>St. Domingo.</i>	curculionoides	
		H.-Sch.	<i>Java</i>
		punctulata Germ.	
	<i>Brasil.</i>	Gambiae Hope.	
	<i>Mexico.</i>	apicalis Hope.	
	<i>Prom. b. sp.</i>	falcata Germ.	<i>Afr. mer.</i>
	<i>id.</i>	triangulum Am. & Serv.	
	<i>Mexico</i>	vicina Sign.	<i>Calabar.</i>
	?	<b>Odontotarsus</b>	
	<i>Venez.</i>	Laporte.	
	<i>Columb.</i>	caudatus Klug.	<i>Sicilien.</i>
	<i>Hondur.</i>	productus Spin.	
	<i>Columb.</i>		

grammicus Linné.	<i>Sicil.</i>
purpureolineatus Rossi.	
obscurus Dallas.	<i>Afr. merid.</i>
silphoides Thunbg.	<i>id.</i>
stigma Fabr.	
circumductus Germ.	<i>Afr. occid.</i>

**Alphocoris**  
*Germar.*

immacoreus Klug.	<i>Aegypt.</i>
larinoides Germ.	
lixioides Germ.	<i>Ind. or.</i>

**Agonosoma**  
*Laporte.*

flavolineatum Lap.	<i>Cayenne.</i>
lineatum H.-Sch.	
trivittatum Panz.	<i>Columb.</i>
virgatum Germ.	<i>id.</i>
quadriguttatum Sig.	
dichroum Perty.	<i>Amer. mer.</i>
bicolor Hope.	<i>id.</i>
Reichei Spin.	<i>Columb.</i>
bigatum Germ.	<i>Mexico.</i>
flavipes Dallas.	<i>id.</i>
mexicanum H.-Sch.	<i>id.</i>
flavocinctum H.-Sch.	<i>id.</i>
rubrocinctum H.-Sch.	<i>id.</i>

**Cyptocoris**  
*Burmeister.*

Lundi Fabr.	<i>Afr. mer.</i>
-------------	------------------

**Zophoëssa**  
*Dallas.*

porosa Germ.	<i>Florida.</i>
afra H.-Sch.	<i>Africa.</i>

**Eurygastri-**  
**dae.**

**Psacasta**  
*Germar.*

tuberculata Rossi.	<i>Sicil.</i>
granulata Costa.	<i>Eur. mer.</i>
conspersa Germ.	
cerinthe Fabr.	
gentilis Fabr.	<i>Sicil.</i>
pagana Germ.	
nigra Germ.	
hispana Rambur.	<i>Andalus.</i>
pedemontana Fabr.	
Allionii Linné.	<i>Ital.</i>
exanthematicus Scop.	
anthriboides Germ.	<i>Africa.</i>
subspinosa Klug.	<i>Aegypt.</i>
neglecta H.-Sch.	<i>Hungar.</i>

**Coptocheilus**  
*Am. & Serville.*

ferrugineus Am. & Serv.	<i>Brasil.</i>
-------------------------	----------------

**Bolbocoris** — p. 103  
*Am. & Serville.*

rufus Hope	
tricolor Am. & Serv.	<i>Senegal.</i>
variolosus H.-Sch.	
sordidus Stål.	<i>Caffr.</i>
xanthopus Stål.	<i>id.</i>
misellus Stål.	<i>id.</i>
? reticulatus Dallas.	<i>China.</i>

**Ancyrosoma** — p. 103  
*Am. & Serville.*

albolineatum Rossi.	<i>Eur. merid.</i>
simile Stål.	<i>Sibir. orient.</i>

**Sternodontus**  
*Mulsant & Rey.*

obtusus Muls. & Rey.	<i>Gall. merid.</i>
----------------------	---------------------

**Trigonosoma**  
*Laporte.*

Desfontaini Fabr.	<i>Sicil. Ceylon.</i>
Fischeri H.-Sch.	<i>Aegypt.</i>
Nigellae Fabr.	<i>Eur. merid.</i>
? Galii Wolff.	<i>Gallia.</i>
affine Hope	<i>Aegypt.</i>
reticulatum H.-Sch.	<i>id.</i>
subfasciatum Hope.	<i>Cap. b. sp.</i>
inaequale Germ.	<i>Aegypt.</i>
carinatum Germ.	<i>id.</i>
subspinose Klug.	<i>id.</i>
bufo Eschsch.	<i>Java.</i>

**Eurygaster** — p. 103  
*Laporte.*

alternatus Say.	<i>Amer. sept.</i>
maurus Linné.	
austriacus Schrank.	<i>Europa.</i>
var. pictus Fabr.	
obliquus Klnti.	<i>Britan.</i>
hottentottus Fabr.	
cucullatus Schrank.	<i>Eur. merid.</i>
var. niger Fabr.	
? acuminatus Dall.	<i>Austral.</i>
natalensis Stål.	<i>Natal.</i>
cognatus Hope.	<i>Ind. orient.</i>
? costatus Fabr.	<i>Ins. Rotterd.</i>
maroccanus Fabr.	<i>Eur. merid.</i>
orientalis Hope.	<i>Ind. orient.</i>

sculpt. ates — p. 103

<b>Graphosoma</b> <i>Laporte.</i>		<i>hirtus</i> Costa.	
<i>lineatum</i> Linné.		<i>maculiventris</i> Germ.	<i>Europ. mer.</i>
<i>nigronileatum</i> Rossi	<i>Europa.</i>	<i>villosus</i> H.-Sch.	<i>Dongola.</i>
Schangini Gebler.		<i>tomentosus</i> Germ.	
<i>interruptum</i> White.	<i>Teneriffa.</i>		
<i>rubrolineatum</i> Hope.	<i>China.</i>	<b>Odontoscelis</b> <i>Laporte.</i>	
<i>semipunctatum</i> Fabr.	<i>Eur. merid.</i>	<i>fuliginosa</i> Linné.	
var. <i>Wilsoni</i> White.		<i>litura</i> Fabr.	<i>Europ. mer.</i>
? <i>trilineatum</i> Fabr.	? <i>Amer. mer.</i>	<i>carbonaria</i> Zetterst.	
<i>flavolineatum</i> Fbr.	<i>Eur. merid.</i>	<i>lineola</i> Rambur.	<i>id.</i>
<i>oculatum</i> Bärenspr.	<i>Turcia.</i>	<i>dorsalis</i> Fabr.	
		<i>plagiatus</i> Germ.	<i>Prom. b. sp.</i>
		<i>silphoides</i> Thumbg.	
<b>Podopidae.</b>		<b>Eumetopia</b> <i>Westwood.</i>	
<b>Podops</b> <i>Laporte.</i>		<i>fissiceps</i> Westw.	<i>Amer. mer.</i>
<i>vinunctus</i> Fabr.	<i>Europa.</i>		
<i>Tangirus</i> Fallén.	<i>Neap.</i>	<b>Corimelaena</b> <i>White.</i>	
<i>curvidens</i> Costa.	<i>Sicil.</i>	<i>atra</i> Am. & Serv.	<i>Bolivia.</i>
<i>siculus</i> Costa.	<i>Florida.</i>	<i>nitiduloides</i> Wolff.	<i>Amer. boreal.</i>
<i>dubius</i> Pal Beauv.	<i>Hong-Kong.</i>	<i>unicolor</i> Pal Beauv.	<i>id.</i>
<i>cinctipes</i> Say.	<i>Ind. orient.</i>	<i>helopiodes</i> Wolff.	
<i>luridus</i> Burn.	<i>Caffr.</i>	<i>scarabaeoides</i> Linné.	<i>Europa.</i>
<i>obscurus</i> Dallas.	<i>id.</i>	<i>nigra</i> Dallas.	
<i>spinicollis</i> Stål.	<i>Sier. Leon.</i>	? <i>helopodioides</i>	<i>Hudson.</i>
<i>natalensis</i> Stål.	<i>Senegal.</i>	Pal Beauv.	
<i>pallipes</i> Dallas.	<i>Tranqueb.</i>	<i>puncticollis</i> Dallas.	? <i>Europa.</i>
<i>fibulatus</i> Germ.	<i>Ind. or.</i>	<i>ruficornis</i> Dallas.	<i>Columb.</i>
<i>bispinosus</i> Fabr.	<i>Nor. Holl.</i>	<i>fulvipennis</i> Dallas.	? <i>Demerara.</i>
<i>coarctatus</i> Fabr.	<i>id.</i>	<i>albipennis</i> Eschsch.	<i>Chili.</i>
<i>niger</i> Dallas.	<i>Lappon.</i>	<i>pulicaria</i> Germ.	<i>Amer. boreal.</i>
<i>rudis</i> Germ.	<i>Ital.</i>	<i>lateralis</i> Fabr.	<i>id.</i>
<i>cinereus</i> Le Guill.	<i>Bengal.</i>	<i>marginella</i> Dallas.	<i>id.</i>
<i>lapponicus</i> Zett.		<i>tibialis</i> Germ.	<i>Amer. mer.</i>
? <i>neglectus</i> Rossi.		<i>Daldorfi</i> Fabr.	
<i>spinifer</i> Hope.		<i>vinculata</i> Germ.	<i>id.</i>
		<i>notata</i> Serv.	
<b>Phimodera</b> <i>Germer.</i>		Schulzi Fabr.	<i>id.</i>
<i>galgulina</i> Hahn.	<i>Hungar.</i>	<i>signatipennis</i> Germ.	<i>id.</i>
<i>humeralis</i> Dalm.	<i>Russ. merid.</i>	Smidti Fabr.	<i>id.</i>
<i>nodicollis</i> Burn.	<i>Sibir.</i>	<i>maculipennis</i> Germ.	<i>id.</i>
		<i>basalis</i> Germ.	<i>Jamaica.</i>
<b>Aspidestrophus</b> <i>Stål.</i>		<i>marginipennis</i> Spin.	<i>Chili.</i>
<i>morio</i> Stål.	<i>Java.</i>	<i>brunnipennis</i> Bras.	<i>Brasil.</i>
		<i>impieta</i> Stål.	<i>Caffr.</i>
<b>Deroploa</b> <i>Westwood.</i>			
<i>parva</i> Westw.	<i>Nov. Holl.</i>	<b>Plataspidae.</b>	
		<b>Chlaenocoris</b> <i>Burmeister.</i>	
<b>Odontoscelidae.</b>		<i>caesus</i> Germ.	<i>Brasil.</i>
<b>Irochrotus</b> <i>Am. &amp; Serville.</i>		<i>impressus</i> Germ.	<i>id.</i>
<i>lanatus</i> Pallas	<i>Sibir.</i>	<i>apicalis</i> Germ.	<i>id.</i>

<b>Coptosoma</b> <i>Laporte.</i>			
duodecimpunctatum Germ.	<i>Ind. or.</i>	VahlII Fabr. papua Guér. silphoides Burm. nigriventris Hope. silphoides H.-S.	<i>Philipp.</i>  <i>Java.</i>
nepalense Hope.	<i>id.</i>		
vermiculatum Germ.	<i>Java.</i>	<b>Strombosoma</b> <i>Am. &amp; Serville.</i>	
circumscriptum Germ.	<i>Ind. or.</i>	unipunctatum Am. & Serv.	<i>Senegal.</i>
poecilum Dallas	<i>Nor. Holl.</i>		
affine Dallas.	<i>Natal.</i>	<b>Heterocrates</b> <i>Am. &amp; Serville.</i>	
cinetum Eschsch.	<i>Ceylon.</i>	marginatus Thunbg. coracinus White. sellatus Sign.	<i>Java.</i> <i>Afr. occid.</i>
seminulum Burm.	<i>Java.</i>		
variegatum H.-Sch.	<i>Sier. Leon.</i>	<b>Cantharodes</b> <i>Westwood.</i>	
sphaerulum Germ.	<i>Guinea.</i>	caenosa Westw.	<i>Afr. occid.</i>
bipustulatum Germ.	<i>Prom. b. sp.</i>		
stigmaticum Germ.	<i>Ind. or.</i>	<b>Ceratocoris</b> <i>White.</i>	<i>103</i>
marginellum Dallas.	<i>Nor. Holl.</i>	Bucephalus White.	<i>Guinea.</i>
parvulum Dallas.	<i>Europa.</i>		
hemisphaericum	<i>Ind. or.</i>	<b>Plataspis</b> <i>Westwood.</i>	
globus Fabr.	<i>Madag.</i>	coccinelloides Lap. Madagascariensis Guér.	<i>Madag.</i>
scarabaeoides Rossi	<i>Philipp.</i>	cocciformis Hope. punctata Leach. metallica Laporte. variegata Guér. punctata Am. & Serville.	<i>Fantee.</i> <i>?</i> <i>fr. occid.</i>
ciatricosum Dallas.	<i>id.</i>	irrorata Dallas.	<i>Natal.</i>
maculatum Hope.	<i>Gambia.</i>	ruficeps Dallas.	<i>Tenasser.</i>
ictericum Dallas.	<i>id.</i>	Wahlbergi Stål.	<i>Caffr.</i>
atomarium Germ.	<i>Sier. Leon.</i>	semiglobosa Stål.	<i>id.</i>
transversum Hope.	<i>Ind. or.</i>	chinensis Dallas.	<i>China.</i>
nubilum Germ.	<i>Ceylon.</i>	nitens Dallas.	<i>Ind. or.</i>
nigropunctatum Stål	<i>Caffr.</i>	nigriventris Hope.	<i>Manila.</i>
cribrarium Fabr.	<i>id.</i>	deplanatus Eschsch.	<i>id.</i>
laticeps Dallas.	<i>id.</i>	hemisphaericus Hope	<i>?</i>
sexnotatum Stål.	<i>id.</i>	nitidus Hope.	<i>Ind. or.</i>
bisignatum Stål.	<i>id.</i>		
limbatellum Stål.	<i>id.</i>	<b>Phymatocoris</b> <i>Stål.</i>	
circumductum Stål.	<i>id.</i>	strumosus Stål.	<i>Caffr.</i>
costale Stål.	<i>Manila.</i>		
bufo Eschsch.		<b>Oxynotidae.</b>	
adpersus Burm.		<b>Oxynotus</b> <i>Laporte.</i>	
		gibbus Fabr.	<i>Amer. mer.</i>
		trigonus Germ.	<i>Brasil.</i>
<b>Probaenops</b> <i>White.</i>			
dromedarius White.	<i>Sier. Leon.</i>		
<b>Brachyplatys</b> <i>Boisducal.</i>			
apallipes Fabr.	<i>Afr. mer.</i>		
jacaroides Thunbg.	<i>Philipp.</i>		
Mungo White.	<i>Nor. Holl.</i>		
flavipes Fabr.	<i>Philipp.</i>		
flaviceps Hope.	<i>Sier. Leon.</i>		
xanthogramma White.	<i>id.</i>		
variegata Dallas.	<i>Philipp.</i>		
aethiops Dallas.	<i>Oceania.</i>		
complanatus Burm.	<i>Ind. or.</i>		
Scipio White.			
pacifica Dallas.			
subaenea Hope.			
septus Germ.			



laceratus H.-S.  
horridus Germ.  
monstrosus Germ.

**Tarisa**

*Am. & Serville.*

flavescens Am. &  
Serv.  
virescens H.-Sch.

**Pentatomoides.**

**Asopidae.**

**Discocera**

*Laporte.*

ochrocyanea Lap.  
laticornis Blanch.  
capensis Lap.

**Stiretrosoma**

*Spinola.*

erythrocephalum Le  
Pell. et Serv.  
trilineatum Germ.

**Stiretrus**

*Laporte.*

smaragdulus Le  
Pell. et Serv.  
chrysoprasinus Lap.  
chalybaeus H.-Sch.  
violaceus Say.  
gibbus Burm.  
cayennensis Lap.  
rugosus Germ.  
abdominalis Germ.  
caeruleus Dall.  
lythrodes Germ.  
cupus Perty.  
loratus Germ.  
ruficeps Dallas.  
anchorago Fabr.  
Diana Fabr.  
quinquepunctatus  
Germ.

ornatus Dallas.

pulchellus Hope.  
personatus Germ.  
fimbriatus Say.  
variegatus H.-Sch.  
decemguttatus Le  
Pell. et Serv.

rubromaculatus  
Hope.  
septemguttatus Ger.  
decastigma H.-Sch.  
septemguttatus Ger.  
atricapillus Hope.  
coccineus H.-Sch.

*Brasil.*  
*id.*  
*id.*

*Hispan.*

*Turcia.*

*Para.*  
*id.*  
*Prom. b. sp.*

*Brasil.*

*id.*

*Brasil.*

*id.*  
*Florida.*

*Cayenne.*

*Brasil.*

*id.*  
*Mexico.*

*Brasil.*

*id.*

*Hondur.*

*Georgia.*

*Guinea.*

*Mexico.*

*id.*

*Pensylv.*

*Brasil.*

*id.*

*Boliv.*

*Brasil.*  
*id.*

**Cazira**

*Am. & Serv.*

verrucosa Westw.  
verrucifera Burm.  
? peregrinator Linné  
chiroptera H.-Sch.  
verrucosa Am. &  
Serv.  
ulcerata H.-Sch.

*Ind. or.*

*Java.*

*Hong-Kong.*

**Oplomus**

*Spinola*

catena Drury.  
quadrifaculata Le  
Pell. et Serv.  
marginalis Hope.  
ebulinus H.-Sch.  
elongatus Dallas.  
nigripennis Dallas  
rutilus Dallas.  
salamandra Burm.  
pulcher Dallas.  
festivus Dallas.  
violaceus Dallas.  
ventralis Dallas.  
tripustulatus Fabr.

*Mexico.*

*Brasil.*

*id.*  
*Mexico.*

*Columb.*  
*id.*

*Mexico.*  
*Columb.*

*id.*  
*?*  
*id.*

**Jalla**

*Hahn.*

dumosa Linné.

*Europa.*

**Platynopus**

*Am. & Serv.*

melanoleucus Hope.  
varius Am. & Serv.  
rostratus Drury.  
calens Fabr.  
17-maculata Pal.  
Beauv.  
rubroguttatus Stål.  
catena Drury.  
dichrous H.-Sch.  
rhodomelas H.-Sch.  
militaris H.-Sch.  
sanguinipes Fabr.  
Genei Costa.

*Philipp.*

*Guinea.*

*Montevid.*

*Brasil.*

*Mexico.*  
*id.*

*Brasil.*

*Eur. merid.*

**Macrorhaphis**

*Dallas.*

acuta Dallas.  
leprosa Germ.

*Congo.*

*Cap. b. sp.*

**Leptolobus**

*Signoret.*

Murrayi Sign.

*Congo.*

**Phyllocheirus**

*Spinola.*

Servillei Lap.

*Cayenne.*

**Canthecæna***Am. & Serv.*

Yolofa Guér.  
 figuratus Germ.  
 marginella Dallas.  
 caerulea Dallas.  
 marmorata Dallas.  
 annulipes Dallas.  
 miniatescens Stål.  
 discolor Pal. Beauv.  
 tristis H.-Sch.  
 furcellata Wolff.  
 grandis Dallas.  
 ? armiger H.-Sch.  
 grisea Dallas.  
 conformis H.-Sch.  
 phytomatophora Pal.  
 Beauv.

*Port. Nat.**Sier. Leon.**Port. Nat.**id.**id.**id.**Cap. b. sp.**Ind. or.**Mexico.**Sier. Leon.**?**Tureia.**?***Glypsus***Dallas.*

vigil Germ.  
 conspicuus Hope.  
 moestus Germ.  
 pietiventris Stål.  
 luridus Dallas.  
 ? javanus Dallas.

*Congo.**Afr. mer.**Cap. b. sp.**Caffrar.**Corea.**Java.***Pieromerus***Am. & Serv.*

spinidens Fabr.  
 geometricus Burm.  
 nigridens Fabr.  
 maculicornis Muls  
 et Rey.  
 fusco-annulatus Stål.  
 bidens Linné.

*id.**Eur. mer.**Sibir.**Europa.***Arma.***Hahn.*

custos Fabr.  
 lurida Fabr.  
 grandis Dallas.  
 tincta Dallas.  
 grisea Burm.  
 ? Schellenbergi  
 Guér.  
 spinosa Dallas.  
 cornuta Dallas.  
 nigripinna Dallas.  
 obscura Dallas.  
 ventralis Dallas.  
 pallipes Dallas.  
 modesta Dallas.  
 didyma Pal. Beauv.  
 fuscescens Dallas.  
 illustris Serv.  
 ? spinidens Fabr.

*Europa.**Sicil.**Trent. Fall.**Columb.**Sandic. Ins.**Nor. Holl.**Trent. Fall.**Columb.**Brasil.**id.**Venezuel.**id.**Amer. sept.**Jamaica.**Mexico.**Java.**Tranqueb.***Hoploxys***Dallas.*

coeruleus Dallas.

*Congo.***Coryzorhaphis***Spinola.*

carneola Erichs.

*Guiana.*

leucocephala Spin.

*Hondur.*

? cruentus Burm.

*Monterid.*

? salamandra Klug.

*Peru.***Eutyrynchus***Dallas.*

floridanus Linné.

*Columb.*

punicus Linné.

*Mexico.*

? 3-vittatus H.-Sch.

**Mecosoma***Dallas.*

mensor Germ.

*Gambia.***Apateticus***Dallas.*

halys Dallas.

*Venezuela.***Eurhinocoris***Stål.*

straminipes Stål.

*Caffrar.***Cermatulus***Dallas.*

anasalis Hope.

*Nor. Holl.*

nummularis Erichs.

*Brasil.*

albiseptus Germ.

*id.*

chrysopterus H.-

*Sch.**id.*

vittipennis H.-Sch.

*Mexico.*

confluens H.-Sch.

*id.*

pallipes H.-Sch.

*Brasil.*

punctipennis H.-Sch.

*?*

strigipes H.-Sch.

**Tynacantha***Dallas.*

marginata Dallas.

*Venezuela.***Asopus***Burmester.*

mactans Fabr.

*Ind. or.*

oculatus Fabr.

argus Fabr.

? fuscus Germ.

*Cap. b. sp.***Zicrona***Am. & Serville.*

coerulea Linné.

illustris Am. &amp; Serv.

*Europ. Java**Hetero-*

cuprea Dallas.  
 pavonina Hope.  
 annulipes Germ.  
 punctata Linné.  
 marginella Dallas.  
 ? fasciata Am. &  
 Serv.

### Cydnidae.

#### Lobostoma

Am. & Serv.

giganteum Burm.

#### Cyrtomenus

Am. & Serv.

teter Spin.  
 grossus Dallas.  
 mutabilis Perty.  
 castaneus Am. &  
 Serv.

#### Aethus

Dallas.

nigerrimus Dallas.  
 punctatissimus Dall.  
 brunnipennis Fabr.  
 foveolus Dallas.  
 indicus Hope.  
 curvipes Dallas.  
 pallipennis Dallas.  
 castaneus Dallas.  
 australis Erichs.  
 transversus Burm.  
 subaeneus Dallas.  
 margo Dallas.  
 ciliatus Pal. Beauv.  
 pilosulus Klug.  
 capicola Hope.  
 ovatulus Dallas.  
 tarsalis Muls.  
 picipes Fallén.  
 flavicornis Fabr.  
 maurus Dallas.  
 philippinensis Dall.  
 bilineatus Say.  
 leucostigma Germ.  
 Leptospermi White.  
 punctulatus Costa.  
 laevicollis Costa.  
 fumigatus Costa.  
 zophosioides Ramb.  
 longulus Dallas.  
 insularis Hope.  
 pygmaeus Dallas.  
 brevipennis Fabr.  
 apicalis Dallas.  
 aethiops Fabr.

Huds. Bay.

Cap. b. sp.

Europa.

Huds. Bay.

Cayenne.

Columb.

Brasil.

Columb.

id.

Amer. sept.

Columb.

Afr. mer.

Congo.

Ind. or.

id.

Am. mer.

Sier. Leon.

?

Nov. Holl.

Ind. or.

Philipp.

Columb.

id.

Sier. Leon.

id.

Nor. Holl.

Gall. merid.

Europa.

id.

Ind. or.

Philipp.

Amer. sept.

Cap. b. sp.

Nov. Seeland

Napol.

id.

Andalus.

Para.

Brasil.

Ind. or.

id.

id.

Columb.

affinis H.-S.  
 ? bifoveolatus H.-S.  
 brunneus Fabr.  
 ovatus H.-Sch.  
 elongatus H.-Sch.  
 femoralis H.-Sch.

#### Ectinopus

Dallas.

holomelas Burm.

#### Acatalectus

Dallas.

rugosus Dallas.  
 sepulchralis Erichs.  
 piceus Hope.  
 punctulatus Dallas.  
 nitidicollis Stål.  
 ater Dallas.

#### Hiverus

Am. & Serv.

hirtus Am et Serv.

#### Cheroocydnus

White.

foveolatus White.

#### Scaptocoris

Perty.

castaneus Perty.

#### Stibaropus

Dallas.

brunneus Dallas.

#### Amnestus

Dallas.

spinifrons Say.

#### Schirus

Am. & Serville.

{dubius Scopoli.

{albomarginatus

Schrank.

{albomarginellus

Schrank.

cinctus Pal. Beauv.

albonotatus Dallas.

melaleucus Thunbg.

morio Linné.

albomarginatus

Fabr.

{bicolor Linné.

{nubilosus Harris.

{sexmaculatus Ramb.

{biguttatus Linné.

Europa.

Ital.

Eur. mer.

Hungar.

id.

id.

Columb.

Nov. Holl.

id.

Austral.

id.

id.

Java.

Senegal.

Nov. Holl.

Am. mer.

Ind. or.

New-York.

Eur. merid.

Benin.

Amer. sept.

Prom. b. sp.

Europa.

id.

id.

Andalus.

Europa.



<b>Macrothyreus</b> <i>Fieber.</i>	p. 16 =	<b>Macropygium</b> <i>Spinola.</i>	
annulicornis Fieber.	<i>Brasil.</i>	latrum Spin.	<i>Columb.</i>
<b>Parameecocoris</b> <i>Stål.</i>		bifidum Hope.	<i>Brasil.</i>
ruficornis Fieber.	<i>Assam.</i>	subsulcatum Am. et Serv.	<i>id.</i>
phaleratus Stål.	<i>Caffr.</i>	incisum H.-Sch.	<i>id.</i>
fatidicus Stål.	<i>id.</i>	pustulatum Deger.	?
lutulentus Stål.	<i>id.</i>	flavopustulatum Stål.	
ellipticus Stål.	<i>id.</i>	<b>Sympiezor-</b> <b>hincus</b> <i>Spinola.</i>	
binotatus Stål.	<i>Sier. Leon.</i>	? punctipes Dallas.	?
gastricus Stål.	<i>Ind. orient.</i>	tristis Spinola.	<i>Brasil.</i>
<b>Sephela</b> <i>Am. &amp; Serville.</i>	p. 22	<b>Coriplatus</b> <i>White.</i>	
linearis A. & Serv.	<i>Senegal.</i>	depressus White.	<i>Demerar.</i>
<b>Phloeidae.</b>		<b>Alathetus</b> <i>Dallas.</i>	
<b>Phloca</b> <i>Lepelletier et Serv.</i>		rufitarsis Dallas.	<i>Jamaica</i>
corticata Drury.		<b>Mazium</b> <i>Dallas.</i>	
cassidioides Lep. et Serv.	<i>Brasil.</i>	bipunctatum Guér.	<i>Nor. Holl.</i>
paradoxa Hahn.		Bufo Hope.	<i>Kang. Isl.</i>
subquadrata Spin.		rotundatum Dallas.	
longirostris Spin.	<i>id.</i>	<b>Mecistorhinus</b> <i>Dallas.</i>	
paradoxa A. et Serv.		rufescens Dallas.	<i>Pará.</i>
<b>Halysididae.</b>		<b>Antiteuchus</b> <i>Dallas.</i>	
<b>Platycoris</b> <i>Guérin.</i>		annulatus H.-Sch.	<i>Brasil.</i>
rubromarginatus	<i>Nov. Holl.</i>	macraspis A. et S.	<i>id.</i>
Guér.		variegatus Dallas.	<i>Columb.</i>
affinis Dallas.	<i>id.</i>	punctiger Hope.	<i>id.</i>
immarginatus Dall.	<i>id.</i>	variolosus Hope.	<i>Brasil.</i>
<b>Notius</b> <i>Dallas.</i>		melanoleucus Hope.	
depressus Dallas.	<i>id.</i>	Renggeri H.-Sch.	<i>Guana.</i>
<b>Ochlerus</b> <i>Spinola.</i>		piceus Pal. Beauv.	?
cinctus Spin.	<i>Mexico.</i>	unicolor Hope.	?
sordidus H.-Sch.	<i>Columb.</i>	? griseus Dallas.	?
obscurus Dallas.	<i>Brasil.</i>	? obscurus Dallas.	<i>Mexico.</i>
rufospilotus Hope.	<i>Columb.</i>	luctuosus Stål.	
? punctatus Dallas.	<i>id.</i>	<b>Dinidor</b> <i>Laporte.</i>	
brunneus A. et S.	<i>Brasil.</i>	variolosus Linné.	<i>Brasil.</i>
coriaceus Germ.	<i>Columb.</i>	maculatus Lap.	<i>Guiana.</i>
flavicinctus H.-Sch.	<i>id.</i>	cariosus Erichs.	<i>Brasil.</i>
lutosus Germ.	<i>Brasil.</i>	antennatus Dallas.	<i>Columb.</i>
cerdo Erichs.	<i>Guinea.</i>	corrosus H.-Sch.	<i>Pará.</i>
		lineatus Dallas.	

<b>Chlorocoris</b> <i>Spinola.</i>					
complanatus Guér. tau Spin.		<i>Brasil.</i>		stietica Hope. limata Germ.	<i>Gambia.</i>
deplanatus H.-Sch.				cincta H.-Sch.	<i>Afr. mer.</i>
trifispinus Dallas.		<i>Mexico.</i>		raptorica Germ. lata Hope.	<i>Sier. Leon.</i>
distinctus Sign.				obscura Dallas. parvula Dallas.	<i>Cap. b. sp.</i>
				foveata Dallas. lentiginosa Stål.	<i>Congo.</i>
<b>Alcaeus</b> <i>Dallas.</i>				natalensis Stål. caffra Stål.	<i>Afr. mer.</i>
varicornis Hope.		<i>Nov. Holl.</i>		Spinolae Stål.	<i>id.</i>
subspinosus Dallas.		<i>Kang. Isl.</i>		? cervicornis Hope.	<i>id.</i>
				? furcatus Hope.	<i>Sier. Leon.</i>
<b>Spudaeus</b> <i>Dallas.</i>				? hypomelas Burm.	<i>Java.</i>
reticulatus Hope.		<i>Nov. Holl.</i>		? rugosus Hope.	<i>Rio.</i>
parvulus Hope.		<i>id.</i>		<i>notat. p. 200</i>	<i>Cap. b. sp.</i>
				<b>Agonoscelis</b> <i>Spinola.</i>	
<b>Bathrus</b> <i>Dallas.</i>				versicolor Fabr.	
variiegatus Dallas.		<i>Nov. Holl.</i>		infuscata Hope.	
				gambiensis Hope.	<i>Africa.</i>
<b>Poecilometis</b> <i>Dallas.</i>				erosa Hope.	
Australasiae Donovan.		<i>Nov. Holl.</i>		acinorum Germ.	
flavopunctatus Guér.		<i>id.</i>		rutilus Fabr.	
apicalis Hope.		<i>id.</i>		elatus Fabr.	<i>Nov. Holl.</i>
gravis Fabr.		<i>id.</i>		Wolffi Guér.	
lineatus Hope.		<i>id.</i>		Petiti Le Guillon.	
strigatus Hope.		<i>id.</i>		nubila Fabr.	<i>Java.</i>
				indica Spin.	<i>Caffr.</i>
				puberula Stål.	<i>Mozamb.</i>
				brachyptera Scham.	
<b>Eumecopus</b> <i>Dallas.</i>				<b>Mecocephala</b> <i>allas.</i>	
tibialis Thunbg.		<i>Nov. Holl.</i>		acuminata Dall.	<i>Montevid.</i>
armatus Fabr.		<i>id.</i>			
nigriventris Dallas.		<i>id.</i>		<b>Gynenica</b> <i>allas.</i>	
longicornis Dallas.		<i>id.</i>		marginella Dall.	?
<b>Ectenus</b> <i>Dallas.</i>				<b>Peltasticus</b> <i>Dallas.</i>	
spectabilis Burm.		<i>Philipp.</i>		punctatus Dall.	<i>Afr. mer.</i>
<b>Agenor</b> <i>Dallas.</i>				<b>Erthesina</b> <i>Spinola.</i>	
spinosus Dallas.		<i>Nov. Holl.</i>		fullo Thunbg.	
				mucorea Fabr.	<i>China</i>
<b>Poecilotoma</b> <i>Dallas.</i>				guttata Fabr.	
centrolineata Hope.		<i>Nov. Holl.</i>		acuminata Dall.	<i>Ind. or.</i>
spinosa Dallas.		<i>id.</i>			
grandicornis Erichs.		<i>id.</i>		<b>Dalpada</b> <i>Am. d' Serville.</i>	
				oculata Fabr.	<i>Ind. or.</i>
<b>Atelocera</b> <i>Laporte.</i>				aspersa Am. et S.	<i>Java.</i>
armata Lap.		<i>Senegal.</i>		trimaculata Hope.	<i>id.</i>
serrata H.-Sch.		<i>id.</i>		elavata Fabr.	<i>Ind. or.</i>
obsipata Germ.		<i>Port. Nat.</i>		concinna Hope.	
spinulosa Pal.Beauv.		<i>id.</i>			

nigricollis Hope.  
obscura Hope.  
affinis Dall.  
versicolor H.-Sch.  
varia Dall.

**Agaeus**  
Dallas.

tessellatus Dall.  
discolor Dall.

**Halys**  
Fabricius.

dentata Fabr.  
sulcata Thunbg.  
variegata Pal. Beauv.

**Trachyops**  
Dallas.

australis Dall.

**Brochymena**  
Am. & Serville.

arborea Say.  
erosa H.-Sch.  
quadripustulata  
Fabr.  
serrata Fabr.  
pupillata H.-Sch.  
carolinensis Hope  
? reticulata Thunbg.  
? frondosa Germ.  
? latispina Germ.  
annulata Fabr.  
lineolata H.-Sch.  
unicolor H.-Sch.

**Eurus**  
Dallas.

dilatatus Thunbg.  
rotundatus Dall.

**Apodiphus**  
Spinola.

hellenicus Lefebvre.  
exsculptus Burm.

**Mustha**  
Am. & Serville.

serrata Fabr.  
spinosula Lefebvre.  
serrata Am. & Serv.

**Caenomorpha**  
Dallas.

insubida Germ.  
nervosa Dall.  
nebulosa Burm.  
ochripes Stål.

Ind. or.

id.  
id.  
id.

Ind. or.  
? Africa.

Ind. or.  
Gambia.

Nov. Holl.

Mexico.  
Amer. sept.

id.  
id.  
Africa.  
Cap. b. sp.  
id.  
Amer. sept  
Mexico.  
Brasil.

Prom. b. sp.

Graccia.

?  
Cyprus.

Cap. b. sp.  
id.  
id.  
Caffr.

**Pentatomidae.**

**Loxa**

Am. & Serville.

flavicollis Drury.  
albicollis Fabr.  
viridis Pal. Beauv.  
virescens Am. & S.  
affinis Dall.  
haematica H.-Sch.

Brasil.

Pará.  
Surinam.

**Diploxyx**

Am. & Serville.

senegalensis A. & S.  
acutispina A. & S.  
bipunctata A. & S.  
lineola Am. & Serv.

Senegal.

id.  
id.  
Amer. mer.

**Galedanta**

Am. & Serville.

myops Fabr.  
bituberculata Am.  
& Sen.

Brasil.

**Agroecus**

Dallas.

griseus Dallas.  
luridus Dallas.

Brasil.  
id.

**Macromolus**

Dallas.

nervosus Dallas.

Nov. Holl.

**Euschistus**

Dallas.

cornutus Dallas.  
acutus Dallas.  
thoracicus Dallas.  
convergens H. Sch.  
apicalis Dallas.  
crocipes Hope.  
atrox Hope.  
pallipes Dallas.  
bifibula Pal. Beauv.  
cognatus Dallas.  
crassus Dallas.  
triangulator H.-Sch.  
scabricornis H.-Sch.  
varicornis H.-Sch.

Brasil.  
id.  
?

Brasil.  
id.  
id.

Columb.  
Jamaica.  
Hondur.  
Brasil.  
Florida.  
Brasil.  
id.  
id.

perditor Fabr.  
fasciferus P. Beauv.  
collaris Hope.  
transversalis H. Sch.  
dimidiatus H. Sch.  
rubiginosus Dallas.  
ininspectus Hope.  
vetericus Linné.  
pustulatus P. Beauv.

Columb.

Brasil,  
Florida.  
id.

punctipes Say.	Amer. sept.	cryptorhynchus Ger.	Cap b. sp.
sordidus H. Sch.	id.	conjungens Germ.	id.
luridus Dallas.	id.	albidomaculata Stål.	Caffr.
tristigma H. Sch.	id.	albidofuscata Stål.	id.
obscurus Dallas.	Centr. Amer.	boschjesmana Stål.	id.
proximus Dallas.	Columb.	terminalis Schaum.	Mozamb.
anticus Stål.	Brasil.		

**Zalega**

Am. & Serville.	
spinifrons A. et S.	Surinam.

**Diceraeus**

Dallas.	
melacanthus Dallas.	Columb.
leucostigma Dallas.	Pará.

**Proxys**

Spinola.	
victor Fabr.	
albopunctatus Pal.	Brasil.
Beauv.	
hastator Fabr.	Surinam.
crenatus A. & S.	
punctulatus Pal.	Columb.
Beauv.	
spiniceps H. Sch.	Surinam.
? variolarius P Beauv	St. Doming.

**Mormidea**

Am. et Serv.	
ypsilon Linné.	Brasil.
ypsilon-aeneus Deg.	Hondur.
inermis Dallas.	Mexico.
collaris Dallas.	Columb.
maculata Dallas.	Brasil.
aglaopus Dallas.	Jamaica.
croceipes H. Sch.	Mexico.
notulata H. Sch.	Amer. sept.
poeila Dallas.	Columb.
promimula Dallas.	Afr. occid.
debellator Fabr.	Cap b. sp.
atomaria Germ.	
hastator Fabr.	Sier. Leon.
gladiator Fabr.	
jaculator Fabr.	
punctata Pal. Beauv.	id.
curtana Dallas.	id.
armata Dallas.	Brasil.
pyrrhocera H. Sch.	Amer. boreal.
irrorata H. Sch.	Mexico.
typhoeus Fabr.	
orthacantha Pal.	Amer. sept.
Beauv.	
vitripennis Burm.	
quadridens Thunbg.	Cap. b. sp.
pugnax Germ.	id.
tomentiventris Grm.	id.
nervosa Germ.	id.

**Hoplistera**

Hope.	
testacea Hope.	Java.
virescens Dallas.	Ind. orient.
trimaculata Le Pell.	Philipp.
& Serv.	
convexa Dallas.	id.

**Alcinus**

Dallas.	
lineolatus Dallas.	Philipp.

**Taurodes**

Dallas.	
boops Dallas.	Philipp.

**Aeschrus**

Dallas.	
obscurus Dallas.	Java.

**Axiagastus**

Dallas.	
rosmarus Dallas.	Philipp.

[\* **Tetratoma**]

Signoret.	
senegalensis Sign.	Senegal.

**Aelia**

Fabricius.	
americana Dallas.	Amer. bor.
acuminata Linné.	Europa.
rostrata Degeer.	Gallia.
neglecta Dallas.	Sicil.
Germari Küster.	Hispan.
Burmeisteri Küster.	Europ. mer.
pallida Küster.	Neapel.
bifida Costa.	German.
Klugi Hahn.	Suecia.
rostrata Bohem.	Cap. b. sp.
hastata Fabr.	Caffr.
bella Stål.	id.
griseoflava Stål.	id.
natalicola Stål.	id.
pumila Stål.	id.
caffra Hope.	id.
fuliginosa Klug.	Abyssin.
producta Klug.	Aegypt.
virgata Klug.	Syria.
atricornis Hope.	Austral.
gracilis White.	Congo.



lanceolata Fabr.  
nasalis Hope.  
? varicornis Hope.  
? inflexa Wolff.  
trilineata Kirby.  
? strigosa Klug.  
? glandulosa Burm.

### **Derula**

*Mulsant et Rey.*  
flavoguttata Muls.  
& Rey.

### **Eysarcoris**

*Hahn.*

Sahlbergi Stål.  
decoratus Hahn  
conspicillaris Dall.  
carnifex Fabr.  
? natalensis Dallas.  
distactus Dallas.  
affinis Dallas.  
misellus Stål.  
melanocephalus  
Fabr.  
venustissimus Schrk.  
regalis Cos.  
dubius Dallas.  
pusillus Panz.  
binotatus Hahn.  
intermedius Wolff.  
bipunctatus Fabr.  
consimilis Costa.  
perlatus Fabr.  
aeneus Kolen.  
guttigerus Thunb.  
nepalensis Hope.  
punctipes Hope.  
insularis Dallas.  
bovillus Dallas.  
humeralis Dallas.  
? lunatus Hahn.  
? tubulatus Ramb.  
? pungens Germ.

### **Coenus**

*Dallas.*

tarsalis Dallas.

### **Massocephalus**

*Dallas.*

maculatus Dallas.

### **Apines**

*Dallas.*

concinna Dallas.

*Congo.*  
*Austral.*  
*Gambia.*  
*Europa.*  
*Hudson.*  
*Cap b. sp.*  
*Bengal.*

*Gall. mer.*

*Sibir.*  
*Mexico*  
*Californien.*  
*Amer. bor.*  
*Port Nat.*  
?

*Java.*  
*Caffr.*

*Europ. mer.*

*Tenasser.*

*Europa.*

*id.*

*Europa.*

*Neapel.*

*Europa.*

*Ind. or.*

*Sandw. Ins.*

*Philipp.*

?

*Gallia.*

*Cap b. sp.*

### **Pentatoma**

*Pal. Beauv.*

trisignata Germ.  
goniodes Dallas.  
aberrans Germ.  
pallida Dallas.  
maculicollis Dallas.  
verbasci Degeer.  
baccarum Fabr.  
confusa Westw.  
depressa Hope.  
baccarum Linné.  
nigricornis Fabr.  
varius Fabr.  
lunula Fabr.  
Eryngii Germ.  
Wilkinsoni Hope.  
bilunulata Kolen.  
persica Kolen.  
lynx Panzer.  
sphaelata Fabr.  
? picea Dallas.  
? dubia Dallas.  
camatula Dallas.  
basalis Dallas.  
trinotata Hope.  
longirostris Dallas.  
latipes Dallas.  
gutta Dallas.  
pallipes Dallas.  
humerosa Dallas.  
maculata Dallas.  
dissimilis Fabr.  
prasina Degeer.  
juniperina Le Pell.  
et Serv.  
juniperina Linné.  
prasina Am. & Serv.  
vernalis Wolff.  
cineta Fabr.  
roseipennis Muls.  
tarsata Klug.  
rugiventris Germ.  
rufiventris Germ.  
pugillator Fabr.  
timorensis Hope.  
ventralis Dallas.  
scoruba Dallas.  
taprobanensis Dall.  
plinthacra Germ.  
boxura Dallas.  
cervina Germ.  
corticina Germ.  
marginella Hope.  
Cephalus Dall.  
dentata H.-Sch.  
grisea Dall.  
elongata Dall.  
parvula Dall.

*Cap. b. sp.*  
*id.*  
*id.*  
*Ind. orient.*  
*id.*

*Europa.*

*id.*

*Persia.*  
*Germania.*  
*Europ.*  
*Hudson.*

*id.*  
*Austral.*  
*China.*

*Java.*  
*Philipp.*  
*Tenasser.*  
*China.*

*Nor. Holl.*  
?  
*Afr. mer.*

*Europa.*

*id.*

*id.*

*Eur. merid.*

*Aegypt.*  
*Cap. b. sp.*  
*id.*  
*Sier. Leon.*  
*Ceylon.*

?  
*Congo.*  
*Ceylon.*  
*Cap. b. sp.*  
*Amer. bor.*

*Cap. b. sp.*  
*id.*  
*Nor. Holl.*  
*Java.*  
*Amer. bor.*  
*id.*  
*Ind. or.*  
*id.*

cubrosa Dall.	<i>Jamaica.</i>	Halys Stål.	<i>China.</i>
pilipes Dall.	<i>Florida.</i>	caenosula Stål.	<i>Caffrar.</i>
aeola Dall.	<i>Nor. Holl.</i>	inquinata Stål.	<i>id.</i>
lugens Fabr.	<i>Amer. bor.</i>	blanda Stål.	<i>id.</i>
albipes Fabr.		moerens Stål.	<i>id.</i>
punctipes Pl. Beauv.		limpoponis Stål.	<i>id.</i>
divisa H.-Sch.	<i>Cap. b. sp.</i>	trigemnis Stål.	<i>id.</i>
virgata Dall.	<i>Nor. Holl.</i>	Mulsanti Stål.	<i>id.</i>
apicalis H.-Sch.	<i>Afr. merid.</i>	subrufa Stål.	<i>id.</i>
inconspicua Dall.	?	natalensis Stål.	<i>id.</i>
testacea Dall.	<i>Am. merid.</i>	inops Stål.	<i>id.</i>
taeniola Dall.	<i>Am. cent.</i>	lineaticollis Stål.	<i>id.</i>
? antiquensis Hope.	<i>Jamaica.</i>	lutulenta Stål.	<i>id.</i>
obsoleta Dall.	<i>Florida.</i>	patruelis Stål.	<i>id.</i>
custator H.-Sch.			
costata Thunbg.	<i>Cap. b. sp.</i>	<b>Epipedus</b>	
civilis Germ.		<i>Spinola.</i>	
fimbriata Fabr.	<i>Java.</i>	histrion Spinola.	<i>Brasil.</i>
fimbriolata H.-Sch.	<i>id.</i>		
viridicollis Hope.	<i>Ind. or.</i>	<b>Aplerotus</b>	
crossota Dall.	<i>Nor. Holl.</i>	<i>Dallas.</i>	
affinis Dall.	<i>id.</i>	maculatus Dall.	<i>Nov. Holl.</i>
notia Dall.	<i>St. Doming.</i>		
cruenta Pal. Beauv.		<b>Strachia</b>	
variegata Thunbg.	<i>Cap. b. sp.</i>	<i>Hahn</i>	
orbitalis Hope.		ornata Linné.	
faceta Germ.	<i>Ind. orient.</i>	festiva Linné.	
pulchra Dall.	<i>Hong-kong.</i>	dominula Scopoli.	
anchora Thunbg.	<i>Ind. orient.</i>	herbacea H.-Sch.	<i>Terra antiq.</i>
cruciata Fabr.	<i>St. Thom.</i>	pecta H.-Sch.	
? perspicua Fabr.	<i>Jamaica.</i>	decorata Kolen.	
sexpunctata Linné.	<i>Columb.</i>	lhesgicia Kolen.	
? proxima Dall.	<i>Guinea.</i>	armeniaca Kolen.	
? splendida Blanch.	<i>Austral.</i>	picturata Stål.	
adpersa Fabr.	<i>Ind. orient.</i>	pulchra Hope.	<i>Sibir.</i>
aggressor Fabr.	<i>Guinea.</i>	Gebleri Kolen.	<i>Java.</i>
? binotata Fabr.	<i>Sier. Leon.</i>	sexpunctatus Gebl.	<i>Turan.</i>
? calens Fabr.	<i>Austral.</i>	oleracea Linné.	<i>Europa.</i>
? calida Fabr.	<i>Ambucohl.</i>	lineola Baerenspr.	<i>Hispan.</i>
? coelebs Fabr.	<i>id.</i>	stolida Fraivald.	<i>Russ. mer.</i>
colorata Klug.	<i>Am. sept.</i>	pecta Fabr.	<i>Ind. orient.</i>
miliaris Klug.	<i>Brasil.</i>	hilaris Burm.	
crenata Fabr.	<i>Cap. b. sp.</i>	jucunda Klug.	<i>Cap. b. sp.</i>
cruenta Lep. & Serv.	<i>Cayenne.</i>	hebraica Germ.	
? depressa H.-Sch.	<i>Nor. Cambr.</i>	pecta H.-Sch.	<i>id.</i>
discoidea Fabr.	?	gloriosa Hope.	<i>id.</i>
? elata Fabr.	<i>Austral.</i>	musiva Germ.	<i>id.</i>
? elector Fabr.	<i>China.</i>	poecila Dall.	<i>id.</i>
? emerita Fabr.	<i>Ind. orient.</i>	alineata Fabr.	<i>Cyprern.</i>
? fasciator Fabr.	<i>German.</i>	variegata Klug.	<i>Ind. orient.</i>
? flavescens Fabr.	<i>Syria.</i>	speciosa Dall.	<i>Java.</i>
leporina Panz.	<i>Asia minor.</i>	crucigera Hahn.	<i>Philipp.</i>
linea Klug.	<i>Africa.</i>	bicolor Dall.	<i>Java.</i>
regularis H.-Sch.	<i>id.</i>	limbata Fabr.	
?? 17-maculata P. Bv.	<i>Brasil.</i>	elegans Donovan.	<i>Nov. Holl.</i>
viréns Klug.		fasciata Sign.	
tessellata A. & Serv.	<i>Nor. Holl.</i>	histrionica Hahn.	<i>Mexico.</i>
rutila Fabr.		bifasciata H.-Sch.	<i>id.</i>
tetrastigma H.-Sch.	<i>Mexico.</i>	trifasciata Hope.	
principalis Stål.			



fulvescens Dallas.	?	<b>Amphaces</b>	
Guildini Hope.	Amer. mer.	Dallas.	
flavulus Stål.	Caffr.	ferruginea Dallas.	Nov. Holl.
flavolineatus Hope.		proxima Dallas.	id.
virescens Am. & Serv.	Ind. or.	virescens Dallas.	id.
purus Stål.	Caffrar.		
punctulatus Hope.	Amer. bor.	<b>Cuspicona</b>	
virescens Hope.	Austral.	Dallas.	
punctiventris Dall.	Senegal.	thoracica Hope.	Nov. Holl.
macula Dallas.	?	ligata Erichs.	Java.
apicalis Dallas.	Ind. or.	virescens Dallas.	China.
concinus Dallas.	?	? crassa Hope.	Nov. Holl.
varipennis Hope.	Java.	Roei Hope.	id.
lythroides Germ.	Cap. b. sp.	unimaculata Hope.	id.
maculiventris Dall.	Afr. occid.	inconspicua Dallas.	id.
poecilus Dallas.	Afr. mer.	fasciata Dallas.	id.
pallipes Dallas.	?	pulchra Dallas.	id.
flavovarius Dallas.	Ind. or.	fulvescens Dallas.	id.
bicinctus Germ.	Cap. b. sp.	? taeniola Dallas.	Kangar Isl.
divisus H-Sch.	id.	aggressor Fabr.	Ind. or.
conspersus Germ.	id.	defensor Fabr.	Nov. Holl.
loriventris Germ.	id.	inquinata Hope.	id.
lugubris Thunbg.		australis Hope.	id.
impluviatus Germ.	id.		
fuscoirroratus Stål.		<b>Microdeuterus</b>	
discolor Dallas.	Columb.	Dallas.	
macracanthus Dall.	Ind. or.	megacephalus Dall.	Ind. or.
discoideus Dallas.	Amer. Cent.		
armatus Dallas.	N. South W.	<b>Diplostira</b>	
orbis Stål.	Caffr.	Dallas.	
fuscosparsus Stål.	id.	valida Dallas.	Silhet.
decoratulus Stål.	id.	maculipes Sign.	
amoenus Stål.	id.		
seurilis Stål.	id.	<b>Lamus</b>	
? pallescens Germ.	Cap. b. sp.	Stål.	
		Dallasi Stål.	Caffr.
<b>Prionaca</b>			
Dallas.		<b>Gonielytrum</b>	
lata Dallas.	Silhet.	Stål.	
		circuliventre Stål.	Port. Nat.
<b>Anischys</b>			
Dallas.		<b>Arvelius</b>	
sparsus Germ.	Cap. b. sp.	Spinola.	
luteovarius Hope.	Nov. Holl.	albopunctatus	Brasil.
		Degeer.	
<b>Rhopali-</b>		gladiator Fabr.	
<b>morpha</b>			
White.		<b>Taurocerus</b>	
obscura White.	Nov. Seeland	Am. & Serville.	
		edessoides Spinola.	Brasil.
<b>Duadicus</b>		einctus H-Sch.	Mexico.
Dallas.			
pallidus Dallas.	Nov. Holl.	<b>Rhynchocoris</b>	
		Westwood.	
<b>Stauralia</b>		serratus Donovan.	Java.
Dallas.		humeralis Thunbg.	Silhet.
chloracantha Dall.	Nov. Holl.	hamatus Fabr.	

**Euoplites.***Am. & Serville.*

laciniatus Spinola.

**Acanthosoma***Curtis.*

haemorrhoidale

*Linné.**Europa.*

pabulinum Harris.

proximum Dallas.

difficile Dallas.

dubium Dallas.

distinctum Dallas.

dentatum Degeer.

haemagaster

*Schrank.*

collare Fabr.

Stolli Lep. et Serv.

laturatum Fallén.

boreale Hope.

laturatum Fabr.

pictum Newman.

clypeatum Burm.

nubilum Dallas.

? implaviatum Germ

punctatum Dallas.

griseum Linné.

interstinctum Linné.

Betulae Degeer.

agathinum Fabr.

achatinus Wolff.

nebulosum Kirby.

vittatum Fabr.

emeritum Fabr.

linea Dallas.

forfex Dallas.

elongatum Dallas.

ferrugator Fabr.

bispinus Panz.

recurvum Dallas.

fasciator Fabr.

notatum Dallas.

uniguttatum Donov.

rufescens Dallas.

laevicornis Dallas.

cornutum Dallas.

lutea Leguill.

picicolor Hope.

**Eurysaspis***Signoret.*

transversalis Sign.

Signoreti Stål.

**Bebaeus***Dallas.*

punctipes Dallas.

**Urostylidae.****Urochela***Dallas.*

bimaculata Dallas.

obscura Dallas.

quadripunctata

*Dallas.**Ind. or.**id.**id.***Urostylis***Westwood.*

punctigera Hope.

gracilis Dallas.

histrionica Hope.

notulata Dallas.

pallida Dallas.

flavoannulata Stål.

*Bengal.**id.**id.**Ind. orient.**id.**Dauria.***Urolabida***Westwood.*

tenera Hope.

Grayi White.

semicircularis H.-S.

*Ind. or.**id.**id.***Edessidae.****Peromatus***Am. & Serville.*

notatus Burm.

validus Dallas.

nodifer Hope.

*Brasil.**id.**id.***Edessa***Fabricius.*

cornuta Dallas.

bubalus Lep. et Serv.

trabeata Burm.

cervus Fabr.

viridis Donov.

bison Lep. et Serv.

grossa H.-Sch.

antilope Am. et

*Serv.*

capra Dallas.

antilope Fabr.

peronea Dallas.

vitulus Fabr.

maculata Dallas.

obtusa Dallas.

phoenicopus Dallas

sutura Dallas.

ovina Dallas.

obscura Dallas.

reticulata Dallas.

simplex H.-Sch.

nigrispina Dallas.

melacantha Dallas.

inconspicua Dallas.

*Brasil.**id.**id.**id.**id.**?**Brasil.**id.**Hondur.**Guiano.**id.**Brasil.**Mexico.**Brasil.**Mexico.**Brasil.**Cayenne.*

lutea Hope.	<i>Columb.</i>	capreola Stål.	<i>Brasil.</i>
leucocera Dallas.	<i>id.</i>	bos Stål.	<i>Hondur.</i>
dentata Dallas.	<i>Brasil.</i>	transversalis Germ.	<i>Prom. b. sp.</i>
lurida Dallas.	<i>id.</i>	? ulcerosa Germ.	<i>id.</i>
luteicornis Lep. et Serv.	<i>Columb.</i>		
quadridens Burm.	<i>Brasil.</i>	<b>Aceratodes</b>	
quadridens Fabr.	<i>id.</i>	<i>Am. &amp; Serville.</i>	
collaris Dallas.	<i>Columb.</i>	eruentus Fabr.	<i>Brasil.</i>
triangularis Dallas.	<i>Brasil.</i>	discolor Dallas.	<i>Guiana.</i>
polita Lep. & Serv.	<i>Columb.</i>	fulvicornis Fabr.	<i>Montevid.</i>
nervosa Burm.	<i>Brasil.</i>	carcosa Hope.	<i>Brasil.</i>
irrorata Dallas.	<i>Columb.</i>	marginalis Dallas.	<i>id.</i>
thoracica Dallas.	<i>id.</i>	fulvipes Dallas.	<i>id.</i>
victerica Hahn.	<i>Brasil.</i>	piperitus Hope.	<i>id.</i>
haematopoda Burm.	<i>id.</i>	albirenis H.-Sch.	<i>Jamaica</i>
flavida Hope.	<i>id.</i>	corrosus H.-Sch.	<i>Am. mer.</i>
parvula Dallas.	<i>id.</i>	ictericus Hahn.	<i>id.</i>
affinis Dallas.	<i>id.</i>	inconspicuus H.-S.	<i>Cuba.</i>
pallida Dallas.	<i>id.</i>	meditabundus Fabr.	<i>id.</i>
fasciata Dallas.	<i>id.</i>	obsoletus H.-Sch.	<i>Amer. merid.</i>
Loxdali Hope.	<i>id.</i>	flavovirens Stål.	<i>MinasGeræs</i>
nigridens Fabr.	<i>id.</i>	alбомarginatus Stål	<i>id.</i>
sexdens Fabr.	<i>id.</i>	flavomarginatus Stål	
jugata Hope.	<i>id.</i>		
? vicina Hope.	?	<b>Brachysthetus</b>	
arabs Linné.	?	<i>Laporte.</i>	
bifida Laporte.	<i>Buen. Ayres.</i>	marginatus Lap.	<i>Brasil.</i>
castanea H.-Sch.	?	circumscriptus	<i>id.</i>
dispina Perty.	<i>Brasil.</i>	Burm.	
furcata Pal. Beauv.	<i>id.</i>	cribrum Fabr.	<i>Surinam.</i>
fulvicornis Fabr.	<i>id.</i>	vicinus Sign.	<i>Brasil.</i>
??glandulosa Wolff?	?	geniculatus Sign.	<i>La Guayra.</i>
? glauca Fabr.	?	rubromaculatus	
? guineensis Fabr.	<i>Guinea.</i>	Dallas.	<i>Mexico.</i>
? guttatopunctata Fabr.	<i>Brasil.</i>	sexmaculatus H.-S.	
leucographa Perty.	<i>id.</i>	rubromaculatus Sig.	<i>Brasil.</i>
marginata Pal. Beauv.	<i>id.</i>	quinquedentatus	
? marmorea Fabr.	<i>? Ind. orient.</i>	Spin.	
mixta Fabr.	<i>Cayenne.</i>	<b>Aplosterna</b>	
??modesta Wolff.	?	<i>Hope.</i>	
? picus Fabr.	<i>Ind. orient.</i>	virescens Hope.	<i>Senegal.</i>
recurva H.-Sch.	<i>Brasil.</i>		
? sepulchralis Fabr.	<i>id.</i>	<b>Piezosternum</b>	
subulata Thunbg.	<i>St. Vincent.</i>	<i>Am. &amp; Serville.</i>	
? tarandus Fabr.	?	muconatum Pal.	
? triptera Fabr.	<i>Cayenne.</i>	Beauv.	<i>Congo.</i>
versicolor H.-Sch.	<i>Brasil.</i>	vicinum Hope.	
vitellina H.-Sch.	<i>id.</i>	subulatum Thunbg.	<i>Columb.</i>
? acantharis Sulz.	<i>Brasil.</i>	vacca Fabr.	
? brunripes Fabr.	<i>id.</i>	gazella Fabr.	
dolichorea Burm.	?		
elegans H.-Sch.	<i>id.</i>	<b>Agapophyta</b>	
haematopoda Burm.	?	<i>Guérin.</i>	
miniata Hope.	<i>Cayenne.</i>	bipunctata Guér.	<i>Nov. Holl.</i>
scutellata H.-Sch.	<i>Brasil.</i>		
serrata H.-Sch.	<i>id.</i>	<b>Mucanum</b>	
albidicornis Stål.	<i>id.</i>	<i>Am. &amp; Serville.</i>	
	<i>id.</i>	canaliculatum Lep.	<i>Java.</i>
		& Serv.	

<b>Pygoplatys</b> <i>Dallas.</i>			
validus Dallas.	?		
acutus Dallas.	?		
<b>Tessarotoma</b> <i>Lep. &amp; Serville.</i>			
chinensis Thunbg.			
papillosa Fabr.	<i>China.</i>		
Sonnerati L. & S.			
javana ♀ Burm.	<i>Java</i>		
proxima Hope.			
Afzeli Stål.	<i>Sier. Leon.</i>		
papillosa Fabr.			
papillosa Drury.			
javanica Thunbg.	<i>Java.</i>		
javana Burm.			
cuprea Hope.	<i>Neapel.</i>		
nigripes Dallas.	?		
picea Dallas.	<i>Java.</i>		
?cornuta Dallas.	?		
?taurus Hope.	<i>China.</i>		
<b>Hypencha</b> <i>Am. &amp; Serville.</i>			
apicalis Lep. & Serv	<i>Java.</i>		
<b>Eusthenes</b> <i>Dallas.</i>			
cupreus Hope.	<i>Ind. or.</i>		
robustus Lep. & Serv	<i>Silhet.</i>		
<b>Eurostus</b> <i>Dallas.</i>			
validus Dallas.	<i>China.</i>		
grossipes Dallas.	<i>Assam.</i>		
<b>Mattiphus</b> <i>Am. &amp; Serv.</i>			
oblongus Dallas.	<i>Ind. orient.</i>		
laticollis Hope.	<i>id.</i>		
Carrenoi A. & S.			
reflexus Dallas.	<i>Philipp.</i>		
<b>Pycanum</b> <i>Am. &amp; Serville.</i>			
amethystinum Fabr.			
alternatum Lep. et Serv.	<i>Java.</i>		
jaspideum H.-Sch.			
?rubens Fabr.	<i>Assam.</i>		
ponderosum Stål.	<i>id.</i>		
pretiosum Stål.	<i>Pulo Penang</i>		
<b>Dalcantha</b> <i>Am. et Serv.</i>			
dilatata Am. & S.	<i>Silhet.</i>		
<b>Eurypleura</b> <i>Am. &amp; Serv.</i>			
bicornis Am. & S.		<i>Java.</i>	
<b>Cyclogaster</b> <i>Westwood.</i>			
pallidus Westw.		<i>Gambia.</i>	
<b>Oncomeris</b> <i>Laporte.</i>			
flavicornis Guér.		<i>Austral.</i>	
Marianae Fabr.		<i>Java.</i>	
<b>Lyramorpha</b> <i>Hope.</i>			
rosea Hope.		<i>Nor. Holl.</i>	
pallida Hope.			
<b>Oncoscelis</b> <i>Westwood.</i>			
Australasiae Westw.		<i>id.</i>	
<b>Cyclopelta</b> <i>Am. &amp; Serville.</i>			
funebri Fabr.		<i>Sier. Leon.</i>	
nigroviolacea Pal.		<i>Congo.</i>	
Beauv.			
unicolor H.-Sch.			
obscura Lep. et S.		<i>Java.</i>	
alternans Hope.			
depressicornis H.-S.		<i>Ind. or.</i>	
siccifolia Hope.		<i>Himalaya.</i>	
tartarea Stål.		<i>Ind. orient.</i>	
mactans Fabr.		<i>Ind. orient.</i>	
mactabilis Perty.		<i>Caffr.</i>	
patruelis Stål.			
<b>Aspongobus</b> <i>Laporte.</i>			
Janus Fabr.		<i>Ind. or.</i>	
afer Drury.			
vicinus Hope.			
viduatus Fabr.		<i>Congo.</i>	
melanopterus H.-S.		<i>Ind. or.</i>	
obscurus Fabr.		<i>id.</i>	
ochreus Hope.		?	
unicolor Dallas.		<i>Ind. or.</i>	
nigriventris Hope.		<i>China.</i>	
chinensis Dallas.		<i>Silhet.</i>	
nepalensis Hope.		<i>Java.</i>	
fuscus Hope.		<i>Tenasser.</i>	
marginalis Dallas.		<i>Ind. or.</i>	
sanguinolentus Hope.			
cuprifer Hope.		<i>Congo.</i>	
limbatus Sign.		<i>id.</i>	
nubilus Hope.			
erythrocerus Germ.		<i>Caffr.</i>	
sutor Stål.			

monachus Stål.	<i>Caffr.</i>	<b>Tetroda</b>	
sartor Stål.	<i>id.</i>	<i>Am. &amp; Serv.</i>	
pullus Stål.	<i>id.</i>	<i>Whisteroides</i> Fabr.	<i>China.</i>
? notatus Fabr.	<i>Gambia.</i>	<i>fureata</i> H.-Sch.	<i>Ind. or.</i>
		<i>transversalis</i> Westw.	<i>id.</i>
<b>Phyllocephalidae.</b>		<i>divaricata</i> Dallas.	<i>Caffr.</i>
		<i>daemon</i> Stål.	<i>id.</i>
<b>Prionogaster</b>		<i>angulicollis</i> Stål.	<i>Ind. or.</i>
<i>Stål.</i>		<i>atomaria</i> Dallas.	<i>id.</i>
Westwodi Stål.	<i>Caffrar.</i>	<i>nigripennis</i> Dallas.	<i>id.</i>
		<i>obtusa</i> Dallas.	<i>Cap. b. sp.</i>
<b>Placosternum</b>		<i>africana</i> Dallas.	
<i>Am. &amp; Serv.</i>		<b>Cressona</b>	
taurus Fabr.	<i>Ind. or.</i>	<i>Dallas.</i>	
		<i>valida</i> Dallas.	<i>Ind. or.</i>
<b>Phyllocephala</b>		<b>Diplorhinus</b>	
<i>Laporte.</i>		<i>Am. &amp; Serville.</i>	
foveata Dallas.	<i>Afr. mer.</i>	<i>fureatus</i> Hope.	<i>Java.</i>
interrupta Hope.	<i>Nov. Holl.</i>	<i>distans</i> H.-Sch.	
rugicollis Hope.		<b>Schismatops</b>	
modesta Fabr.	<i>Afr. mer.</i>	<i>Dallas.</i>	
angularis Hope.	<i>Aegypt.</i>	<i>obscurus</i> Dallas.	<i>Guinea.</i>
aegyptiaca Lefebvre	<i>Senegal.</i>	<b>Macrina</b>	
senegalensis Lap.	<i>Caffr.</i>	<i>Am. et Serrille.</i>	
congesta Germ.	<i>id.</i>	<i>ancantura</i> Hope.	<i>Gambia.</i>
porosa Stål.	<i>id.</i>	<i>fissa</i> H.-Sch.	<i>id.</i>
lentiginosa Stål.	<i>Bengal.</i>	<i>denticulata</i> A. et S.	<i>id.</i>
fasciata Stål.	<i>Sier. Leon.</i>	<i>marginella</i> Hope.	<i>id.</i>
natalensis Stål.	<i>Cap. b. sp.</i>	<i>fureata</i> Am. et Serv.	<i>id.</i>
glandulosa Wolff.	<i>id.</i>	<i>juvencus</i> Burm.	<i>id.</i>
irrorata Hope.	<i>Gambia.</i>	<i>caenosa</i> White.	<i>Afr. mer.</i>
strigosa Klug.	<i>Afr. merid.</i>	<i>angularis</i> Dallas.	<i>Caffr.</i>
costalis Germ.	<i>Congo.</i>	<i>hottentotta</i> Stål.	<i>id.</i>
notata Dallas.	<i>Gambia.</i>	<i>mantis</i> Stål.	<i>id.</i>
gibbosa Dallas.	<i>id.</i>	<i>rubens</i> Stål.	<i>id.</i>
antica Dallas.	<i>id.</i>	<i>affinis</i> Stål.	<i>Gambia.</i>
signata Fabr.	<i>Manilla.</i>	<i>quadrspinosa</i> Hope	<i>Cap. b. sp.</i>
striata Sign.	<i>Cap. b. sp.</i>	? <i>leucogramma</i> Germ	<i>b'bacw'ara - 55-57, 164</i>
distincta Sign.	<i>id.</i>	<b>Megarhynchus</b>	
vicina Sign.	<i>id.</i>	<i>Laporte.</i>	
marginata A. et S.	<i>id.</i>	<i>hastatus</i> Fabr.	<i>Java.</i>
affinis Am. & Serv.	<i>id.</i>	<i>elongatus</i> Lap.	
albivittis H.-Sch.	<i>Cap. b. sp.</i>	<i>rostratus</i> Burm.	<i>China.</i>
russatus Stål.	<i>id.</i>	<i>testaceus</i> Am. et S.	<i>Java.</i>
caenosus Stål.	<i>Caffr.</i>	<i>truncatus</i> Hope.	<i>Gambia.</i>
? longula Germ.	<i>id.</i>	<i>gambiensis</i> Dallas.	
? ventralis Germ.	<i>id.</i>	<b>Dichelorhinus</b>	
nigriventris Germ.	<i>id.</i>	<i>Stål.</i>	
<b>Platacantha</b>		<i>histicus</i> Stål.	<i>Caffr.</i>
<i>Herrich-Schäffer.</i>			
lutea Hope.	<i>Cap. b. sp.</i>		
transversalis Hope.			
cerea Germ.			



<b>Dicheloccephala</b> Stål.		fusca Thunbg. moesta Fabr. geniculata Burm.	Brasil.
gracilis White.	Congo.	lateritia Hope.	
capensis Dallas.	Cap. b. sp.	serrulata H.-Sch.	
virescens Stål.	Caffrar.	Batatas Fabr.	id.
		intermedius H.-Sch.	id.
		dubia Dallas.	id.
		sculpta Perty.	id.
		costicollis Stål.	id.
<b>Megymenidae.</b>		<b>Menenotus</b> Laporte.	
<b>Megymenum</b> Guérin.		lunatus Lap.	Brasil.
cupreum Guér.	Java.	cornutus Perty.	id.
spinosum Burm.	Philipp.	unicolor Hope.	
insulare Hope.	Melv. Isl.		
dentatum Guér.	China.		
crenatum Le Guill.	Nor. Holl.		
brevicorne Fabr.	China.		
inermis H.-Sch.	Ind. or.	<b>Acanonicus</b> Westwood.	
gracilicorne Dallas	China.	laticornis Burm.	Brasil.
serratum Germ.	Cap. b. sp.		
purpurascens	Java.		
Westw.		<b>Mictididae.</b>	
Merratti Le Guil.	Timor.		
		<b>Brachytes</b> Westwood.	
<b>Eumenotes</b> Westwood.		bicolor Westw.	Ind. or.
obscura Westw.	?	africanus Dallas.	Afr. mer.
		<b>Bardistus</b> Dallas.	
<b>SUPERICORNIA.</b>		serrulatus Perty.	Am. mer.
<b>Spartoceridae</b>		umbrinus Perty.	
<b>Euagona</b> Dallas.		<b>Dalader</b> Am. et Serv.	
Diana Dallas.	Bolivia.	acuticosta A. & S.	Ind. or.
		rotundicosta Serv.	Sier. Leon.
<b>Elasmogaster</b> Stål.		planiventris Hope.	id.
brunnescens Stål.	Caffrar.	africanus Dallas.	
		<b>Derepteryx</b> White.	
<b>Spartocera</b> Laporte.		Hardwicki White.	Nepal.
erythromelas White		Grayi White.	id.
bimaculatus Hope.	Brasil.	<b>Petascelis</b> Signoret.	
bicolor H.-Sch.		dilatatus Sign.	Guinea.
diabolicus Blanch.	Columb.	remipes Sign.	Cap b. sp.
formosa Dallas.	Bolivia.	affinis Dallas.	Guinea.
rubronotatus Blanch	Jamaica.	bilobus Sign.	Caffr.
maculata Dallas.	Brasil.	tribulus Germ.	Silhet.
pustulata Fabr.	Guiana.	spinus Sign.	
pubera Erichs.	Mexico		
dorsalis White.	Brasil.	<b>Molchina</b> Am. & Serr.	
sentellata Hope.	id.	compressicornis	Brasil.
farinosa Dallas.	id.	Fabr.	
alternata Dallas.	id.	compositicornis	
cinnamomea Hahn.	id.	Hopei Perty.	
subfulva Hope.	id.		

**Pachylis***Lep. & Serville.*

Pharaonis Fabr.  
 gigas Burm.  
 nervosus Dallas.  
 laticornis Fabr.  
 rufitarsis Spin.  
 tenuicornis Dallas.  
 heteropus Latr.  
 grossus Hope.  
 ? abbreviatus Thunb.

*Brasil.*  
*Mexico.*  
 ?  
*Brasil.*  
 ?  
*Columb.*  
*Ind. or.*

**Spathophora***Am. & Serville.*

biclavata Fabr.

*Brasil.***Melucha***Am. & Serv.*

phylloenemis Burm.  
 lineatocollis Spin.  
 lineicollis A. et S.  
 cinnamomea Dallas  
 dilatata Fabr.

*Brasil.*  
 ?  
*Brasil.*

**Mictis***Leach.*

bellicosa Fabr.  
 metallica Sign.  
 apicalis Germ.  
 pagana Dallas.  
 similis Dallas.  
 inconspicua Dallas.  
 ventralis Hope.  
 compressa Dallas.  
 annulicornis Germ.  
 varicornis Hope.  
 nigricornis Germ.  
 affinis Hope.  
 protactus H.-Sch.  
 punctum Hope.  
 bicolor Hope.  
 dubia Dallas.  
 castanea Dallas.  
 lata Dallas.  
 tristator Fabr.  
 scutellaris Dallas.  
 castanicornis Stål.  
 caffra Stål.  
 vidua Stål.  
 tomentovirgata Stål  
 griseosericans Stål.  
 grillatoria Stål.  
 lugubrina Stål.  
 natalensis Stål.  
 amicta Stål.  
 vidua Schaum.  
 tuberculosa Sign.  
 cinctus Sign.  
 tumidipes Fabr.

*Sier. Leon.*  
*Gaboon.*  
*Cap. b. sp.*  
*id.*  
*id.*  
*id.*  
*id.*  
*nd. or.*  
*Cap. b. sp.*  
*Afr. mer.*  
*Corea.*  
*Ind. or.*  
*China.*  
*Java.*  
*Ceylon.*  
*Hong-kong.*  
*Sier. Leon.*  
*Port Nat.*  
*Caffr.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*Mozamb.*  
*Gaboon.*  
*Java.*  
*Congo.*

pectoralis Germ.  
 parallela Hope.  
 nigrita Dallas.  
 curvipes Fabr.  
 apicalis Hope.  
 Bohemani Stål.  
 furva Stål.  
 Libyssa Dallas.  
 gracilis Dallas.  
 validipes Stål.  
 fuliginosa Klug.  
 \* affinis H.-Sch.  
 valgus Linné.  
 atramentaria Germ.  
 alata Hope.  
 tornator Germ.  
 crassiclunis Germ.  
 dilatata Dallas.  
 cornuta Dallas.  
 Rothi Dallas.  
 undata Dallas.  
 terminalis Dallas.  
 cruciata Dallas.  
 dentipes Am. &  
 Serv.  
 calcar Dallas.  
 grossa Dallas.  
 valida Dallas.  
 foliaceipes Stål.  
 tragus Fabr.  
 lobipes Hope.  
 serrata Pal. Beauv.  
 ? conjuncta H.-Sch.  
 tenebrosa Fabr.  
 umbilicata H.-Sch.  
 protacta H.-Sch.  
 nigricornis Dallas.  
 moesta Dallas.  
 flaveola Drury.  
 Andreae Burm.  
 Boerhaviae H.-Sch.  
 religiosus Hope.  
 ? marginalis Dallas.  
 ? affinis Dallas.  
 ? frigguttata H.-Sch.  
 discolor Dallas.  
 serina Dallas.  
 fulvicornis Fabr.  
 tenebrosus Burm.  
 longicornis Hope.  
 gallina Dallas.  
 fasciata Hope.  
 profana Fabr.  
 crucifera Leach.  
 abdominalis Guér.  
 symbolica Dallas.  
 crux Dallas.  
 albiditarsis Hope.  
 heros Fabr.  
 phasianus Fabr.

*Cap. b. sp.*  
*id.*  
*Senegal.*  
*Caffr.*  
*id.*  
*Congo.*  
*Sier. Leon.*  
*Caffr.*  
*Senegal.*  
*id.*  
*Prom. b. sp.*  
*id.*  
*id.*  
*id.*  
*Congo.*  
 ? *id.*  
*Abyssin.*  
*Port Nat.*  
*Congo.*  
*id.*  
*Ind. or.*  
*id.*  
*id.*  
*Ceylon.*  
*Caffr.*  
*China.*  
 ?  
*Congo.*  
 ?  
*Ind. or.*  
*id.*  
*id.*  
*id.*  
*Congo.*  
  
*Sier. Leon.*  
  
*Columb.*  
*id.*  
*Mexico.*  
*Philipp.*  
*China.*  
  
*Java.*  
  
*Silhet.*  
*Ind. or.*  
  
*Nor. Holl.*  
  
*id.*  
*Naut. Ins.*  
*Ind. or.*  
*Silhet.*  
*id.*

**Zoreva***Am. & Serville.*

pentipes Fabr.	—	p. 104
spinosa Burm.		
fasciata A. et S.		Brasil.
Golema	—	p. 104

**Crinocerus***Burmeister.*

crucifer Pal. Beauv.		St. Domingo.
devotus H.-Sch.		Brasil.
sanctus Fabr.		id.
analisis Dallas.		Cuba.
sanctus Burm.		Brasil.
lobatus Burm.		Guiana.
galeator Fabr.		Brasil.
tibialis H.-Sch.		
fulvicornis H.-S.		Guiana.
clavipes Fabr.		Brasil.
spinosus A. et S.		
histrion Burm.		Surinam.
rubromaculatus		
A. et S.		
subtomentosus Stål		?
rubro-ornatus Stål.		Brasil.
lugens Stål.		id.
tuberculatus H.-S.		Brasil.

**Amorbus***Dallas.*

alternatus Dallas.		Austral.
hirticulus Dallas.		id.
rubiginosus Guér.		id.
affinis Hope.		id.
angustior Hope.		id.
obscuripennis Hope.		Tasman.
abdominalis Dallas		Kangar Isl.
rhombeus Hope.		Austral.
rhombifer Hope.		id.
discolor Dallas.		Tasman.

**Physomerus***Burmeister.*

terminalis Burm.		
crassielunus Germ.		Prom. b. sp.
lugens Stål.		Caffr.
granosus Stål.		id.
spinipes Pal. Beauv.		Guinea.
pallens Dallas.		
? albonotatus Am.		Amer. merid.
et Serv.		
squalus Burm.		id.
alternans Say.		Mexico.
calcar Fabr.		Java.
grossipes Fabr.		id.
oedymerus Burm.		Philipp.
parvulus Dallas.		?

**Himella***Dallas.*

venosa Dallas.		Brasil.
----------------	--	---------

**Rhombogaster***Dallas.*

luteus H.-S.		Hondur.
rhomboidens A. & S.		Brasil.
circularis Burm.		

**Mozena***Am. & Serv.*

spinigerus A. et S.		Mexico.
---------------------	--	---------

**Archimerus***Burmeister.*

armatus Lap.		Brasil.
acutangulus H.-S.		Jamaica
triangulum Spin.		Brasil.
angustatus H.-S.		Mexico.
lunatus Burm.		id.
brunnicornis H.-S.		Columb.
acanthus Dallas.		Mexico.
affinis Dallas.		Hondur.
luridus Dallas.		Mexico.
lineolatus H.-S.		id.
muticus H.-Sch.		Columb.
? dilatatus Dallas.		

**Merocoris***Perty.*

typhoeus Fabr.		
acridioides Fabr.		Am. boreal.
rugosus A. & S.		
distinctus Dallas.		id.
acridioides H.-Sch.		Brasil.
tristis Perty.		Persia.
persicus Klti.		

**Meropachus***Laporte.*

nigricans Lap.		Brasil.
affinis Dallas.		id.
nigricans A. et S.		Mexico.
alternatus Dallas.		Brasil.
longicornis Dallas.		id.
dorsiger Hope.		id.
granosus H.-Sch.		id.
gracilis Burm.		id.
Buqueti Spin.		id.
subluridus Hope.		id.
integer Burm.		Guiana.
virescens Erichs.		Brasil.
variolosus Burm.		id.
? crassipes Fabr.		

**Nematopus***Latreille.*

meleagris Fabr.		China.
-----------------	--	--------

longipes Dallas.  
affinis Dallas.  
pallicornis Dallas.  
nepalensis Hope.  
? brevicornis H.-S.  
similis Dallas.  
javanicus Hope.  
malayus Stål.  
indus Linné.  
gallus Fabr.  
vicinus Dallas.  
ruficus Perty.  
obscurus Hope.  
nervosus Lap.  
? chalybaeus H.-S.  
punctiger Dallas.  
? dilatatus Fabr.  
? flavicornis Fabr.

### Metapodius

Westwood.

latipes Drury.  
compressipes Fabr.  
albicollis Dallas.  
thoracicus Dallas.  
alatus Burm.  
suratus Burm.  
Stolli Guér.  
suralis Guér.  
femoratus Guér.  
femoratus Fabr.  
angustipes Hope.  
granulosus Dallas.  
consobrinus Hope.  
apicalis Hope.  
terminalis Dallas.  
unicolor Dallas.  
parensis Dallas.  
badius H.-S.  
fulvitarisus H.-S.  
luctuosus Stål.  
bicoloripes Stål.

### Petalops

Am. & Serv.

velatus Fabr.  
elegans Serv.  
fortunatus Dallas.  
azureus Burm.  
crassipes Dallas.  
fasciatus Dallas.  
signatus Dallas.  
abdominalis Dallas.  
Megaera Burm.  
dimidiatus Dallas.

### Plaxiscelis

Spinola.

pagana Burm.

China.  
Philipp.  
*id.*

Nepal.  
*id.*

Java.  
Pulo Penang

Brasil.

*id.*

*id.*

*id.*

*id.*

Surinam.

Columb.

Cayenne.

*id.*

Brasil.

?

Honduras.  
Mexico.

Brasil.

*id.*

Columb.

Honduras.

?

Am. bor.

Columb.

Brasil.

*id.*

Cayenne.

Mexico.

Columb.

Brasil.

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

Brasil.

### Homoeoceridae.

### Petalocnemis

Stål.

pachycerus Stål.

Caffr.

### Paryphes

Burmeister.

regalis Hope.

Brasil.

naeniator A. & S.

*id.*

lucicollis Stål.

*id.*

laetus Fabr.

cinctus Lep. & S.

*id.*

gracilis Dallas.

*id.*

? coccocinctus Burm

Philipp.

linea Dallas.

Sicr. Leon.

hilaris Stål.

Caffrar.

? dubius Dallas.

Brasil.

fenestratus Burm.

*id.*

Andreea Burm.

*id.*

humeralis Klug.

*id.*

? miniaecus Blanch.

Bolivia.

Whitei Guér.

Cuba.

caesareus Stål.

?

amabilis Stål.

Min. Geraës

magnificus Stål.

Brasil.

sumptuosus Stål.

Guayaquil.

pretiosus Stål.

Mexico

### Galaesus

Stål.

hasticornis Thunbg.

Prom. b. sp.

bicolor Gray.

Gambia.

rufifemoratus Dall.

### Carpia

Dallas.

punctata Dallas.

?

### Lagaria

Dallas.

varicornis Hope.

Brasil.

? africana Dallas.

Congo.

bellator Fabr.

Brasil.

puncticornis H.-Sch.

*id.*

? gladiator Fabr.

### Homoeocereus

Burmeister.

angulatus Hope.

Ind. or.

javanicus Dallas.

Java.

biguttatus Hope.

Ind. or.

albiventris Dallas.

*id.*

macula Dallas.

*id.*

gutta Dallas.

?

punctum Dallas.

Corea.

diversicornis Hope.

Columb.

concolor Germ.

Prom. b. sp.

unipunctatus Thunbg.

Java.

marginellus H.-Sch.

puncticornis Burm.	<i>Philipp.</i>	* fasciata H.-Sch.	<i>Haiti.</i>
chinensis Dallas.	<i>Hong-kong.</i>	chilenis Spin.	<i>Chile.</i>
minimus A. et S.	<i>Java.</i>	femorata Spin.	<i>Mexico.</i>
magnicornis Klug.	<i>Prom. b. sp.</i>		
? abbreviatus H.-Sch.	?		
? plagiatus Germ.	<i>Cap. b. sp.</i>		
? bicolor Germ.	<i>id.</i>		
? nigricornis Germ.	<i>id.</i>		
		<b>Leptoscelis</b>	
<b>Ornytus</b>		<i>Laporte.</i>	
<i>Lallas.</i>		fastuosa H.-Sch.	<i>Brasil.</i>
alternans Hope.	<i>Sier. Leon.</i>	lunata Fabr.	<i>id.</i>
elongatus Dallas.	?	rubropicta Hope.	<i>Columb.</i>
? brevicornis Dallas	<i>Ind. orient.</i>	pulchella Dallas.	
		haemorrhous Linné	<i>Brasil.</i>
		balteatus Deg.	
		haemorrhoidalis Fbr	<i>id.</i>
		infumata Guér.	<i>id.</i>
		flavipes Burm.	<i>id.</i>
		guttula H.-Sch.	<i>id.</i>
		picta Drury.	
		crenulata Fabr.	<i>id.</i>
		divisa H.-Sch.	
		dispar Fabr.	<i>id.</i>
		pulverulenta H.-Sch.	<i>Mexico.</i>
		marginella Dallas.	<i>Brasil.</i>
		obscura Dallas.	<i>Columb.</i>
		ventralis Dallas.	<i>Ceylon.</i>
		<b>Microbasis</b>	
		<i>Dallas.</i>	
		maculata Dallas.	<i>Columb.</i>
		? rufiventris Stål.	<i>Sier. Leon.</i>
		<b>Serinctha</b>	
		<i>Spinola.</i>	
		augur Fabr.	<i>Ind. or.</i>
		abdominalis Fabr.	<i>id.</i>
		rufomarginata Fabr.	<i>Philipp.</i>
		tagalica Burm.	<i>id.</i>
		vicina Dallas.	<i>id.</i>
		taprobanensis Dall.	<i>Ceylon.</i>
		longirostris Dallas.	<i>Java.</i>
		haematidea Hahn.	<i>Ind. or.</i>
		Sinae Stål.	<i>China.</i>
		lurida Dallas.	?
		fraterna Hope.	<i>Sier. Leon.</i>
		fimbriata Dallas.	<i>Nov. Holl.</i>
		haematica Germ.	<i>Prom. b.sp.</i>
		hexophthalma Thun.	<i>Caffr.</i>
		moesta Stål.	
		griseiventris Hope.	<i>Sier. Leon.</i>
		lamicta Germ.	<i>id.</i>
		vittata A. et S.	<i>Prom. b. sp.</i>
		fulcrata Germ.	<i>Cuba.</i>
		? coturnix Burm.	<i>Mexico.</i>
		aeola Dallas.	<i>Columb.</i>
		haematoloma H.-S.	<i>Brasil.</i>
		rufa Hahn.	
		<b>Lybas</b>	
		<i>Dallas.</i>	
		obscurus Dallas.	<i>Java.</i>
		annulipes Dallas.	<i>Malabar.</i>

**Hypselonotus**

Hahn.

fulvus Deg.	
striatulus Fabr.	Brasil.
dimidiatus Hahn.	
lineaticollis Stål.	id.
interruptus Hahn.	id.
bilineatus Hope.	
annulatus Burm.	id.
concinus Dallas.	Columb.
linea Fabr.	id.
? fasciatus Burm.	id.
? affinis Dallas.	Brasil.
pulchellus H.-Sch.	id.
subterpunctatus A. & Serv.	?
? trigonus Thunbg.	Bengal.

**Namacus**

Am. et Serv.

transvirgatus Am. et Serv.	Surinam.
----------------------------	----------

**Copius**

Thunberg.

rubescens A. & S.	
maculatus Thunbg.	Brasil.
Latreillei Lep. & Serv.	
intermedius H.-Sch.	id.
histrion Fabr.	
scurra Burm.	Surinam.

**Alydidae.****Hyalymenus**

Am. &amp; Serville.

vespiformis Fabr.	
pellucidus Gray.	Brasil.
dentatus Fabr.	id.
dubius Dallas.	id.

**Hypselopus**

Burmeister.

gigas Burm.	
villosipes A. & S.	Prom. 6. sp.
cinctiventris Germ.	id.
tripunctatus Dallas.	id.
incarnatus Erichs.	Tasman.
spinus Klug.	Dongol.
annulicornis Stål.	Caffrar.
maculatus Thunbg.	
linearis Stål.	id.

**Colobathristes**

Burmeister.

macronatus Burm.	Brasil.
chalcocephalus Bur.	id.
nigriceps Burm.	id.

**Trachelium**

Herrich-Schäffer.

bicolor H.-Sch.	Brasil.
fulvipes H.-Sch.	id.

**Alydus**

Fabricius.

lateralis Germ.	
geranii Dufour.	Eur. merid.
annulatus Brullé.	
marginatus H.-Sch.	Turcia.
brevipes H.-Sch.	Sier. Leon.
albicans Hope.	Prom. 6. sp.
torridus Hope.	Africa.
jaculus Thunbg.	Afr.
fasciatus Dallas.	Mozamb.
proletarius Schaum	Sier. Leon.
tenuicornis Dallas.	id.
acantharis Dallas.	id.
dentipes Fabr.	Ind. or.
linearis Fabr.	Sier. Leon.
fuscus Fabr.	Caffr.
crassifemur Stål.	Sier. Leon.
pilosus Thunbg.	Brasil.
longipes Dallas.	id.
robustus Dallas.	Ind. or.
ventralis Hope.	Nov. Holl.
serripes Fabr.	id.
scutellaris Dallas.	id.
annulicornis Guér.	id.
incarnatus Erichs.	id.
obscuricornis Dallas	id.
pallens Dallas.	Brasil.
puncticeps Dallas.	id.
affinis Hope.	Columb.
sinuatus Fabr.	Brasil.
pulcher Stål.	Honduras.
diversipes Hope.	Mexico.
sinuatus H.-Sch.	id.
tarsatus Fabr.	Jamaica.
rufipes Hope.	Caffr.
flavovittatus Stål.	Maurit.
arcuatus Fabr.	Ind. or.
fuscus Fabr.	Brasil.
recurvus H.-Sch.	Ind. orient.
? tibialis Fabr.	id.
? pedestris Fabr.	Amer. mer.
atratus Fabr.	Amer. bor.
cruentus H.-Sch.	Europa.
calcaratus Linné.	Sibir.
ornaticeps Stål.	Am. bor.
pilosulus H.-Sch.	Eur. mer.
limbatus H.-Sch.	Am. bor.
ater Dallas.	id.
apicalis Dallas.	Caucas.
hirsutus Klti.	id.
tragacanthae Klti.	

<b>Euthetus</b> <i>Dallas.</i>					
pulchellus Dallas.	<i>Ind. or.</i>			crassipes H.-Sch.	<i>German.</i>
leucostictus Stål.	<i>Caffr.</i>			minor H.-Sch.	<i>id.</i>
leucopocilus Stål.	<i>id.</i>			rufescens H.-Sch.	<i>id.</i>
sordidus Stål.	<i>id.</i>			elegans Burm.	<i>id.</i>
				montivagus H.-Sch.	<i>id.</i>
				trichocerus Scholtz.	<i>Silesia.</i>
				malacaiplus Stål.	<i>Caffr.</i>
<b>Micrellytra</b> <i>Laporte.</i>				<b>Metacanthus</b> <i>Costa.</i>	
fossularum Rossi.	<i>Eur. mer.</i>			punctipes Germ.	
aptera Dufour.				elegans Curtis.	<i>Europ.</i>
				annulatus Burm.	
<b>Stenocephali- dae.</b>				transsilvanicus Fuss.	<i>Neapel.</i>
				meridionalis Costa.	<i>Ind. or.</i>
<b>Stenocephalus</b> <i>Latreille.</i>				pulchellus Dallas.	<i>?</i>
agilis Scop.	<i>Europa.</i>			pectoralis Dallas.	
nugax Fabr.				<b>Phyllomorpha</b> <i>Laporte.</i>	
neglectus H.-Sch.	<i>Caffr.</i>			laciniata De Vill.	
caffer Dallas.	<i>Galapag. Isl</i>			paradoxa Wolff.	<i>Eur. merid.</i>
insularis Dallas.				hystrix Latr.	
				erinaceus H.-Sch.	
<b>Leptocorisa</b> <i>Latreille.</i>				lacerata H.-Sch.	<i>Italia.</i>
chinensis Dallas.	<i>China.</i>			algirica Guér.	<i>Algier.</i>
brevicornis Dallas.	<i>Nov. Holl.</i>			paradoxa Sparrm.	<i>Afr. mer.</i>
varicornis Fabr.	<i>Ind. or.</i>			capicola Westw.	<i>id.</i>
tipuloides Degeer.				Latreillei Guér.	<i>Senegal.</i>
furcifera Hope.	<i>Brasil</i>			phyllomorpha Latr.	<i>Madagas.</i>
maculiventris Dall.	<i>Ceylon.</i>			madagascariensis	
costalis H.-Sch.	<i>Java.</i>			Coquerel.	
trinotatus H.-Sch.	<i>id.</i>			persica Westw.	<i>Persia.</i>
linearis Lap.	<i>?</i>			pellicula Westw.	<i>Afr.</i>
				<b>Hydara</b> <i>Dallas.</i>	
<b>Coreidae.</b>				tenuicornis Hope.	<i>Sier. Leon.</i>
				gracilicornis Stål.	<i>Caffr.</i>
<b>Chorosoma</b> <i>Curtis.</i>				<b>Gonocerus</b> <i>Latreille.</i>	
miriformis Fall.	<i>Europa.</i>			luridus Dallas.	<i>Afr. mer.</i>
micropterus Burrell.	<i>Sibir.</i>			bipunctatus Hope.	<i>Ind. orient.</i>
macilentum Stål.				punctiger Dallas.	<i>China.</i>
Schillingi Schumm.	<i>Europa.</i>			punctulatus Hope.	<i>Ind. or.</i>
Arundinis Curtis.	<i>Monspel.</i>			? calumniator Fabr.	
brevicornis Muls. et Rey.				? pugnator Fabr.	<i>Java.</i>
				alternatus Dallas.	<i>id.</i>
<b>Acestra</b> <i>Dallas.</i>				acutus Dallas.	<i>Philipp.</i>
sinica Dallas.	<i>China.</i>			lanciger Fabr.	<i>?</i>
				dubius H.-Sch.	<i>Prom. b. sp.</i>
<b>Neides</b> <i>Latreille.</i>				ochraceus Dallas.	<i>id.</i>
tipularius Linné.	<i>Europa.</i>			versicolor H.-Sch.	<i>?</i>
spinus Say.	<i>Am. bor.</i>			notatus Thunbg.	<i>id.</i>
clavipes Fabr.	<i>Europa.</i>			varius Dallas.	<i>id.</i>
				fascialis Dallas.	<i>id.</i>
				pusillus Dallas.	<i>id.</i>
				crenicollis Schaum.	<i>Mozamb.</i>

litripennis Stål.	<i>Caffr.</i>	<b>Verlusia</b>	
caffer Stål.	<i>id.</i>	<i>Spinola.</i>	
? crassicornis Dall.	<i>Prom. b. sp.</i>	rhombea Linné.	<i>Europa.</i>
insidiator Fabr.	<i>Eur. mer.</i>	quadrata Fabr.	
venator Fabr.	<i>id.</i>	sulcicornis Fabr.	<i>Eur. mer.</i>
chloroticus Dufour.		rotundiventris Spin.	
erudus Newman.	<i>id.</i>		
juniperi Dahl.	<i>Andalus.</i>	<b>Coreus</b>	
? triquetricornis		<i>Fabricius.</i>	
Ramb.		scapha Fabr.	<i>Europa.</i>
Hahni Stål.	<i>Buen. Ayres.</i>	spiniger Fabr.	
tristis Degeer.		variegatus Klti.	<i>Eur. mer.</i>
rugator Fabr.		pallescens Klti.	
destructor Halm.	<i>Mexico.</i>		
irroratus Grav.		<b>Syromastes</b>	
ordinatus Say.	<i>?</i>	<i>Latreille.</i>	
dilatatus Dallas.	<i>Mexico.</i>	marginatus Linné.	
apicalis Dallas.	<i>Amer. mer.</i>	auriculatus Degeer.	<i>Europa.</i>
? rubricator Fabr.	<i>Ind. or.</i>	venator Coqueb.	
hastatus Fabr.		fundator Hfßgg.	<i>Eur. mer.</i>
		? inconspicuus H.-S.	<i>Mexico.</i>
<b>Ceratopachys</b>		? scurra Germ.	<i>Cap. b. sp.</i>
<i>Westwood.</i>		? prasinus Germ.	<i>id.</i>
ruficornis Dallas.	<i>Africa.</i>		
virescens Dallas.	<i>Port. Nat.</i>	<b>Chariesterus</b>	
prominulus Dallas.	<i>Ind. or.</i>	<i>Burmeister.</i>	
vicinus Dallas.	<i>id.</i>	antennator Fabr.	<i>Am. sept.</i>
variabilis Dallas.	<i>id.</i>	moestus H.-Sch.	<i>Brasil.</i>
plagiatus Germ.	<i>Afr. mer.</i>	albiventris Burm.	
? marginellus Hope		armatus Thunbg.	<i>Cayenn.</i>
nigricornis Germ.	<i>id.</i>	gracilis Lap.	
capensis Hope.		moestus Burm.	<i>Mexico.</i>
magnicornis Burm.	<i>id.</i>	abdominalis Dallas.	<i>Columb.</i>
auritulus Am. & S.		? foliaceatus Blanch.	
		? marginalis Burm.	<i>Mexico.</i>
<b>Discogaster</b>		vexillarius Burm.	<i>Brasil.</i>
<i>Burmeister.</i>			
rhomboideus Burm.	<i>Brasil.</i>	<b>Clavigralla</b>	
pallens Spinola.		<i>Spinola.</i>	
Drewseni Stål.	<i>Min. Geraës.</i>	gibbosa Spin.	<i>Bombay.</i>
		elevator Fabr.	<i>Sier. Leon.</i>
<b>Anlacosternum</b>		acanthion Dallas.	<i>Brasil.</i>
<i>Dallas.</i>		hystrix Dallas.	<i>Sier. Leon.</i>
nigrorubrum Dallas.	<i>Nor. Holl.</i>	tuberculata Dallas.	<i>Hong-kong.</i>
		scutellaris Hope.	<i>China.</i>
<b>Anasa</b>		pulehra Stål.	<i>Brasil.</i>
<i>Am. &amp; Sercille.</i>		acantharis Fabr.	<i>id.</i>
dorsigera Hope.	<i>Jamaica.</i>	nigropunctata Deg.	
puncticollis H.-Sch.	<i>Cuba.</i>	delirator Fabr.	<i>Columb.</i>
moesta Dallas.	<i>Columb.</i>	massulata Am. &	
obscura Dallas.	<i>Galapag. Isl.</i>	<i>Serv.</i>	
terminalis Dallas.	<i>?</i>	taeniola Dallas.	<i>id.</i>
apicalis Hope.	<i>Columb.</i>	muricata Stål.	<i>Caffr.</i>
		natalensis Stål.	<i>id.</i>
<b>Sethenira</b>		tomenticollis Stål.	<i>id.</i>
<i>Spinola.</i>		pilosicollis Stål.	<i>id.</i>
testacea Spin.		horrida Germ.	<i>Cap. b. sp.</i>
angulata Hope.	<i>Brasil.</i>	? hoploxys Dallas.	<i>Gambia.</i>
lata H.-Sch.			



**Acanthocoris***Am. et Serv.*

scabrator Fabr.	<i>Ind. orient.</i>
scabripes H.-Sch.	<i>China.</i>
acutus Dallas.	
fasciculatus Fabr.	<i>Congo.</i>
grylloides Burm.	
aper Germ.	<i>id.</i>
obseuricornis Dall.	<i>Afr. mer.</i>
asper Dallas.	<i>id.</i>
apicalis Dallas.	<i>id.</i>
thoracicus Dallas.	<i>Ind. orient.</i>
obscurus Dallas.	

*Spinulicornis* → *Spin. p. 104***Chocrommatus***Am. & Serv.*

farinosus A. & S.	<i>Gambia.</i>
-------------------	----------------

**Dasycoris***Dallas.*

denticulatus Scop.	
hirticornis Fabr.	
scabricornis Panz.	<i>Europa.</i>
pilicornis Burm.	
affinis H.-Sch.	
dentator Fabr.	<i>Eur. mer.</i>
alternans H.-Sch.	
Spinolae Costa.	<i>Neapel.</i>
serratus Costa.	<i>id.</i>
obscurus H.-Sch.	<i>Sicil.</i>
typhaecornis Fabr.	<i>Hispan.</i>
annulipes H.-Sch.	<i>German.</i>
disciger Kolen.	<i>Caucas.</i>

**Rhopalidae.****Harmostes***Burmeister.*

virescens Dallas.	<i>Amer. sept.</i>
chilensis Dallas.	<i>Chili.</i>
minor Stål.	<i>id.</i>
marginatus Blanch.	<i>id.</i>
perpunctatus Dall.	<i>?</i>
affinis Dallas.	<i>?</i>
dorsalis Burm.	<i>Mexico.</i>

**Atractus***Laporte.*

Waltlii H.-Sch.	<i>Hispan.</i>
nubilus Fall.	<i>Europa.</i>
spinipes Fall.	<i>id.</i>
Falléni Schill.	<i>id.</i>
Dalmani Schill.	<i>id.</i>
litratus Curtis.	<i>Anglia.</i>
lobatus H.-Sch.	<i>Sicil.</i>
obscurus Germ.	
dentipes Bhn.	<i>Suecia.</i>

**Ceraleptus***Costa.*

gracilicornis H.-Sch.	<i>Ital.</i>
tibialis Hope.	<i>id.</i>
squalidus Costa.	<i>Berolin.</i>
lividus Stein.	<i>id.</i>
maculatus Stein.	

**Margus***Dallas.*

pectoralis Dallas.	<i>Columb.</i>
pallipes Dallas.	<i>id.</i>

**Macevetus***Dallas.*

errans Fabr.	<i>Eur. mer.</i>
caucasicus Kolen.	

**Rhopalus***Schilling.*

ruber Dallas.	<i>Columb.</i>
punctipennis Dallas.	<i>Amer. sept.</i>
punctiventris Dall.	<i>id.</i>
scutellaris Dallas.	<i>Afr. mer.</i>
crassicornis Linné.	<i>Europa.</i>
capitatus Panz.	<i>Columb.</i>
Sidae Fabr.	<i>Cuba.</i>
hyalinus Fabr.	<i>Gallia.</i>
gracilis H.-Sch.	<i>German.</i>
virginus Schill.	<i>id.</i>
gemmatus Costa.	<i>id.</i>
latipes Bohem.	<i>id.</i>
magnicornis Fabr.	<i>id.</i>
maculatus H.-Sch.	<i>id.</i>
ledi Bohem.	<i>id.</i>
capitatus Fabr.	<i>id.</i>
substriatus Burm.	<i>id.</i>
sanguineus Costa.	<i>Neapel.</i>
rubescens Kolen.	<i>Caucas.</i>
bengalensis Dallas.	<i>Ind. or.</i>
chinensis Dallas.	<i>China.</i>
pratensis Fallén.	
magnicornis Fallén.	<i>Europa.</i>
parumpunctatus	
Schill.	
capensis Germ.	<i>Cap. b. sp.</i>
? fuleratus Germ.	<i>id.</i>
Hyoseyami Linné.	<i>Europa.</i>

**INFERICORNIA.****Lygaeidae.****Lygaeus***Fabricius.*

contaminatus Dall.	<i>Prom. b. sp.</i>
proximus Dallas.	<i>id.</i>

apicalis Dallas.	<i>Gambia.</i>	lusitanicus H.-Sch.	<i>Hispan.</i>
ruffemoratus Dall.	<i>id.</i>	longulus Dallas.	<i>Aegypt.</i>
leucurus Fabr.	<i>Philipp.</i>	lanio H.-Sch.	<i>Ind. or.</i>
furcatus Fabr.	<i>Gambia.</i>	punctum Fabr.	<i>Eur. mer.</i>
convergens Dallas.	<i>Prom. b. sp.</i>	ventralis Kolen.	<i>German.</i>
sordidus Dallas.	?	Roeseli Schill.	<i>Ind. or.</i>
fulvipes Dallas.	<i>Aegypt.</i>	argentatus Fabr.	<i>id.</i>
castaneipes Dallas.	<i>Nov. Holl.</i>	maculatus Dallas.	<i>Sier. Leon.</i>
jucundus Dallas.	<i>Prom. b. sp.</i>	sternalis Dallas.	<i>Java</i>
innotatus Dallas.	<i>Nov. Holl.</i>	fimbriatus Dallas.	<i>Eur. mer.</i>
famelicus Fabr.	<i>Prom. b. sp.</i>	punctatoguttatus Fabr.	<i>id.</i>
crocatus Thunbg.	<i>Ind. or.</i>	Schummeli Schill.	<i>Ind. or.</i>
aulicus Thunbg.	<i>id.</i>	maculicollis Germ.	<i>As. Af. Aust.</i>
nigriceps Dallas.	<i>Am. mer.</i>	bipunctatus Dallas.	<i>Cuba.</i>
trilineatus Fabr.	<i>id.</i>	servus Fabr.	<i>Ind. or.</i>
hamatus H.-Sch.	<i>id.</i>	Dallasi Guér.	?
varicolor Fabr.	<i>Ind. or.</i>	guttiger Dallas.	<i>Prom. b. sp.</i>
fasciatus Dallas.	<i>Mexico.</i>	verticalis Dallas.	<i>id.</i>
aulicus H.-Sch.	<i>Cuba.</i>	melanurus Germ.	<i>Columb.</i>
tristriatus H.-Sch.	<i>Columb.</i>	pilosulus Germ.	<i>id.</i>
alternans H.-Sch.	<i>Brasil.</i>	marginellus Dallas.	<i>Florida.</i>
gutta H.-Sch.	<i>id.</i>	vicinus Dallas.	<i>Jamaica.</i>
quadriguttatus Dall.	<i>Eur. mer.</i>	lineola Dallas.	<i>id.</i>
variegatus Degeer.	<i>Europa.</i>	collaris Fabr.	<i>Brasil.</i>
pulcher Fabr.	<i>Mexico.</i>	pulchellus Fabr.	<i>Cuba.</i>
unifasciatus Hahn.	<i>id.</i>	bimarginatus H.-S.	<i>Mexico.</i>
Nerii Germ.	<i>id.</i>	xanthostaurus H.-S.	<i>Ind. or.</i>
equestris Linné.	<i>Brasil.</i>	Poeyi Guér.	<i>Ind. or.</i>
speciosus Scop.	<i>Eur. mer.</i>	lateralis Dallas.	<i>Tasman.</i>
turcius Fabr.	<i>Europa.</i>	affinis Wolff.	<i>Am. mer. ?</i>
analís Dallas.	<i>Mexico.</i>	mendicus Fabr.	<i>China.</i>
costalis H.-Sch.	<i>id.</i>	muticus Erichs.	<i>Creta.</i>
reclivatus Say.	<i>id.</i>	scabrosus Fabr.	<i>Portugal.</i>
bipunctulus H.-Sch.	<i>Brasil.</i>	servus Fabr.	<i>Portugal.</i>
bicolor H.-Sch.	<i>Terra antiq.</i>	creticus Lucas.	
militaris Fabr.	<i>Prom. b. sp.</i>	rubricosus Stål.	
pandurus de Vill.	<i>id.</i>	<i>fasciatus ventris - 50 p 104</i> <b>Arocatus</b>	
civilis Wolff.	<i>id.</i>	Spinola.	<i>Lygodesm. 9</i>
hospes Fabr.	<i>id.</i>	melanocephalus Fb.	<i>gno p 104</i> <i>Eur. mer.</i>
lagenifer Dufour.	<i>id.</i>	pusillus Dallas.	<i>Ind. or. Tenacru</i>
asiaticus Kolen.	<i>id.</i>		<i>(20 p. 204)</i>
elegans Wolff.	<i>id.</i>	<b>Orsillus</b>	
concinus Dallas.	<i>id.</i>	Dallas.	
crudelis Fabr.	<i>id.</i>	depressus Dallas.	? <i>Italia.</i>
albidus Thunbg.	<i>id.</i>		
rivularis Germ.	<i>id.</i>	<b>Nysius</b>	
mundus Dallas.	<i>id.</i>	Dallas.	
feccialis Stål.	<i>Caffr.</i>	zealandicus White.	<i>Nov. Seel.</i>
lemniscatus Stål.	<i>id.</i>	Thymi Wolff.	<i>Europa.</i>
delicatulus Stål.	<i>id.</i>	senecionis Schill.	<i>id.</i>
villosulus Stål.	<i>id.</i>	eximius Stål.	<i>Sibir.</i>
saevus Germ.	<i>id.</i>	ericae Schill.	<i>Siles.</i>
septus Germ.	<i>id.</i>	jacobaeae Schill.	<i>id.</i>
trimaculatus Dallas	<i>Am. sept.</i>	fragariae Boh.	<i>Neapel.</i>
furecula H.-Sch.	<i>Sier. Leon.</i>	lineatus Costa.	<i>id.</i>
familiaris Fabr.	<i>Gallia.</i>	exilis Costa.	<i>Helvet.</i>
pacificus Boisd.	<i>Nov. Holl.</i>	helveticus H.-Sch.	<i>German.</i>
incomptus H.-Sch.	<i>Ind. or.</i>	punctipennis H.-S.	
saxatilis Scop.	<i>Europa.</i>		

Fragariae Boh. variabilis Ramb. basalis Dallas. scutellatus Dallas. nubilus Dallas. binotatus Germ. pallens Dallas. albidus Dallas. jamaicensis Dallas. ? marginalis Dallas.	<i>Siles.</i> <i>Hispan.</i> <i>Brasil.</i> <i>Jamaica</i> <i>Columb.</i> <i>Prom. b. sp.</i> <i>id.</i> <i>Sier. Leon.</i> <i>Jamaica.</i> <i>Galapag. Isl</i>	<b>Rhyparochro-</b> <b>mus</b> <i>Curtis.</i> carbonarius Rossi. echii Panz. aterrimus Wolff. Rolandri Linné. bimaculatus Linné. pini Linné. phoeniceus H.-Sch. quadratus Fabr. apicalis Dallas. maerens Germ. turgidifemur Stål nigromaculatus Stål caffer Stål. dilatus H.-Sch. vulgaris Schill. lynceus Schill. quadratus Fabr. pineti Hffmssgg. pedestris Panz. marginé-punctatus Wolff. pilifrons Zetterst. derelictus Costa. varius Wolff. bimaculatus Fall. sylvaticus Fabr. turtulus Costa. arenarius Hahn. apimacula Costa. nebulosus Fall. convivus Stål. nitidulus H.-Sch. antennatus Schill. brevipennis Schill. bidentulus H.-Sch. agrestis Fall. sylvaticus Panz. discors Costa. chiragra Fabr. tibialis Hahn. sabuleti Hahn. mitellatus Costa. crassicornis Bäreus. decoratus Hahn. borealis Dallas. fenestratus H.-Sch. sylvestris Panz. plebeius Fall. erraticus Fabr. sordidus Fabr. chinensis Dallas. albobstriatus Fabr. pallens Dallas. acuminatus Dallas. ovalis Dallas. pictus Schill. podagrieus Fall.	<i>Europa.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>Prom. b. sp.</i> <i>id.</i> <i>Caffr.</i> <i>id.</i> <i>id.</i> <i>German.</i> <i>Europa.</i> <i>Hungar.</i> <i>id.</i> <i>id.</i> <i>Europa.</i> <i>id.</i> <i>Italia.</i> <i>German.</i> <i>Europa.</i> <i>Neapel.</i> <i>id.</i> <i>Europa.</i> <i>Sibir.</i> <i>Hungar.</i> <i>Europa.</i> <i>id.</i> <i>id.</i> <i>Europa.</i> <i>Neapel.</i> <i>Europa.</i> <i>Hungar.</i> <i>id.</i> <i>Eur. mer.</i> <i>Europa.</i> <i>Huds. Bay.</i> <i>Hungar.</i> <i>id.</i> <i>Eur. mer.</i> <i>Europa.</i> <i>Huds. Bay.</i> <i>Hungar.</i> <i>id.</i> <i>id.</i> <i>Ind. or.</i> <i>Hong-kong.</i> <i>Guinea.</i> <i>Ind. or.</i> <i>Nov. Holl.</i> <i>Columb.</i> <i>Europa.</i>
<b>Epipolops</b> <i>Germar.</i> frondosus Germ.	?		
<b>Henestaris</b> <i>Spinola.</i> Genéi Spin. laticeps Curt. Spinolae Costa. hispanicus Ramb.	<i>Eur. mer.</i> <i>Neapel.</i> <i>Hispan.</i>		
<b>Heterogaster</b> <i>Schilling.</i> Urticae Fabr. affinis H.-Sch. Salviae Schill. typhae Perris. Waltlii Kolen. coronillae Kolen. Artemisiae H.-Sch. ? semipunctatus Germ. depressus Mulsant & Rey.	<i>Europa.</i> <i>Gallia.</i> <i>Europa.</i> <i>Gall. mer.</i> <i>Caucas.</i> <i>id.</i> <i>German.</i> <i>Prom. b. sp.</i> <i>Gallia.</i>		
<b>Lethaeus</b> <i>Dallas.</i> africanus Dallas. indicus Dallas.	<i>Sier. Leon.</i> <i>Ind. or.</i>		
<b>Aphanus</b> <i>Laporte.</i> rusticus Fall. insignis Costa. enervis H.-Sch. ? villosus Mulsant & Rey. pallipes H.-Sch. rufipes Wolff. loniceræ Schill. sabulosus Schill. pedestris Fallén. indicus Dallas. capensis Dallas. tripunctatus Dallas. clavatus Dallas.	<i>Europa.</i> <i>Neapel.</i> <i>German.</i> <i>Gallia.</i> <i>German.</i> <i>id.</i> <i>Ind. orient.</i> <i>Prom. b. sp.</i> <i>Florida.</i> <i>Am. sept.</i>		

obscurus Mulsant & Rey.	<i>Gallia.</i>	maculatus A. & S.	<i>Cayenn.</i>
pilicornis Mulsant & Rey.	<i>id.</i>	pusillus Dallas.	<i>?</i>
ferrugineus Muls. & Rey.	<i>id.</i>	nigriceps Dallas.	<i>Sandw. Ins.</i>
inuscus Fabr.	<i>Europa.</i>	cephalotes Dallas.	<i>Nor. Holl.</i>
quadratus Panz.	<i>Nov. Holl.</i>	nigripes Dallas.	<i>id.</i>
notatus Dallas.	<i>America.</i>	longulus Dallas.	<i>?</i>
armipes Fabr.	<i>Nov. Holl.</i>	proximus Dallas.	<i>Prom. b. sp.</i>
longicollis Dallas.	<i>Caucas.</i>	attenuatus Dallas.	<i>id.</i>
pulcher H.-Sch.	<i>Eur. mer.</i>	adspersus Muls. & Rey.	<i>Gallia.</i>
iberius Kolen.	<i>Caffr.</i>	quinque-maculatus Mulsant & Rey.	<i>id.</i>
marginipennis Stål.	<i>id.</i>	insectus Boh.	<i>id.</i>
umbriker Stål.	<i>id.</i>	marginatus Dahlb.	<i>id.</i>
patruelis Stål.	<i>Caucas.</i>	brachiidens Dufour.	<i>Madrid.</i>
anomalous Kolen.	<i>Prom. b. sp.</i>	tessella Costa.	<i>Neapel.</i>
brunnipennis Germ.	<i>id.</i>	bidenticulatus Costa	<i>id.</i>
oculatus Germ.	<i>German.</i>	bivirgatus Costa.	<i>id.</i>
contractus H.-Sch.	<i>id.</i>	suberythropus Costa	<i>id.</i>
fraeticollis Schill.	<i>id.</i>	nabiformis Costa.	<i>id.</i>
hirsutulus Schill.	<i>id.</i>	palliatum Costa.	<i>id.</i>
luniger Schill.	<i>id.</i>	insignis Boh.	<i>Succia.</i>
sylvestris Fabr.	<i>Silesia.</i>	spingigerellus Boh.	<i>id.</i>
? Sahlbergi Fall.	<i>Europa.</i>	hemipterus Schill.	
holosericeus Scholtz	<i>id.</i>	staphiliniiformis Hahn.	<i>German.</i>
coleopratus Sahlb.	<i>id.</i>	angustulus Boh.	
pusillus Scholtz.	<i>Eur. merid.</i>	? oculatus Germ.	<i>Cap. b. sp.</i>
maculipennis Curt.	<i>Turcia.</i>	stenoideus Guér.	<i>Cuba.</i>
praetextatus H.-S.	<i>German.</i>	Ménétriési Kouschk.	<i>German.</i>
femorialis Bohm.	<i>id.</i>		
pallidulus H.-Sch.	<i>Europa.</i>	<b>Atractophora</b> Stål.	
picipes H.-Sch.	<i>id.</i>	fusifemur Stål.	<i>Caffr.</i>
saturinus Rossi.	<i>Tasman.</i>		
subaeneus H.-Sch.	<i>id.</i>		
umbilus Fall.	<i>Ind. or.</i>	<b>Orthaea</b> Dallas.	
geniculatus Hahn.	<i>id.</i>	consuta Dallas.	<i>Columb.</i>
crassicornis Dallas.	<i>Prom. b. sp.</i>	? guttata Dallas.	<i>Jamaica.</i>
lacertosus Erichs.	<i>Caffr.</i>		
torquatus Erichs.	<i>id.</i>	<b>Tritomacera</b> Costa.	
nigroaeneus Erichs.	<i>id.</i>	aphanoides Costa.	<i>Sicil.</i>
picipennis Dallas.	<i>id.</i>		
bengalensis Dallas.	<i>Ind. or.</i>	<b>Platygaster</b> Schilling.	
assimilis Dallas.	<i>id.</i>	ferrugineus Linné.	
consutus Germ.	<i>Ind. or.</i>	grossipes Degeer.	<i>Europ.</i>
nigropictus Stål.	<i>id.</i>	abietis Fabr.	
curvipes Stål.	<i>id.</i>		
crassifemur Stål.	<i>id.</i>	<b>Laryngodus</b> Herrich-Schäffer.	
apicatus Stål.	<i>id.</i>	Australiae H.-Sch.	<i>Australi.</i>
paganus Stål.	<i>id.</i>		
natalensis Stål.	<i>id.</i>	<b>Myodocha</b> Latreille.	
pallicornis Dallas.	<i>id.</i>	serripes Oliv.	<i>Amer. sept.</i>
gutta Dallas.	<i>id.</i>		
silvestris Linné.	<i>id.</i>		
inconspicuus Dall.	<i>id.</i>		
lineatus Fabr.	<i>id.</i>		
basalis Dallas.	<i>id.</i>		
scutellatus Dallas.	<i>id.</i>		
vicinus Dallas.	<i>id.</i>		
parvulus Dallas.	<i>id.</i>		

<b>Oxycarenus</b> <i>Fieber.</i>		albipennis Dallas.	?
fasciatus Fieber.	<i>Peru.</i>	<b>Geocoris</b>	
bicolor Fieber.	<i>Assam.</i>	<i>Fallén.</i>	
(Germari Fieber.	<i>Prom. b. sp.</i>	luridus Fieber.	<i>Mesopot.</i>
albiger Germ.	<i>id.</i>	erythrocephalus	
Fieberi Stäl.	<i>id.</i>	Lepell. & Serv.	<i>Eur. mer.</i>
maculatus Stäl.	<i>id.</i>	ruficeps Germ.	<i>Prom. b. sp.</i>
pallidipennis Dallas.	<i>Sicil.</i>	amabilis Stäl.	<i>Caffr.</i>
Helferi Fieber.	<i>Serbia.</i>	flaviceps Burm.	<i>Philipp.</i>
inermis Fieber.	<i>Germ. mer.</i>	lituratus Fieber.	<i>Assam.</i>
(Spitzyi Fieber.	<i>Eur. mer.</i>	ochropterus Fieber.	<i>id.</i>
(basalis H.-Sch.	<i>Prom. b. sp.</i>	(siculus Fabr.	<i>Sicil.</i>
(Lavaterae Fabr.	<i>id.</i>	albipennis Costa.	
(tardus Hahn.	<i>id.</i>	(pallidipennis Am. &	
annulipes Germ.	<i>id.</i>	Serv.	
rufiventris Germ.	<i>Eur. mer.</i>	colon Fieber.	<i>Assam.</i>
albidipennis Stäl.	<i>id.</i>	plagiatus Fieber.	<i>Ind. or.</i>
leucopterus Fieber.	<i>Eur. mer.</i>	albipennis Fabr.	<i>Eur. merid.</i>
(collaris Muls. & R.	<i>id.</i>	(pallidipennis Costa	<i>id.</i>
(pallens H.-Sch.	<i>Caucas.</i>	angularis Fieb.	
origani Kolen.	<i>Sibir.</i>	phaeopterus Germ.	<i>Prom. b. sp.</i>
viduani Stäl.	<i>Germ.</i>	ater Fabr.	<i>Europa.</i>
(lineolatus Schill.	<i>id.</i>	lineola Costa.	<i>Neapel.</i>
(costatus H.-Sch.	<i>id.</i>	*lineola Rambur.	<i>Andalus.</i>
(interruptus Fieber.	<i>id.</i>	Steveni Lep. & Serv	<i>Gallia.</i>
(costatus H.-Sch.	<i>id.</i>	(dispar Waga.	<i>Austria.</i>
(Preyssleri Fieber.	<i>id.</i>	(Ulrichi Fieb.	<i>Europa.</i>
fasciatus H.-Sch.	<i>Hispan.</i>	grylloides Linné.	<i>Lappon.</i>
(insignis Costa.	<i>Sicil.</i>	lapponicus Zetterst.	<i>Amer. bor.</i>
plagiatus Fieber.	<i>Neapel.</i>	griseus Dallas.	<i>id.</i>
convexus Fieber.	<i>Gall. mer.</i>	borealis Dallas.	<i>id.</i>
ditomoides Costa.	<i>Suecia.</i>	niger Dallas.	<i>Java.</i>
tenuis Mul. & Rey.		flavipes Stäl.	<i>Nubia.</i>
fusco-nervosus Dalil.		signicollis Stäl.	<i>Maurit.</i>
		Mauritii Stäl.	<i>Californ.</i>
		tristis Stäl.	<i>id.</i>
		pallens Stäl.	<i>Senegal.</i>
		figuratus Am. & Serv.	
<b>Micropus</b> <i>Spinola.</i>		<b>Oedaucala</b>	
fulvipes Degeer.	<i>Am. sept.</i>	<i>Am. &amp; Serville.</i>	
brunnipennis Germ.	<i>Prom. b. sp.</i>	dorsilinea A. & S.	<i>Am. mer.</i>
pusillus Dallas.	<i>id.</i>		
fusconervosus Stäl.	<i>Caffr.</i>	<b>Cymus</b>	
brevicornis Stäl.	<i>id.</i>	<i>Hahn.</i>	
ochripes Stäl.	<i>id.</i>	(clavicularius Fall.	<i>Europa.</i>
linearis Stäl.	<i>id.</i>	(caricis Fall.	<i>id.</i>
collaris Sign.	<i>Columb.</i>	glaudicolor Hahn.	<i>id.</i>
Sallei Sign.	<i>Mexico.</i>	(resedae Panz.	<i>id.</i>
variegatus Sign.	<i>Montevid.</i>	(didymus Zetterst.	<i>Prom. b. sp.</i>
Gayi Spin.	<i>Chile.</i>	lineola Dallas.	<i>id.</i>
falicus Say.	<i>Am. bor.</i>	dipus Germ.	<i>id.</i>
agilis Spin.	<i>Chile.</i>	? petiolatus Germ.	<i>Hispan.</i>
(sabuleti Fall.	<i>Europa.</i>	hispanicus Spin.	<i>Caucas.</i>
(decurtatus H.-Sch.	<i>Italia.</i>	saturejae Kolen.	<i>id.</i>
(parallelus Costa.	<i>Gallia.</i>	hyrcanicus Kolen.	<i>Eur. mer.</i>
Genei Spin.	<i>Am. bor.</i>	reticulatus H.-Sch.	<i>id.</i>
Spinolae Sign.		halophilus Germ.	
leucopterus Say.			
<b>Blissus</b> <i>Klug.</i>			
hirtulus Klug.	<i>Abyss.</i>		

**Dipsocoridae.****Dipsocoris**

*Holiday.*  
alienus H.-Sch. *German.*

**Anthocoridae.****Anthocoris**

*Fallén.*  
nemoralis Fabr. *Europa.*  
nemorum Linné. *id.*  
sylvestris Wolff. *Berlin.*  
pini Baerenspr. *Huds. Bay.*  
borealis Dallas. *Helvet.*  
reduvinus H.-Sch. *German.*  
fasciatus H.-Sch. *Gall. mer.*  
\* testaceus Perris. *Lyon.*  
testaceus Muls. & Rey.

albofasciatus Fieb. *German.*

pusillus H.-Sch. *id.*

lugubris Boh. *Berlin.*

austriacus Hahn. *Helvet.*

elegantulus Baerensprung. *Lyon.*

truncatulus H.-Sch. *German.*

pilicornis Muls. & Rey. *id.*

bicuspidis H.-Sch. *Gall. mer.*

obscurus Hahn. *Neapel.*

minutus Linné. *id.*

fruticum Fall. *German.*

crassicornis Perris. *Suecia.*

parvicornis Costa. *id.*

rufescens Costa. *id.*

exilis Fall. *id.*

tenellus Zetterst. *id.*

longiceps Salihb. *id.*

**Xylocoris**

*Dufour.*  
parisiensis Am. & Serville. *Europa.*  
americanus Dallas. *Amer. bor.*  
ater Dufour. *Europa.*  
tardus H.-Sch. *id.*  
albipennis H.-Sch. *id.*  
dimidiata Spin. *Gallia.*  
rufipennis Dufour. *id.*  
albipennis Scholtz. *Neapel.*  
latior Mul. & Rey. *id.*  
obliquus Costa. *Europa.*  
pulchellus Zetterst. *id.*  
domesticus Hahn.

**CECIGENAE.****Microphysidae.****Myrmedobia**

*Baerensprung.*  
coleoptrata Fall. *Europa.*  
myrmedobia Märk. *? German.*  
rufoscutellata  
Bärensp.

**Lichenobia**

*Baerensprung.*  
muscorum Fall. *Europa.*  
Mulsanti Sign.  
ferruginea Bärensp.

**Myerophysa**

*Westwood.*  
pselaphoides Burm. *Europa.*  
bipunctata Perris. *Gall. mer.*  
testacea H.-Sch. *German.*

**Pyrrhocoridae.****Macrocheraia**

*Lefebvre.*  
grandis Gray. *Ind. or.*  
longicornis Spin.

**Pyrrhocoris**

*Fallén*  
apterus Linné. *Europa.*  
calmariensis Fallén *Sibir.*  
fusco-punctatus Stål *Europa.*  
aegyptius Linné. *Prom. b. sp.*  
italicus Rossi. *id.*  
Forsteri Fabr. *id.*  
clavimanus Fabr. *id.*  
nigriceps Stål. *io.*  
pectoralis Stål. *id.*  
carnifex Fabr. *id.*  
scutellaris H.-Sch. *Ind. or.*  
? Schlanbuschi Fabr. *p. 105*

**Dermatinus**

*Stål.*  
lugens Stål. *Prom. b. sp.*  
limbifer Stål. *id.*  
tartareus Stål. *id.*

**Physopelta**

*Am. & Serv.*  
erythrocephala Am. *Java.*  
& Serv. *id.*  
affinis A. & S. *China.*  
rubricosa Stål. *Java.*  
bimaculata Stål. *Manila.*  
haemorrhoidalis Stål.

**Odontopus***Laporte.*

sexpunctatus Lap.  
 sanguinolens Lap.  
 versicolor H.-Sch.  
 bicolor H.-Sch.  
 (Coqueberti Fabr.  
 var. augur Thunb.  
 nigripes Burm.  
 discoidalis Burm.  
 nigrocruciatus Stål.  
 festivus Fabr.  
 varicornis Fabr.  
 cruentus Fabr.

*Senegal.*  
*Ind. or.*  
 ?  
*Java.*

*Ind. or.*  
*Manila.*  
*id.*  
*Caffr.*  
*Guinea.*  
*Ind. or.*  
*id.*

**Dysdercus***Am. & Serv.*

ruficollis Fabr.  
 annulus Fabr.  
 Thunbergi Stål.  
 obliquus H.-Sch.  
 ruficeps Perty.  
 philippinus H.-Sch.  
 suturellus H.-Sch.  
 suturalis Fabr.  
 albidiventris Stål.  
 (Koenigi Fabr.  
 )olivaceus Fabr.  
 augur Thunb. Stål.  
 solenis Eschsch.  
 poecilus H.-Sch.  
 pyrrhomelas H.-S.  
 superstitiosus Fabr.  
 cingulatus Fabr.  
 haematideus Stoll.?  
 hypogastricus H.-S.  
 (thoracicus Stål.  
 )var. augur Thunb.  
 rubiginosus Fabr.  
 nigrofasciatus Stål.  
 bimaculatus Stål.  
 quadriplagiatus  
 Schaum.  
 elongatus Schaum.  
 Boerhaviae Fabr.  
 argentatus Fabr.

*Brasil.*  
*id.*  
*Ind. orient.*  
*Mexico.*  
*Brasil.*  
*Philipp.*  
*Brasil.*  
*Cuba.*  
*Mexico.*

*Ind. or.*  
*id.*  
*Manila.*  
*Java.*  
*id.*  
*Am. mer.*  
*Austral.*  
*Ind. or.*  
*Java.*

?  
*Prom. b. sp.*  
*id.*  
 ?  
*Mozamb.*  
*id.*  
*Guinea.*  
*Ceylon.*

**Ectatops***Am. & Serville.*

limbatus Am. & S.  
 rubiaceus A. & S.

*Java.*  
*id*

**Largidae.****Largus***Hahn.*

gibbus Fabr.

*Brasil.*

rufipennis Lap.  
 sanguinipennis H.-S.  
 marginicollis Stål.  
 sexguttatus H.-Sch.  
 pallidicornis H.-Sch.  
 sellatus Guér.  
 cinctus H.-Sch.  
 succinctus Linné.  
 lineola Linné.  
 punctatus Degeer.  
 mutilus Perty.  
 puncticollis Lap.  
 humilis Hahn.  
 morio Stål.  
 fasciatus Blanch.  
 marginellus H.-Sch.  
 incisus H.-Sch.

*Brasil.*

?  
 ?  
*Cuba.*  
*Mexico.*  
*Brasil.*

*id*

*Columb.*  
*Bolivia.*  
*Mexico.*  
*Brasil.*

**Acinocoris***Hahn.*

calidus Fabr.  
 interruptus H.-Sch.  
 lunulatus Fabr.  
 cornutus Lep. &  
 Serv.

*Brasil.*  
*Cayenne.*  
*id.*  
*id.*

**BICELLULI.****Miridae.****Miris***Fabricius.*

terraticus Linné.  
 (hortorum Wolff.  
 )longicornis Fall.  
 (megatoma Muls. &  
 )Rey.  
 (ruficornis Fall.  
 )pulchellus Hahn.  
 (calcaratus Fall.  
 )dentatus Hahn.  
 (laevigatus Linné.  
 )testaceus Scop.  
 (virens Linné.  
 )ruficornis Hahn.  
 curticollis Costa.  
 holsatus Fabr.  
 caucasicus Kolen  
 Hedenborgi Stål.  
 tricostatus Costa.  
 Dohrni Stål.  
 ? quadrivirgatus  
 Costa.

*Europa.**id.**id.**id.**id.**id.*

*Neapel.*  
*Europa.*  
*Caucas.*  
*Rhodus.*  
*Neapel.*  
*Patagon.*  
*German.*

**Lopus***Herrich-Schäffer.*

carinatus H.-Sch.  
 albidus Hahn.

*Europa.*  
*German.*

nasutus Kirschb.  
 (dolabratus Linné.  
 (lateralis Fabr.  
 (abbreviatus Wolff.  
 (discors Costa.  
 (ferrugatus Fall.  
 (dolabratus Fabr.  
 (tunicatus Fabr.  
 (gothicus Linné.  
 (supercilius Linné.  
 (albostrigatus Burm.  
 (albomarginatus Fabr.  
 (rubrostrigatus H.-S.  
 (oculatus Dahlb.

### **Capsidae.**

#### **Phytocoris**

*Herrich-Schäffer.*

populi Fabr.  
 irroratus Perris.  
 Signoreti Perris.  
 dimidiatus Kirschb.  
 obliquus Costa.  
 exoletus Costa.  
 tiliæ Fabr.  
 divergens Meyer.  
 (ulmi Linné.  
 (longicornis Wolff.  
 (pini Kirschb.  
 (minor Kirschb.  
 (flavosparsus Sahlb.  
 (lucorum Boh.  
 (nigriceps Boh.  
 (morio Boh.  
 (impurus Boh.  
 (cinctipes Costa.  
 (trivialis Costa.  
 (sexpunctatus Fabr.  
 (cruentatus Perris.  
 (pallidulus Dahlb.  
 (viridipennis Zetterst  
 (rubromarginatus  
 Lucas.  
 (femoralis Lucas.  
 (albofasciatus Lucas  
 (instabilis Lucas.  
 (hottentottus Stål.

#### **Sphinctothorax**

*Stål.*

leucophaeus Germ.

#### **Resthenia**

*Spinola.*

scutata Spin.  
 dimidiatorufa Stål.  
 pyrrhula H.-Sch.  
 tetrastigma H.-Sch.

*German.*

*Europa.*

*Neapel.*

*Europa.*

*Europa.*

*id.*

*id.*

*Hispan.*

*Succia.*

*Europa.*

*Gall. mer.*

*id.*

*German.*

*Neapel.*

*id.*

*German.*

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

*Neapel.*

*id.*

*id.*

*Gall. mer.*

*Succia.*

*id.*

*Algier.*

*id.*

*id.*

*id.*

*Caffr.*

*Caffr.*

*Brasil.*

*id.*

*id.*

*Mexico.*

divisa H.-Sch.  
 dimidiata Guér.  
 grandis Blanch.

#### **Melanonion**

*Herrich-Schäffer.*

parviventre H.-Sch.

#### **Euceroecoris**

*Westwood.*

nigriceps Westw.

#### **Myrmecoris**

*Gorski.*

(gracilis Sahlb.

(agilis Gorski.

#### **Cyllecoris**

*Hahn.*

(collaris Fallén.

(terrans Wolff.

(pallidus H.-Sch.

(histrionicus Linné.

(agilis Fabr.

(equestris Stål.

(angulatus Fall.

(elegantulus Meyer.

(Märkeli H.-Sch.

(flavolimbatus Boh.

(quadriguttatus

Kirschb.

(decoratus Meyer.

(bifasciatus H.-Sch.

(flavomaculatus Fabr.

(flavonotatus Bohm.

(flavomaculatus Panz.

(annulatus Wolff.

(alienus H.-Sch.

(luteus H.-Sch.

(constrictus Boh.

? nubilus H.-Sch.

? frontalis Muls. &

Rey.

#### **Diplacis**

*Stål.*

albo-ornatus Stål.

#### **Deracocoris**

*Kirschbaum.*

bifasciatus Fabr.

fulvomaculatus Fall.

approximatus Stål.

striatus Linné.

(marginellus Fabr.

(affinis H.-Sch.

(pabulinus Fall.

(triguttatus Linné.

*Brasil.*  
*Cuba.*  
*Bolivia.*

*Brasil.*

?

*Europa.*

*Europa.*

*German.*

*id.*

*Sibir.*

*German.*

*Helvet.*

*German.*

*id.*

*id.*

*id.*

*id.*

*id.*

*id.*

*Succia.*

*German.*

*Gall. mer.*

*Sibir.*

*German.*

*id.*

*Sibir.*

*id.*

*id.*

*id.*

*id.*





(coryli Linn.	<i>Europa.</i>	mundulus Stål.	<i>Sibir.</i>
(pallipes Hahn.	<i>id.</i>	brevicollis Meyer.	<i>Helvet.</i>
avellanae Meyer.	<i>id.</i>	declivis Scholz.	<i>Silesia.</i>
caricis Fall.	<i>Gall. mer.</i>	setulosus H.-S.	<i>German.</i>
delicatus Perris.	<i>Amer. russ.</i>	atomarius Meyer.	<i>Helvet.</i>
gilvipes Stål.	<i>German.</i>	luridus Fall.	<i>German.</i>
ambulans H.-Sch.	<i>id.</i>	? nigriceps Muls. & Rey.	<i>Gall. mer.</i>
virens Fall.	<i>id.</i>	? macula-rubra Muls. & Rey.	<i>id.</i>
pinetellus Zetterst.	<i>id.</i>	? Perrisi Muls. & Rey.	<i>id.</i>
(decolor Fall.	<i>id.</i>	? mollis Muls. & R.	<i>id.</i>
(chrysanthemi Hahn	<i>id.</i>	? bivitreus Muls. & Rey.	<i>id.</i>
fuscescens Kirschb.	<i>id.</i>	? horridus Muls. & Rey.	<i>id.</i>
angustus H.-Sch.	<i>id.</i>	? Foreli Muls. & Rey.	<i>id.</i>
striola Kirschb.	<i>id.</i>	? obesus Perris.	<i>id.</i>
viridinervis Kirschb.	<i>id.</i>		
stricornis Kirschb.	<i>id.</i>	<b>Anapus</b>	
diaphanus Kirschb.	<i>id.</i>	Stål.	
icterocephalus Hahn	<i>id.</i>	Kirschbaumi Stål.	<i>Sibir.</i>
nassatus Fall.	<i>id.</i>		
flavinervis Kirschb.	<i>id.</i>	<b>Labops</b>	
exsanguis H.-S.	<i>id.</i>	Burmeister.	
molliculus Fall.	<i>id.</i>	(diopsis Burm.	<i>Sibir.</i>
irroratus Muls. & Rey.	<i>Gall. mer.</i>	(Sahlbergi Zetterst.	<i>id.</i>
solitarius Meyer.	<i>Helvet.</i>	Burmeisteri Stål.	
prolixus Stål.	<i>Sibir.</i>		
tanacetii Fall.	<i>German.</i>	<b>Eurymerochoris</b>	
seladonicus Fall.	<i>id.</i>	Kirschbaum.	
(Paykulli Fall.	<i>id.</i>	Roseri H.-Sch.	<i>German.</i>
(maculipennis H.-S.	<i>Gall. mer.</i>	sordidus Kirschb.	<i>id.</i>
Yersini Muls. & Rey.	<i>id.</i>	ochroleucus Kirsch.	<i>id.</i>
palliatu8 Perris.	<i>id.</i>	hortulanus Meyer.	<i>id.</i>
bilineatus Fall.	<i>German.</i>	concolor Kirschb.	<i>id.</i>
(Thunbergi Fall.	<i>id.</i>	flavosparsus Sahlb.	<i>id.</i>
(hieracii Hahn.	<i>id.</i>	chloropterus Kirsch.	<i>id.</i>
(mutabilis Fall.	<i>id.</i>	ericetorum Fall.	<i>id.</i>
(pilosus Hahn.	<i>id.</i>	flaveolus Stål.	<i>Sibir.</i>
vittipennis H.-Sch.	<i>id.</i>	oculatus Kirschb.	<i>German.</i>
saltator Hahn.	<i>id.</i>	crassicornis Hahn.	<i>id.</i>
parallelus Meyer.	<i>Helvet.</i>	forticornis Muls. & Rey.	<i>Gall. mer.</i>
stygialis Muls. & Rey.	<i>Gall. mer.</i>	sulcicornis Kirschb.	<i>German.</i>
tenuicornis Muls. & Rey.	<i>id.</i>	magnicornis Fall.	<i>id.</i>
umbratilis Fall	<i>German.</i>	mali Meyer.	<i>id.</i>
brevis Panz.	<i>id.</i>	albipennis Fall.	<i>id.</i>
tumidicornis H.-S.	<i>id.</i>	obscurus Kirschb.	<i>id.</i>
Proserpinae Muls. & Rey.	<i>Gall. mer.</i>	variabilis Fall.	<i>id.</i>
tigripes Muls. & Rey.	<i>id.</i>	quercus Kirschb.	<i>id.</i>
antematus Muls. & Rey.	<i>id.</i>	simillimus Kirschb.	<i>id.</i>
unicolor Hahn.	<i>German.</i>	ambiguus Fall.	<i>id.</i>
leptocerus Kirschb.	<i>id.</i>	betulae Kirschb.	<i>id.</i>
tibialis Hahn.	<i>id.</i>	quadrimaculatus	
lencocephalus Linn.	<i>id.</i>	Fall.	<i>Suecia.</i>
coarctatus Muls. & Rey.	<i>Gall. mer.</i>	obscuriceps Stål.	<i>Sibir.</i>
sericans Stål.	<i>Amer. russ.</i>		

fureatus H.-Sch.	<i>German.</i>
limbatus Perris.	<i>Gall. mer.</i>
adenocarpi Perris.	<i>id.</i>
tamarisci Perris.	<i>id.</i>
roseus Fall.	<i>German.</i>
varians H.-Sch.	<i>id.</i>
decoloratus Muls. & Rey.	<i>Gall. mer.</i>
diminutus Kirschb.	<i>German.</i>
albicinctus Kirschb.	<i>id.</i>
salicis Kirschb.	<i>id.</i>
sanguineus Fabr.	<i>id.</i>
salicellus H. Sch.	<i>id.</i>
coccineus Meyer.	<i>Helvet.</i>
verbasci Meyer	<i>Germa.</i>
viridulus Fall.	<i>id.</i>
fulvipennis Kirschb.	<i>id.</i>
brunnipennis Meyer.	<i>id.</i>
arbustorum Fabr.	<i>id.</i>
lugubris Hahn.	<i>id.</i>
hortensis Meyer.	<i>id.</i>
propinquus H.-Sch.	<i>id.</i>
ochrocephalus Fieb.	<i>id.</i>
luteicollis Panz.	<i>id.</i>
arenarius Hahn.	<i>id.</i>
pulicarius Fall.	<i>id.</i>
atropurpureus Kirschb.	<i>id.</i>
pallicornis Fabr.	<i>id.</i>
apterus Am. u. Serv.	<i>id.</i>
erythrocephalus H. Sch.	<i>id.</i>
saltitans Fall.	<i>id.</i>
evanescens Bhm.	<i>id.</i>

## DUCTIROSTRI.

### Spissipedes.

## Phymatidae.

### Phymata Latreille.

crassipes Fabr.	<i>Eur. mer.</i>
monstrosa Fabr.	<i>Hispan.</i>
erosa Linné.	<i>Cuba.</i>
emarginata Guér.	<i>id.</i>
marginata Fabr.	<i>id.</i>
carinata Fabr.	<i>id.</i>
integra Westw.	<i>?</i>
fortificata Klug.	<i>Brasil.</i>
serrata Fabr.	<i>Ind. or.</i>

## Macrocephalidae.

### Oxythyreus Westwood.

cylindricornis	<i>?</i>
Westw.	

### Amblythyreus Westwood.

rhomboventris	<i>?</i>
Westw.	
quadratus Westw.	<i>Ind. or.</i>
angustus Westw.	<i>?</i>

### Macrocephalus Swederus.

cimicoides Swed.	
manicatus Fabr.	<i>Am. bor.</i>
affinis Guér.	
manicatus Wolff. H. Sch.	<i>Brasil.</i>
tuberculipes Guér.	
notatus Westw.	<i>Cuba.</i>
tuberosus Westw.	<i>Columb.</i>
obscurus Westw.	<i>Brasil.</i>
pulchellus Westw.	<i>id.</i>
leucographus Westw.	<i>Cuba.</i>
Westw.	<i>Hayti.</i>
crassimanus Fabr.	
prehensilis Fabr.	<i>Brasil.</i>
pallidus Westw.	<i>Am. bor.</i>
macilentus Westw.	<i>id.</i>
	<i>Columb.</i>

## Ripicolae.

## Hebridae.

### Mesovelia

<i>Mulsant u. Rey.</i>	
fusca Muls. u. Rey.	<i>Gall. mer.</i>

### Hebrus Curtis.

pusillus Fall.	
nanus Schill.	<i>Europa.</i>
Letzneri Scholtz.	
montanus Kolen.	<i>Caucas.</i>

## MEMBRANACEI

## Zosmenidae.

### Zosmenus Laporte.

quadratus Fieb.	<i>Istria.</i>
-----------------	----------------

maculatus Lap.	German.	<b>Teleia</b>	
variabilis Fieb.	<i>id.</i>	Fieber.	
Laportei Fieb.	<i>id.</i>	coronata Fieb.	Ind. or.
capitatus Wolff.			
anticus Steph.		<b>Phaenoma</b>	
capitatus Fall.	<i>id.</i>	Fieber.	
pedicularis H. Sch.		laciniata Fieb.	Ind. or.
collaris Zetterst.			
Stephensi Fieb.	Bohem.	<b>Monanthia</b>	
		Lepelletier & Serville.	
<b>Piesmidæ.</b>		ampliata Fieb.	German.
<b>Agramma</b>		auriculata Costa.	<i>id.</i>
Westwood.		cardui H. Sch.	<i>id.</i>
laeta Fall.	Europa.	sinuata Fieb.	
tricolor Lap.	German.	cardui Linu.	<i>id.</i>
ruficornis Germ.	Ind. orient.	clavicornis Pauz.	
gibba Fieb.	Caffr.	parallela Costa.	Neapel.
diluta Stål.	Sardin.	angustata H. Sch.	German.
atricapilla Spin.	Sicil.	testacea H. Sch.	<i>id.</i>
nigra Fieb.	Neapel.	echinopsis Fieb.	<i>id.</i>
maculata Costa.		nigrina Fall.	<i>id.</i>
		grisea Germ.	<i>id.</i>
<b>Anomaloptera</b>		parvula Fall.	<i>id.</i>
Perris.		crispata H. Sch.	<i>id.</i>
helianthemii Perris.	Mt. de Mars	ciliata Fieb.	<i>id.</i>
		reticulata H. Sch.	
<b>Tingidæ.</b>		capucina Germ.	<i>id.</i>
<b>Taphrosthæta</b>		setulosa Fieb.	
Fieber.		gracilis H. Sch.	<i>id.</i>
quinquecostatus	Ind. or.	setulosa Fieb.	
Fieb.		tabida H. Sch.	Mexico.
Staudingeri	Hispan.	dentata Fieb.	Ind. or.
Bärensp.		erosa Fieb.	<i>id.</i>
		Wahlbergi Stål.	Caffr.
<b>Campylostæira</b>		alaticollis Stål.	<i>id.</i>
Fieber.		costata Fabr.	Europa.
Falleni Fieb.	Bohem.	maculata H. Sch.	German.
brachycera Fieb.	<i>id.</i>	stachydis Fieb.	
ciliata Fieb.	<i>id.</i>	liturata Fieb.	Hispan.
? verna Fall.	German.	geniculata Fieb.	German.
		morio Stål.	Brasil.
<b>Orthostæira</b>		Sachari Fabr.	<i>id.</i>
Fieber.		melanocephala	
casidea Fall.		Panz.	German.
musci Schrank.	Europa.	Eryngii Latr.	
brunnea Germ.	German.	albida H.-Sch.	<i>id.</i>
cervina Germ.	<i>id.</i>	Schäfferi Fieb.	
macrophthalma		unicostata Muls. & Rey.	Call. mer.
Fieb.		angusticollis H.-Sch.	
marginata Wolff.	<i>id.</i>	pilosa Fieb.	<i>id.</i>
? carinata Panz.		villosa Costa.	
? pusilla Fall.		ornatella Stål.	Caffr.
cinerea Fieb.	<i>id.</i>	natalensis Stål.	<i>id.</i>
platycheila Fieb.	<i>id.</i>	simplex H.-Sch.	
gracilis Fieb.	<i>id.</i>	scapularis Fieb.	<i>id.</i>
obscura H. Sch.	<i>id.</i>	quadrifasciata Wff.	<i>id.</i>
pusilla Burm.	<i>id.</i>	corticea H.-Sch.	



corticalis Linn.	German.
conspicuus H.-Sch.	<i>id.</i>
dilatatus Duf.	Neapel.
lugubris Fall.	Succia.
Lucasi Costa.	<i>id.</i>
erosus Fall.	German.
? varius Fall.	<i>id.</i>
complanatus Burm.	Am. bor.
brevicollis Fall.	
americanus H.-Sch.	
betulae Linn.	German.
annulicornis Fabr.	
ellipticus Duf.	Sier. Leon.
flavicornis Dalm.	Algier.
griseus Fabr.	Austral.
australis Erichs.	Cap. b. sp.
melaenus Germ.	<i>id.</i>
? hystrix Germ.	Am. mer.
? acuminatus Fabr.	<i>id.</i>
? cordatus Fabr.	<i>id.</i>
? elevatus Fabr.	<i>id.</i>
? spinosus Fabr.	<i>id.</i>
? lanceolatus Fabr.	Sumatra.
? albipennis Fab.	

**Piestosoma**

Laporte.

depressum Fabr.	
spinigerum Schell.	Europa.
? planum Fabr.	
? varium Fabr.	Neapel.
dissimile Costa.	

**LECTICOLAE.****Acanthidae,****Acanthia**

Fabricius.

lectularia Linn.	Europa.
ciliata Eversm.	Russia.
foeda Stål.	Nov. Gran.
hemiptera Fabr.	Amer. mer.
rotundata Sign.	Maurit.
hirundinis H.-Sch.	German.
villosa Stål.	Prom. b. sp.

**NUDIROSTRI.****Holoptilidae.****Maotys**

Am. &amp; Serv.

fuscus Gray.	Java.
--------------	-------

**Ptilocnemus**

Westwood.

lemur Westwood.	Nov. Holl.
affinis Westw.	Java.

**Holoptilus**

Lepelletiere &amp; Serville.

ursus Lep. & Serv.	Prom. b. sp.
basalis Westw.	Austral.

**Harpactorina.****Lophocephalidae.****Lophocephala.**

Laporte.

Guerini Lap.	Bengal.
incerta Am. & Serv.	Ceylon.

**Sycanidae.****Eulyes**

Am. &amp; Serv.

amoena Guér.	Java.
pretiosa Dohrn.	<i>id.</i>
melanoptera Dohrn.	Philipp.

**Yolinus**

Am. &amp; Serv.

sufflatus A. & S.	Java.
Glagoviae Dohrn.	Celebes.

**Sycanus**

Am. &amp; Serv.

Stáli Dohrn.	Philipp.
versicolor Dohrn.	Bengal.
bifidus Fabr.	Java.
croceovittatus	China.
Dohrn.	
reclinatus Dohrn.	Ceylon.
collaris Fabr.	Ind. or.
annulicornis Dohrn.	Java.
fulvicornis Dohrn.	Philipp.
fuscirostris Dohrn.	China.
marginiventris	Philipp.
Dohrn.	

**Harpactoridae.****Cidorina**

Am. &amp; Serv.

flava Am. & Serv.	Cayenn.
straminea H.-Sch.	Amer. mer.

<b>Prionotus</b> <i>Laporte.</i>		<b>Harpactor</b> <i>Laporte.</i>	
cristatus Linn.		cruentus Fabr.	<i>Europa.</i>
carinatus Drur.	<i>Am. mer.</i>	iracundus Fabr.	<i>id.</i>
serratus Fabr.		annulatus Linn.	<i>id.</i>
<b>Pristhesaucus</b> <i>Am. &amp; Serv.</i>		haemorrhoidalis Fabr.	
doryceus Boisd.	<i>Nov. Guin.</i>	affinis Lucas.	<i>Algier.</i>
quadridens Fabr.	<i>Guinea.</i>	aegyptius Fabr.	<i>Europa.</i>
lateralis Sign.	<i>id.</i>	murinus Ramb.	<i>id.</i>
Afzelii Stål.		griseus Fabr.	<i>Hunga.</i>
<b>Helonotus</b> <i>Am. &amp; Serv.</i>		niger H.-Sch.	
tuberculatus Guér.	<i>Tasman.</i>	pedestris Wolf.	<i>Europa.</i>
cyaniventris Guér.	<i>id.</i>	subapterus Degeer.	<i>Gall. mer.</i>
<b>Laphyctes</b> <i>Stål.</i>		griseus Hahn.	
pallidus Stål.	<i>Caffr.</i>	carnifex Muls. & Rey.	<i>id.</i>
<b>Arius</b> <i>Hahn.</i>		lividigaster Muls. & Rey.	<i>Prom. b. sp.</i>
pilipes Stål.	<i>Caffr.</i>	capensis A. & S.	<i>Caffrar.</i>
atrox Stål.	<i>id.</i>	cinnabarinus Stål.	<i>id.</i>
<b>Piezopleura</b> <i>Am. &amp; Serv.</i>		miniatus Stål.	<i>id.</i>
angulosa Lep. & Serv.	<i>Brasil.</i>	sobrinus Stål.	<i>id.</i>
angulata Burm.		scenicus Stål.	<i>id.</i>
quadrata Hahn.	<i>Guiana.</i>	nigripes Stål.	<i>id.</i>
rhombica Er.	<i>Tasman.</i>	sedulus Stål.	<i>id.</i>
australis Er.		tibialis Stål.	<i>id.</i>
<b>Sphagiastes</b> <i>Stål.</i>		rapax Stål.	<i>id.</i>
horrificus Stål.	<i>Caffr.</i>	gracilis Stål.	<i>id.</i>
<b>Montina</b> <i>Am. &amp; Serv.</i>		latro Stål.	<i>id.</i>
sinuosa Lep. & S.	<i>Brasil.</i>	patruelis Stål.	<i>id.</i>
<b>Plocogaster</b> <i>Am. &amp; Serv.</i>		puberulus Stål.	<i>id.</i>
mammosus A. & S.	<i>Cayenne.</i>	dimidiatus Stål.	<i>id.</i>
cineus Fabr.	<i>id.</i>	caffer Stål.	<i>id.</i>
aurantiacus H.-Sch.	<i>Brasil.</i>	natalensis Stål.	<i>id.</i>
guttifer H.-Sch.	<i>id.</i>	venans Stål.	<i>id.</i>
modestus Stål.	<i>Pul. Pen.</i>	fasciventris Stål.	<i>id.</i>
M-album Am. & S.	<i>Borneo.</i>	venustus Stål.	<i>id.</i>
ruficornis Fabr.	<i>Brasil.</i>	tristis Stål.	<i>id.</i>
elevatus Fabr.	<i>id.</i>	carbonarius Stål.	<i>id.</i>
<b>Pantoleistes</b> <i>Stål.</i>		pullus Stål.	<i>id.</i>
princeps Stål.	<i>Caffr.</i>	ochripes Stål.	<i>id.</i>
		albopunctatus Stål.	<i>id.</i>
		nannus Stål.	<i>id.</i>
		leucocephalus Fabr.	<i>Guinea.</i>
		rufipennis Fabr.	<i>id.</i>
		cinctus Fabr.	<i>id.</i>
		poecilus H.-Sch.	<i>Brasil.</i>
		punctiventris H.-Sch.	<i>id.</i>
		disciventris H.-Sch.	<i>Afr. mer.</i>
		moestus H.-Sch.	<i>Brasil.</i>
		tropicus H.-Sch.	<i>Sier. Leon.</i>
		fuscipes Fabr.	<i>Ind. orient.</i>
		pentatoma H.-Sch.	<i>Austral.</i>
		pictus Klug.	<i>Aegypt.</i>
		corallinus Lep. & S.	<i>Java.</i>
		segmentarius Germ.	<i>Cap. b. sp.</i>
		erythrocnemis Germ.	<i>id.</i>
		vulneratus Germ.	<i>id.</i>

violentus Germ.	<i>Cap. b. sp.</i>	<b>Zelus</b>	
haemopterus Germ.	<i>id.</i>	<i>Fabricius.</i>	
haematitius Germ.	<i>id.</i>	quadrispinosus	<i>Brasil.</i>
pallidiventris Germ.	<i>id.</i>	Linné.	
geniculatus Germ.	<i>id.</i>	coronatus Fabr.	<i>id.</i>
calceiventris Germ.	<i>id.</i>	ciliatus Fabr.	<i>Cayenne.</i>
morio Germ.	<i>id.</i>	flavicans Am. & Serv.	
pulchellus Klug.	<i>Asia min.</i>	lateralis H.-Sch.	<i>Brasil.</i>
Hedenborgi Stål.	<i>Java.</i>	lineatus Am. & Serv.	<i>Am. sept.</i>
? milthinus H.-Sch.	<i>Java.</i>	coccineus H.-Sch.	<i>Am. mer.</i>
<i>1865-1867. 3-5 = 3. 103</i>		ochraceus H.-Sch.	?
<b>Phonoctonus</b>		precatorius Fabr.	<i>Guinea.</i>
Stål.		sexdens Fabr.	<i>Amer. mer.</i>
nigrofasciatus Stål.	<i>Caffr.</i>	spinosus Fabr.	<i>id.</i>
fasciatus Pal.	<i>Guinea.</i>	varipes H.-Sch.	<i>Brasil.</i>
Beauv.		rufescens Gray.	?
<b>Phonolibes</b>		taurus Fabr.	<i>Carolina.</i>
Stål.		Renardi Kolen.	<i>Californ.</i>
venustus Stål.	<i>Sier. Leon.</i>	Goedeli Kolen.	<i>Pontus.</i>
<b>Harpagocoris</b>		<b>Myocoris</b>	
Stål.		<i>Burmeister.</i>	
nigronitens Stål.	<i>Caffr.</i>	gilvus Klug.	<i>Sumatra.</i>
<b>Acanthischium</b>		nigriceps Burm.	<i>Bahia.</i>
<i>Amyot &amp; Serville.</i>		tipuliformis Burm.	<i>id.</i>
maculatum Am. & Serv.	<i>Cap. b. sp.</i>	dama Klug.	<i>id.</i>
<b>Sinea</b>		personatus Burm.	<i>id.</i>
<i>Amyot &amp; Serville.</i>		gracilis Stål.	<i>id.</i>
javanensis Am. & Serv.	<i>Java.</i>	pompilodes Burm.	<i>id.</i>
armipes Stål.	<i>Ceylon.</i>	bicolor Burm.	<i>id.</i>
cineta Fabr.	<i>Am. sept.</i>	braconiformis Burm.	<i>id.</i>
multispinosa Deg.	<i>id.</i>	barbipes Burm.	<i>id.</i>
diadema Fabr.		rubrithorax Am. & Serv.	<i>id.</i>
sexpinosa Wolff.	<i>id.</i>	membranaceus Spin.	<i>id.</i>
subarmata H.-Sch.		albo-annulatus Stål.	<i>Columb.</i>
spiniceps Blanch.	<i>Bolivia.</i>	cursorians Fabr.	<i>id.</i>
punctipes Am. & Serv.	<i>Cayenne.</i>	ichneumoneus Fabr.	<i>id.</i>
spinipes H.-Sch.	<i>Brasil.</i>	fasciatus Fabr.	<i>id.</i>
cinerea Fabr.	<i>Carolina.</i>	<b>Passaleutus</b>	
raptorica Say.	<i>Mexico.</i>	<i>Amyot &amp; Serville.</i>	
<b>Heza</b>		geniculatus Lep. & Serv.	<i>Brasil.</i>
<i>Amyot &amp; Serville.</i>		rufescens Gray.	?
binotata Lep. & S.	<i>Brasil.</i>	? attelaboides Fabr.	<i>Nov. Holl.</i>
punctigera H.-Sch.	?		
octopunctata Fabr.	<i>Brasil.</i>	<b>Darbanus</b>	
<b>Atrachelus</b>		<i>Amyot &amp; Serville.</i>	
<i>Amyot &amp; Serville.</i>		nigrolineatus A. & Serv.	<i>Jara.</i>
heterogeneous Am. & Serv.	<i>Amer. mer.</i>	laticornis H.-Sch.	<i>Brasil.</i>
crassicornis Burm.	<i>Montevideo</i>		



**Diplodus**

*Amyot & Serville.*  
*armillatus* Lep. &  
 Serv.  
*brasiliensis* Lep. &  
 Serv.  
*nigrospinus* H.-Sch.

*Brasil.*  
*id.*  
*id.*

**Isocondylus**

*Amyot & Serville*  
*elongatus* Lep. &  
 Serv.  
*pungens* H.-Sch.  
*versicolor* H.-Sch.  
*fuscipes* Stål.

*Brasil.*  
*id.*  
*Mexico.*

**Euagoras**

*Burmeister.*

*rubidus* Lep. &  
 Serv.  
*speciosus* Burm.  
*longipes* Fabr.  
*tricolor* H.-Sch.  
*pallens* H.-Sch.  
*trimaculicollis* Stål.  
*nigricornis* Stål.  
*nigrigena* A. & L.  
*trux* Stål.  
*tipuliformis* Fabr.  
*marginatus* Pal.  
 Beauv.  
*means* Fabr.  
 ? *phalangium* Fabr.  
*errans* Fabr.  
*vagans* Fabr.

*Cuba.*  
*Mexico.*  
*Amer. mer.*  
*Brasil.*  
*id.*  
*id.*  
*Sier. Leon.*  
*id.*  
*Guinea.*  
*Brasil.*  
*Cuba.*  
*Brasil.*  
*id.*

**Saccoderidae.****Sava**

*Amyot & Serville.*

*tuberculata* Gray.  
*coronata* Am. & S.

*Cayenne.*

**Saccoderes**

*Spinola.*

*inflatus* Perty.  
*vesiculosus* Perty.  
*sexfoveolatus* Spin.  
*excavatus* Stal.  
*clavipes* Fabr.  
*dorsalis* Gray.  
*fornicatus* Fabr.  
*gibbus* Fabr.

*Brasil.*  
*id.*  
*id.*  
*id.*  
*id.*  
 ?  
*Cayenne.*  
*id.*

**Haematocha-  
ridae.****Haemato-  
chares**

*Stål.*

*obscuripennis* Stål. *Caffrar.*

**Reduvina.****Tagalidae.****Tagalis**

*Stål.*

*inornata* Stål.  
*sanguinea* Dohrn.

*Brasil.*  
*Italia.*

**Acanthothorax**

*Costa.*

*siculus* Costa.  
*Bouringi* Dohrn.

*Sicil.*  
*Hong-kong.*

**Saica**

*Amyot & Serville.*

*rubella* Am. & Serv.  
*Wahlbergi* Stål.  
 ? *bispinosa* Fabr.  
 ? *triacantharis* Fabr.  
*recurvata* Fabr.

*Cayenne.*  
*Caffrar.*  
*Noc. Cambr.*  
*Austr.*  
*Amer. mer.*

**Stenopo-  
didae.****Oncocephalus**

*Burmeister.*

*squalidus* Rossi.  
*notatus* Klug.  
*obsoletus* Klug.  
*armipes* Germ.  
*annulipes* Stål.  
*cancellatus* Stål.  
*sordidus* Stål.  
*desiccatus* Am. &  
 Serv.

*Italia.*  
*Aegypten.*  
*id.*  
*Cap. b. sp.*  
*Caffrar.*  
*id.*  
*id.*  
*Cayenne.*

**Sastrapada.**

*Amyot & Serville.*

*flava* Am. & Ser.  
 ? *subspinosa* Am. &  
 Serv.

*Java.*  
*Senegal.*

**Canthesancus**

*Amyot & Serville.*

*trimaculatus* Am. &  
 Serv.

*Ceylon.*



crudelis Stål.	<i>Sier. Leon.</i>
bicolorata Stål.	<i>Caffr.</i>
rubricosa Stål.	<i>id.</i>
ochracea Stål.	<i>id.</i>
obscura Stål.	<i>id.</i>
coenosa Stål.	<i>id.</i>
quadrisignata Stål.	<i>id.</i>
tergemina Burm.	<i>Ind. or.</i>
bilineolata Pal.	<i>Afr. occid.</i>
Beauv.	

**Holotrichius***Burmeister.*

lividus Burm.	<i>Caffr.</i>
maurus H.-Sch.	<i>Ital.</i>
(Cyrillii Costa.	<i>id.</i>
denudatus Costa.	<i>Corfu.</i>
tenebrosus Burm.	<i>Krimm.</i>
testaceus H.-Sch.	

**Reduvius***Fabricius.*

(personatus Linn.	<i>Europa.</i>
(quisquilius Deg.	<i>Georg.</i>
(pungens Le Conte.	<i>Cyprus.</i>
(pallipes Klug.	<i>id.</i>
(thoracicus Stål.	<i>Aegypt.</i>
(tabidus Klug.	<i>id.</i>
(pallidus Stål.	<i>Sier. Leon.</i>
dorsalis Stål.	<i>Caffr.</i>
nebulosus Klug.	<i>Aegypt.</i>
annulatus Stål.	<i>Caffr.</i>
nigrofuscus Stål.	<i>id.</i>
nigricans Klug.	<i>Cap. b. sp.</i>
fuscoirroratus Stål.	<i>id.</i>
fuscoannulatus Stål.	
? comatus Germ.	
? tarsatus Germ.	

**Opinus***Laporte.*

rubropictus Am. & Serv.	<i>Java.</i>
proximus Am. & Serv.	<i>id.</i>
pictus Lap.	<i>id.</i>
rufus Lap.	<i>id.</i>
inconspicuus H.-Sch.	<i>Caffr.</i>
ochripes Stål.	

**Burganda***Amyot & Serville.*

(rubra Am. & Serv.	<i>Java.</i>
(rufa ♂ Lap.	

**Phonergates***Stål.*

bicoloripes Stål.	<i>Caffr.</i>
-------------------	---------------

**Clophophora***Stål.*

basilica Stål.	<i>Caffr.</i>
limbiventris Stål.	<i>id.</i>

**Ectrichodidae****Centraspis***Schaum.*

Petersi Schaum.	<i>Mozamb.</i>
-----------------	----------------

**Physorhynchus***Amyot & Serville.*

crux Thunbg.	<i>Guinea.</i>
lucida Lep. & Serv.	<i>id.</i>
barbicornis Fabr.	<i>id.</i>
gigas H.-Sch.	<i>id.</i>
(albomarginatus Fabr.	<i>id.</i>
(erythrocephalus Wolff.	<i>id.</i>
imperialis Westw.	<i>Caffr.</i>
bigemnis Stål.	<i>id.</i>
patriceus Stål.	<i>id.</i>
natalensis Stål.	<i>id.</i>
maculatus Fabr.	<i>Cap. b. sp.</i>
bidentulus Germ.	<i>id.</i>
miles Germ.	<i>id.</i>
crudelis Stål.	<i>Mozamb.</i>
erythroderus Schaum.	<i>Guinea.</i>
trimaenulatus Pal.	<i>Am. sept.</i>
Beauv.	<i>Java.</i>
bicolor H.-Sch.	<i>?</i>
violaceus Hahn.	
haematogaster Burm.	<i>Java.</i>
lanius Stål.	<i>Am. mer.</i>
discus Klug.	

**Etrichedia***Lepellet. & Serville.*

pilicornis Fabr.	<i>Ind. or.</i>
semirufa Stål.	<i>Pul. Pen.</i>
(hirticornis Fabr.	<i>Brasil.</i>
(analis ♀ Pal. Beauv.	<i>? Ind. orient.</i>
bicoloripes Stål.	<i>Java.</i>
rubra Am. & Serv.	<i>?</i>
tricolor H.-Sch.	<i>Ind. orient.</i>
crudelis Fabr.	

**Pothea***Amyot & Serville.*

ventralis Lep. & Serv.	<i>Surin.</i>
------------------------	---------------

lugens Fabr. frontalis Lep. & Serv.	<i>Surinam.</i> <i>id.</i>	vulneratus A. & S. lunatus Lep. & Serv. capucinus H.-Sch.	<i>Cayenne.</i>  ?
<b>Cimbus</b> <i>Hahn.</i> productus Hahn.	<i>Ind. or.</i>	<b>Trichoscelis</b> <i>Amyot &amp; Serville.</i> crinipes Fabr. annulatus Spin. erythromerus Spin. rufipes Fabr. Stolli Lep. & Serv. albosparsus Stål. ( <i>Harpactor</i> )	<i>Brasil.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>Min. Geraes.</i>
<b>Tiarodes</b> <i>Burmeister.</i> versicolor Lap.	<i>Java.</i>	<b>Micrauchenus</b> <i>Amyot &amp; Serville.</i> lineola Fabr. morbillosus H.-Sch.	<i>Brasil.</i>
<b>Cleptria</b> <i>Stål.</i> cinctiventris Stål. marginipennis Stål. rufipes Stål.	<i>Caffr.</i> <i>id.</i> <i>id.</i>	<b>Ponerobius</b> <i>Amyot &amp; Serville.</i> rubronotatus Am. & Serv.	<i>Brasil.</i>  <i>Brasil.</i>
<b>Hammatocerus</b> <i>Burmeister.</i> furcis Drury. nycthemerus Illig. conspicillaris Drury. luctuosus Stal.	<i>Am. Bor.</i> <i>Cayenne.</i> <i>Mexico.</i>	<b>Herega</b> <i>Am. &amp; Serv.</i> rubrolimbata Am. & Serv.	<i>Amer. sept.</i>
<b>Apiomeridae.</b>		<b>Ectinoderus</b> <i>Westwood.</i> longimanus Westw. philippinensis Westw. bipunctatus Am. & Serv.	<i>Singap.</i> <i>Philipp.</i>  <i>Java.</i>
<b>Apiomerus</b> <i>Hahn.</i> hirtipes Fabr. lanipes Fabr. pilipes Fabr. flavipennis H.-Sch. rubrocinctus H.-Sch. flaviventris H.-Sch. incisus H.-Sch. integer H.-Sch. nigripes Fabr. apicalis Burm. crassipes Fabr. lanius Stål. * flavipennis Stål. geniculatus Erichs. erythromelas Blanch. sanguineomaculatus Blanch.	<i>Brasil.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>Columb.</i> <i>Guiana.</i> <i>Boliv.</i>  <i>id.</i>	<b>Piratidae.</b>  <b>Lestomerus</b> <i>Am. &amp; Serv.</i> spinipes Serv. affinis Serv. aeneicollis Schaum.	<i>Senegal.</i> <i>Java.</i> <i>Mozamb.</i>
<b>Beharus</b> <i>Amyot &amp; Serville.</i> lunatus Fabr.	<i>Cayenne.</i>	<b>Catamiarus</b> <i>Amyot &amp; Serville.</i> brevipennis Serv.	<i>Ind. or.</i>
		<b>Pirates</b> <i>Burmeister.</i> mutillarius Fabr. spheginus H.-Sch. quadrinaculatus Serv.	<i>Mexico.</i> <i>Brasil.</i> <i>Senegal.</i>

bimaculatus Serv.	<i>Senegal.</i>	<b>Glymmato-</b>	
fulvoguttatus H.-Sch.	<i>Hispan.</i>	<b>phora</b>	
rufus Serv.	<i>Surin.</i>	Stål.	
maculipennis Lep.	<i>Brasil.</i>	submetallica Stål.	<i>Caffr.</i>
& Serv.		morio Stål	<i>id.</i>
sanctus Fabr.	<i>Ind. or.</i>	rubripes Stål.	<i>id.</i>
atrox Stål.	<i>Java.</i>		
stridulus Fabr.	<i>Eur. mer.</i>	<b>Saldina.</b>	
hybridus Scop.			
luridus Klug.	<i>Ambukohl.</i>		
fenestratus Klug.	<i>id.</i>		
ulular Ross.	<i>Ital.</i>		
unicolor H.-Sch.	<i>Hispan.</i>	<b>Nabidae.</b>	
picipes H.-Sch.	<i>Amer. bor.</i>		
abdominalis H.-Sch.	<i>id.</i>	<b>Nabis</b>	
ochripes Stål.	<i>Caffr.</i>	Latreille.	
trifenestratus Stål.	<i>id.</i>	ferus Linn.	
maurus Stål.	<i>id.</i>	vagus Fabr.	
rubricosus Stål.	<i>id.</i>	cinereus Oliv.	<i>Europa.</i>
balteatus Germ.	<i>Cap. b. sp.</i>	testaceus Scop.	
xanthopus Schaum.	<i>Mozamb.</i>	longipennis Costa.	<i>Neapel.</i>
pungens Reiche &	<i>Abyssin.</i>	punctatus Costa.	<i>id.</i>
Fairm.		brevis Scholz.	<i>German.</i>
rufipennis Lucas.	<i>Algier.</i>	ericetorum Scholz.	<i>id.</i>
brachiatus Perty.	<i>Brasil.</i>	brevipennis Hahn.	<i>id.</i>
morio Erichs.	<i>Surin.</i>	apterus Fabr.	<i>id.</i>
myrmecinus Erichs.	<i>id.</i>	flavomarginatus	<i>id.</i>
ehippiger White.	<i>Nov. Seel.</i>	Scholtz.	
		dorsalis Duf.	<i>Gall. mer.</i>
<b>Rasahus</b>		nervosus Bohm.	<i>Succia.</i>
<i>Am. &amp; Serv.</i>		fuminervis Dahlb.	<i>id.</i>
carinatus Fabr.	<i>Am. bor.</i>	dorsatus Dahlb.	<i>id.</i>
sulcicollis Serv.	<i>Surin.</i>	limbatus Dahlb.	<i>id.</i>
roseus H.-Sch.	<i>Brasil.</i>	lineatus Dahlb.	<i>id.</i>
flavipes Stål.	<i>id.</i>	capsiformis Germ.	<i>Cap. b. sp.</i>
		caffer Stål.	<i>Prom. b. sp.</i>
		geniculatus Erichs.	<i>Tasman.</i>
<b>Pachynomus</b>			
<i>Klug.</i>		<b>Saldidae.</b>	
picipes Klug.	<i>Aegypt.</i>		
<b>Prostemma</b>		<b>Leptopus</b>	
<i>Laporte.</i>		Latreille.	
guttula Fabr.	<i>Eur. mer.</i>	littoralis Latr.	<i>Gallia.</i>
brachelytrum Duf.	<i>id.</i>	lanosus Duf.	<i>id.</i>
aeneicolle Stein.	<i>Afr. mer.</i>	echinops Duf.	<i>id.</i>
septemguttatum		Preyssleri Fieb.	<i>German.</i>
Stein.	<i>Pennsylv.</i>		
fuscum Stein.	<i>Eur. mer.</i>	<b>Sciotopterus</b>	
lucidulum Spin.	<i>Hispan.</i>	Amyot & Serville.	
staphylinus Duf.	<i>id.</i>	flavipes Fabr.	<i>German.</i>
bicolor Ramb.	<i>Prom. b. sp.</i>		
albimacula Stein.	<i>Helvet.</i>	<b>Salda</b>	
ruficolle Stein.	<i>Ceylon.</i>	Fabricius.	
Buessi H.-Sch.	<i>Alger.</i>	littoralis Linné.	
carduelis Dohrn.		maculata Latr.	<i>Europa.</i>
quinquemaculatum		Zosteræ Fabr.	
Lucas.	<i>Caffr.</i>		
perpulchrum Stål.	<i>id.</i>		
puerile Stål.			

sericans Stål.	<i>Sibir.</i>	affinis Dohrn.	<i>Columb.</i>
riparia Fall.	<i>German.</i>	precatoria Fabr.	<i>Brasil.</i>
scotica Curt.	<i>Sibir.</i>	Gerstäckeri Dohrn.	<i>Haiti.</i>
oblonga Stål.	<i>German.</i>	juncea Eriehs.	<i>Tasman.</i>
ocellata Costa.	<i>id.</i>	varicornis Dohrn.	<i>Port. Ric.</i>
pallipes Fabr.	<i>Europa.</i>	Signoreti Dohrn.	<i>Jamaic.</i>
bicolor Costa.	<i>German.</i>	brasilensis Dohrn.	<i>Brasil.</i>
saltatoria Fall.	<i>id.</i>	imbecilla Dohrn.	<i>id.</i>
luteipes H.-Sch.	<i>id.</i>	analis Dohrn.	<i>Surinam.</i>
elegantula Fall.	<i>id.</i>	filum Fabr.	<i>Ind. orient.</i>
Cocksi Curtis.	<i>id.</i>	* pia A. & S.	<i>Amer. bor.</i>
marginalis Germ.	<i>id.</i>	* pia H.-Sch.	<i>id.</i>
geminata Costa.	<i>id.</i>	fraterna Say.	<i>id.</i>
clavicornis Dufour.	<i>id.</i>	barbara Lucas.	<i>Algier.</i>
lateralis Fall.	<i>id.</i>	? longipes Fabr.	<i>America.</i>
pulchella Curtis.	<i>German.</i>	? mantis Fabr.	<i>?</i>
cineta H.-Sch.	<i>id.</i>		
marginalis Fall.	<i>id.</i>		
pilosa Fall.	<i>id.</i>		
arenicola Scholtz.	<i>id.</i>		
bicolor Curt.	<i>Anglia.</i>		
dimidiata Curt.	<i>id.</i>		
pallipes Costa.	<i>id.</i>		
stellata Curt.	<i>id.</i>		
* riparia Costa.	<i>Neapel.</i>		
*marginalis H.-Sch	<i>German.</i>		
<b><i>Pelogonidae.</i></b>			
<b><i>Pelogonus</i></b>			
<i>Latreille.</i>			
marginatus Latr.	<i>Eur. mer.</i>		
indicus Guér.	<i>Ind. or.</i>		
Perboscii Guér.	<i>id.</i>		
caffer Stål.	<i>C affr.</i>		
? maculatus Fabr.	<i>Tranqueb.</i>		
<b><i>Emesina.</i></b>			
<b><i>Emesidae.</i></b>			
<b><i>Gardena</i></b>			
<i>Dohrn.</i>			
melinoarthrum	<i>Ceylon.</i>		
Dohrn.			
<b><i>Emesa</i></b>			
<i>Fabricius.</i>			
Henrici Dohrn.	<i>Ceylon.</i>		
invisibilis Dohrn.	<i>id.</i>		
brevipennis Say.	<i>Amer. bor.</i>		
longipes Deg.	<i>id.</i>		
		<b><i>Ghilianella</i></b>	
		<i>Spinola.</i>	
		filiventris Spin.	<i>Brasil.</i>
		precatoria Fabr.	
		(larva)	
		Spinolae Dohrn.	<i>id.</i>
		ignorata Dohrn.	<i>Columb</i>
		Servillei Spin.	<i>Brasil.</i>
		<b><i>Emesella</i></b>	
		<i>Dohrn.</i>	
		nebulosa Dohrn.	<i>Boliv.</i>
		<b><i>Luteva</i></b>	
		<i>Dohrn.</i>	
		concolor Dohrn.	<i>Celebes.</i>
		Gundlachi Dohrn.	<i>Cuba.</i>
		macrophthalmus	<i>Brasil.</i>
		Dohrn.	
		<b><i>Tinna</i></b>	
		<i>Dohrn.</i>	
		gracilis Stål.	<i>Caff.</i>
		<b><i>Emesodema</i></b>	
		<i>Spinola.</i>	
		domestica Scop.	<i>Eur. mer.</i>
		<b><i>Iccius</i></b>	
		<i>Dohrn.</i>	
		Wahlbergi Stål.	<i>Caff.</i>
		<b><i>Stenolemus</i></b>	
		<i>Signoret.</i>	
		spiniventris Sign.	<i>Mexico.</i>
		<b><i>Ploiaria</i></b>	
		<i>Scopoli.</i>	
		vagabunda Linné.	<i>Europa.</i>

sculiciformis Deg.  
 erratica Burm.  
 unniannulata Sign.

Europa.  
 Gallia.

## PLOTERES.

### Gerridae.

#### Halobates

Eschscholtz.

sericeus Eschsch. Ocean. ind.  
 flaviventris Eschsch. Ocean. Atl.  
 micans Eschsch. id.  
 pictus Germ. id.  
 ? albinervus A. & S. Brasil.  
 lituratus Stål. China.  
 Streatfieldianus ?  
 Templ.

#### Tenagogenus

Stål.

albivittatus Stål. Caff.

#### Ptilomera

Am. & Serv.

laticauda Hardw. Ind. or.  
 cingalensis Stål.

#### Hydrobates

Erichson.

linearis Er. Guinea.

#### Gerris

Fabricius.

erythropus H.-Sch. Brasil.  
 aptera Schumm. Europa.  
 paludum Fabr. id.  
 rufoscutellata Latr. id.  
 odontogaster id.  
 Zetterst. id.  
 thoracica Schumm. id.  
 Costae H.-Sch. id.  
 lateralis Schumm. id.  
 gibbifera Schumm. id.  
 argentata Schumm id.  
 lacustris Linn. id.  
 najus Degeer. id.  
 apicalis Curtis. id.  
 canalium Duf. id.  
 ? cursitans Fabr. Austral.  
 ? fusciorum Fabr. Tranqueb.  
 fossarum Fabr. id.  
 ? hyalina Fabr. Amer. mer.

### Velidae.

#### Velia.

Latreille.

rivulorum Fabr. Europa.  
 currens Fabr. id.  
 aptera Fabr. Caff.  
 albidotincta Stål. Brasil.  
 brasiliensis H.-Sch. id.  
 bicolor Blanch.

#### Microvelia

Westwood.

pulchella Westw. Cuba.

#### Hydroëssa

Burmeister.

reticulata Burm. Europa.  
 pygmaea Duf. Cap. b. sp.  
 Schneideri Scholtz.  
 fusca Germ.

## HYDROCORES.

### BIGEMMI.

### Galgulidae.

#### Galgulus

Latreille.

flavus Guér. Brasil.  
 nebulosus Guér. id.  
 variegatus Guér. Campeche.  
 bufo Lef. Brasil.  
 quadrimaculatus Boliv.  
 Guér.  
 oculatus Fabr. Carolin.  
 pulcher Stål. Mexico.

#### Mononyx

Laporte.

raptorius Fabr. Brasil.  
 rugosus Desj. Columb.  
 raninus Klug. id.  
 grandicollis Germ. id.  
 fuscipes Guér. id.  
 badius H.-Sch. Mexico.  
 amplicollis Stål. Columb.  
 bipunctatus Stål. Brasil.

obseurus Stål.  
sordidus Germ.  
grandicollis Germ.  
limigenus Stål.  
laticollis Guér.  
suberosus Erichs.  
alaticollis Stål.

## PEDIRAPTI.

### *Naucoridae.*

**Aphelochira**  
Westwood.

aestivalis Fabr.

*Eur. mer.*

**Naucoris**  
Geoffroy.

eimicoides Linn.  
maculatus Fabr.  
planus Germ.  
limicola Stål.  
fuseipennis Schaum  
spurra Stål.  
obliquatus Spin.  
acutus Spin.  
obseuripennis Stål.  
sumatranus Fieb.  
bipunctulus H.-Sch.  
Poeyi Guér.  
? nepaeformis Fabr.  
? nepoides Fabr.

*Europa.*  
*Eur. mer.*  
*Cap. b. sp.*  
*Caff.*  
*Mozamb.*  
*Cap. b. sp.*  
*Combay.*  
*id.*  
*Manila.*  
*Sumatr.*  
*Brasil.*  
*Mexico.*  
*Am. mer.*  
*Guiana.*

**Cheirochela**  
Hope.

assamensis Hope.

*Assam.*

**Cryphocricus**  
Signoret.

Barozzii Sign.

*Brasil.*

### *Belostomidae.*

**Diplonychus**  
Laporte.

rusticus Fabr.  
fuscus Hope.  
luridus Germ.  
coenosus Stål.

*Java.*  
*Brasil.*  
*Cap. b. sp.*  
*Caffr.*

**Sphaerodema**  
Laporte.

annulata Fabr.  
rotundata Lep.

*Ind. or.*

### **Appasus**

*Am. & Serv.*

natator Am. & Serv.  
aegyptius H.-Sch.

*Guinea.*  
*Aegypt.*

**Borborothrephes**  
Stål.

Hedenborgi Stål.

*id.*

**Limnogeton**  
Mayr.

Fieberi Mayr.

*Cordof.*

### **Zaitha**

*Am. & Serv.*

Stolli A. & S.  
Bosei Lep. & Serv.  
anurus H.-Sch.  
reticulata Haldem.  
bifoveata Haldem.  
indentata Haldem.  
cupreomicans Stål.  
lutaria Stål.

*Cayenne.*  
*Carolin.*  
*Brasil.*  
*Am. bor.*  
*id.*  
*Californ.*  
*Mexico.*  
*?*

**Lethocerus**  
Mayr.

cordofanus Mayr.

*Cordof.*

**Perthostoma**  
Leidy.

testaceum Leidy.  
aurantiacum Leidy.

*Am. bor.*  
*id.*

**Hydrocyrus**  
Spinola.

Colombiae Spin.  
herculeus Stål.  
algeriensis Duf.

*Am. Af.*

**Belostoma**  
Latreille.

indicum Lep. &  
Serv.  
grande Linné.  
collosieum Stål.  
harpax Stål.  
impressum Haldem.  
Haldemanum Leidy.  
annulipes H.-Sch.  
niloticum Stål.  
patruelle Stål.

*Java.*

*Surinam.*  
*Hondur.*  
*Amer. bor.*  
*Californ.*  
*Am. boreal.*  
*Brasil.*  
*Sennar.*  
*Rhodus.*



**Nepidae.****Nepa**

Linné.

cinerea Linn.  
annulipes Lap.  
nigra Fabr.  
grossa Fabr.  
fusca Linn.  
rubra Linn.  
maculata Fabr.  
tristis Stål.

Europa.  
Jsl. d. Franc  
Guinea.

*id.*

Ind. or.

*id.**id.*

Nor. Holl.

**Telmatotrepes**

Stål.

sculpticollis Stål.

Columb.

**Cercotmetus**

Am. &amp; Serv.

asiaticus A. & S.  
pilipes Dallas.

Java.

Boutan.

**Ranatra**

Fabricius.

linearis Linn.  
elongata Fabr.  
filiformis Fabr.  
macrophthalma  
H.-Sch.  
gracilis Dallas.  
capensis Germ.  
annulipes Stål.

Europa.

Ind. orient.

*id.*? *id.*

Boutan.

Cap. b. sp.

Brasil.

**PEDIREMI.****Corixidae.****Corixa**

Geoffroy.

Geoffroyi Leach.  
xanthosoma Fieb.  
Panzeri Fieb.  
atomaria Germ.  
macrocephala Fieb  
Fieberi Wahlbg.  
vaga Wahlbg.  
platynemis Fieb.  
Kollari Fieb.  
marginata Fieb.  
irrorata Fieb.  
lugubris Fieb.  
confluens Fieb.  
calva Say.

Europa.

Eur. mer.

*id.**id.*

Sicil.

Suecia.

*id.*

Aegypt.

Brasil.

Sinai.

Cap. b. sp.

Austria.

Aegypt

Am. mer.

tarsalis Fieb.  
pectoralis Fieb.  
australis Fieb.  
signata Fieb.  
Zimmermanni Fieb.  
selecta Fieb.  
hieroglyphica Duf.  
melanosoma Fieb.  
verticalis Fieb.  
pygmaea Fieb.  
Burmeisteri Fieb.  
Sahlbergi Fieb.  
Linnaei Fieb.  
vernicaosa Wahlbg.  
transversa Illig.  
Hellensi Sahlb.  
interrupta Say.  
nitida Fieb.  
praeusta Fieb.

*id.*  
Cap. b. sp.  
Nor. Holl.  
Amer bor.  
*id.*

Austria.  
Europa.  
Eur. mer.  
Amer. bor.  
Cuba.  
Amer. bor.  
Eur. bor.  
Europa.  
Suecia.  
Eur. mer.  
Europa.  
Mexico.  
Amer. bor  
Amer. &  
Eur. bor.

concinna Fieb.  
Gebleri Fieb.  
striata Linn.  
Falleni Fieb.  
variegata Wahlb.  
distincta Fieb.  
assimilis Fieb.  
fossarum Leach.  
Fabricii Fieb.  
abdominalis Fieb.  
moesta Fieb.  
nigrolineata Fieb.  
Erichsoni Fieb.  
limitata Fieb.

German.  
Sibir.  
Europa.  
Eur. bor.  
Suecia.  
Eur. mer.  
German.  
*id.*

German.

*id.*

Europa.  
Amer. bor.

Europa.

var. undulata Fall.  
var. fossarum Fall.  
stagnalis Leach.  
striata Zetterst.  
semistriata Fieb.  
stigmatica Fieb.  
convexa Fieb.  
Dohrni Fieb.  
carinata Sahlb.  
Germari Fieb.

German.  
Amer. bor.  
*id.*

German.

*id.**id.*

hyalinipennis Fabr.  
Bonsdorffi Sahlb.  
coleoprata Fabr.  
nigripennis Fabr.  
lineata Fabr.  
lateralis Leach.  
dorsalis Leach.  
affinis Leach.  
Cubae Guér.  
bimaculata Guér.  
abdominalis Say.  
mercenaria Say.  
Kirbyi Fieb.  
planifrons Kirby.  
maculata Guill.  
fasciolata M. & R.

Ind. or.  
Eur. bor.

*id.*

Cuba.

Surinam.

?

?

?

Cuba.

Mexico.

*id.*

Amer. bor.

*id.**id.*

Chile.

Gall. mer.

**Sigara**  
*Fabricius.*  
minutissima Linn.  
minuta Fabr.  
leucocephala Spin.  
grisea Fieb.  
striata Fieb.  
lineata Fieb.  
punctata Fieb.

**Notonectidae.**

**Plea**  
*Leach.*  
minutissima Fabr.  
frontalis Fieb.  
striola Fieb.  
litrata Fieb.  
pullula Stål.

**Enithares**  
*Spinola.*  
grandis Fieb.  
luniger Fieb.  
concolor Fieb.  
marginatus Fieb.  
brasiliensis Spin.  
indicus Fabr.

**Notonecta**  
*Linné.*  
{ glauca Linn.  
{ var. Fabricii Fieb.  
{ var. umbrina Germ.  
{ var. marmorata Fabr.  
{ var. furcata Fabr.

*Europa.*  
*Italia.*  
*Ind. or.*  
*id.*  
*id.*  
*id.*

*Europa.*  
*Ind. orient.*  
*Amer. bor.*  
*Ind. orient.*  
*Caffr.*

*Brasil.*  
*Ind. orient.*  
*Jsl.d. Franc.*  
*Ind. orient.*  
*Brasil.*  
*Ind. orient.*

*Europa.*

nigra Fieb.  
lutea Müller.  
Klugi Fieb.  
mexicana Am. &  
Serv.  
imprensa Fieb.  
punctata Fieb.  
rugosa Fieb.  
variabilis Fieb.  
polystolisma Fieb.  
maculata Fabr.  
americana Fabr.  
insulata Kirby.  
undulata Say.  
bifasciata Guér.  
triangularis Guér.  
sinica Stål.  
australis Stål.  
sobria Stål.  
? pallipes Fabr.  
? ciliata Fabr.

**Anisops**  
*Spinola.*

hyalinus Fieb.  
macrophthalmus  
Fieb.  
femoralis Fieb.  
varius Fieb.  
productus Fieb.  
niveus Spin.  
niveus Fabr.  
platytenemis Fieb.  
elegans Fieb.  
dominicanus H.-Sch.  
natalensis Stål.  
perpulcher Stål.  
apicalis Stål.

*Brasil.*  
*Europa.*  
*Mexico.*  
*id.*  
*id.*  
*Amer. bor.*  
*America.*  
*id.*  
*Brasil.*  
*Gallia.*  
*America.*  
*Amer. bor.*  
*id.*  
*La Platu.*  
*Ind. orient.*  
*China.*  
*Nov. Holl*  
*Caffr.*  
*Amer. mer.*  
*Ind. orient.*

*Ind orient.*  
*Port Prince*

*Portoric.*  
*Sinai.*

*Europa*  
*Ind. orient.*

*America.*  
*id.*

*St. Doming.*  
*Caffr.*

*id.*  
*id.*

**H O M O P T E R A.**

**FULGORINA.**  
**CAVIGENI.**  
**Nudimargines.**

**Fulgoridae.**

**Fulgora**  
*Linné.*  
{ laternaria Linné.  
{ phosphorea Linné.  
{ peruviana Grew.

*Brasil.*

Castresi Guer.  
lucifera Germ.  
Servillei Spin.  
lampetis Burm.

*Brasil.*  
*id.*  
*id.*  
*id.*

**Phrietus**  
*Spinola.*

{ diadema Linné.  
{ armatus Drury.  
ocellatus Sign.  
annularis Oliv.  
serratus Fabr.

*Brasil.*  
*Columb.*  
*Surinam.*  
*Brasil.*

**Hotinus**

<i>Amyot &amp; Serville.</i>	
candelarius Linné.	<i>China.</i>
cyanostris Guér.	<i>Java.</i>
viridirostris Westw.	<i>Assam.</i>
Spinolae Westw.	<i>Silhet.</i>
Lathburi Kirby.	<i>China.</i>
Delesserti Guér.	<i>Malabar.</i>
maculatus Oliv.	<i>Ceylon.</i>
intricatus Walk.	<i>Borneo.</i>
cultellatus Walk.	<i>id.</i>
pyrorhyncus Donov.	
pyrorhina Westw.	<i>Ind. or.</i>
Rajah Guér.	
oculatus Westw.	<i>id.</i>
subocellatus Guér.	<i>id.</i>
Sultana Adams & White.	<i>Borneo.</i>
clavatus Westw.	<i>Assam.</i>
gemmatus Westw.	<i>Ind. or.</i>
ponderosus Stål.	<i>id.</i>

**Pyrops**

<i>Spinola.</i>	
nobilis Westw.	<i>Malac.</i>
Servillei Spin.	
tenebrosus Fabr.	
africanus P. B.	<i>Africa.</i>
? flammeus Linné.	
punctatus Spin.	<i>Ind. orient.</i>
affinis Westw.	<i>id.</i>
guttulatus Westw.	<i>id.</i>
virescens Westw.	<i>id.</i>
marginatus Westw.	<i>Cap. b. sp.</i>
punctatus Gray.	<i>Ind. or.</i>
perpusillus Walk.	<i>Guinea.</i>
albipennis Spin.	

**Prolepta**

<i>Walker.</i>	
apicalis Westw.	<i>Manila.</i>
decorata Westw.	<i>Java.</i>
Horsfieldi Westw.	<i>id.</i>
cognata Westw.	<i>?</i>
obscurata Fabr.	<i>Nov. Holl.</i>
dilatata Westw.	<i>id.</i>

**Euchophora**

<i>Spinola.</i>	
recurva Oliv.	<i>Brasil.</i>
tuba Germ.	
viridipennis Spin.	<i>id.</i>
variegata Spin.	<i>id.</i>
Dufouri Sign.	<i>id.</i>
Servillei Spin.	<i>?</i>
fuscata Guér.	<i>Nov. Holl.</i>
tuberculata Oliv.	<i>Brasil.</i>
sicca Walk.	<i>Cap. b. sp.</i>
pyrrhocrypta Walk.	<i>Brasil.</i>

Bohemani Stål  
? ensifera Germ.

**Aphaena**

<i>Guerin.</i>	
discolor Guér.	<i>Java.</i>
nigromaculata Gray.	<i>Coch.-Chin.</i>
corticina Burn.	<i>Brasil.</i>
farinosa Fabr.	<i>Sumatra.</i>
nigropunctata Guér.	<i>Java.</i>
rosea Guér.	<i>Sumatra.</i>
saturata Walk.	<i>Borneo.</i>
haemoptera Perty.	<i>Brasil.</i>
pulchella Guér.	<i>Java.</i>
cicatricosa Germ.	<i>Brasil.</i>
amabilis Hope.	<i>Silhet.</i>
haemorrhoidalis Oliv.	<i>Cap. b. sp.</i>
? submaculata Westw.	<i>Silhet.</i>
Aurora Hope.	<i>Manila.</i>
guttata White.	<i>Am. mer.</i>
sanguinea Oliv.	<i>id.</i>
scutellaris White.	<i>Borneo.</i>
Veris-Amor Walk.	<i>id.</i>
Saundersi White.	<i>Ind. or.</i>
Leucosticta White.	<i>Manila.</i>
atomaria Fabr.	<i>Java.</i>
variegata Guér.	<i>Manila.</i>
pulehra Gray.	<i>?</i>
sanguinalis Westw.	<i>Ceylon.</i>
madagascariensis Westw.	<i>Madagasc.</i>
Caja Walk.	<i>Silhet.</i>
basirufa Walk.	<i>id.</i>
Jo Walk.	<i>Ind. or.</i>
albiflos Walk.	<i>Malab.</i>
Confucius White.	<i>China.</i>
dives Walk.	<i>Malab.</i>
torrida Walk.	<i>Congo.</i>
? morosa Walk.	<i>Port Nat.</i>
delicatula White.	<i>Canton.</i>
imperialis White.	<i>Silhet.</i>
uniformis Walk.	<i>Borneo.</i>
nigroirrorata Stål.	<i>China.</i>
lanifera Stål.	<i>Nov. Holl.</i>
sanguinipes Stål.	<i>Ind. orient.</i>
resima Stål.	<i>id.</i>

**Episcius**

<i>Spinola.</i>	
(Guerini Spin.	<i>Ind. orient.</i>
(platyrhina Germ.	
? amabilis Westw.	<i>?</i>

**Dilobura**

<i>Spinola.</i>	
(Spinolae A. & S.	<i>Brasil.</i>
(corticina Spin.	

subocellata Westw. *Brasil.*

**Omaloccephala**

*Spinola.*

festiva Fabr. *Ind. or.*  
cincta Fabr. *Senegal.*

**Cyrene**

*Westwood.*

guttulata Westw. *Java.*

**Odontoptera**

*Carreno.*

spectabilis Carr. *Brasil.*  
Carrenoi Sign. *id.*

**Rhinortha**

*Walker.*

guttata Walk. *Port Nat.*

**Hypselome-**

**topum**

*Stål.*

sumptuosum Stål. *Caffr.*

**Lystra**

*Fabricius.*

lanata Linné. *Brasil.*  
? morio Burm.

pulverulenta Oliv. *id.*

lanata Fabr. *Silhet.*

dimidiata Hope. *id.*

punicea Hope. *id.*

Westwoodi Hope. *Am. mer.*

costata Fabr. *Brasil.*

multiguttata Burm. *id.*

cruenta Burm. *Columb.*

crocea Walk. *id.*

terebrifera Walk. *Brasil.*

exsiccata Stål.

**Paralystra**

*White.*

Emma White. *Brasil.*

**Calyptoproctus**

*Spinola.*

lystroides Spin. *Amer. mer.*

elegans Oliv. *Columb.*

lugubris Perty. *Brasil.*

marmoratus Spin. *Amer. bor.*

luctuosus Spin. *?*

heteroscelis Spin. *Brasil.*

? tibialis Germ.

**Polydictya**

*Guerin.*

basalis Hope.

? tricolor Westw. *Silhet.*

? punctata Sign. *Ind. or.*

? *?*

**Poicocera**

*Laporte.*

flavopunctata *Brasil.*

Perty.

perspicillata Fabr. *id.*

atrata Fabr. *id.*

maculata Guér. *id.*

pallida Guér. *id.*

Luczoti Lap. *id.*

Servillei Guér. *id.*

picta Germ. *id.*

spilota Germ. *id.*

lepida Spin. *id.*

Dianae Germ. *id.*

conspersa Germ. *id.*

flaviventris Germ. *id.*

dichroa Germ. *id.*

rubriceps Stål. *id.*

turca Fabr. *id.*

specularis Germ. *id.*

? coccinea Oliv. *?*

venosa Germ. *Brasil.*

miniacea Germ. *id.*

combusta Westw. *Columb.*

arrosa Blanch. *Boliv.*

olivacea Blanch. *id.*

porphyrea Erichs. *Guinea.*

? limbata Oliv. *Cap. b. sp.*

fuliginosa Oliv. *Am. bor.*

undata Walk. *Columb.*

multifaria Walk. *?*

satellitica Walk. *Columb.*

basistella Walk. *Jamaica.*

divisa Walk. *?*

venosa Walk. *?*

ruffascia Walk. *Columb.*

rubrivitta Walk. *?*

bimacula Walk. *?*

semilimpida Walk. *Parà.*

limpida Walk. *id.*

obliqua Walk. *id.*

setifera Walk. *id.*

semipellucida Stål. *Brasil.*

sepulchralis Stål. *id.*

**Phenax**

*Germar.*

variegata Oliv. *Brasil.*

auricoma Burm. *Mexico.*

? multiguttata *Am. mer.*

Burm. *?*

hypoleuca Sign. *Columb.*

<b>Pseudophanidae.</b>			
<b>Cladodiptera</b> <i>Spinola.</i>			
macrophthalmia Spin.	Brasil.		
smaragdula Walk.	<i>id.</i>		
<b>Pterodictya</b> <i>Burmeister.</i>			
ephemera Fabr.	Brasil.		
reticularis Germ.			
<b>Colpoptera</b> <i>Burmeister.</i>			
sinuata Burm.	Mexico.		
marginalis Burm.	<i>id.</i>		
<b>Bothriocera</b> <i>Burmeister.</i>			
tinealis Burm.	Brasil.		
<b>Plegmatoptera</b> <i>Spinola.</i>			
prasina Spin.	Amer. mer.		
<b>Dichoptera</b> <i>Spinola.</i>			
hyalinata Fabr.	Ind. or.		
smaragdina Walk.	Columb.		
tessellata Walk.	Brasil.		
ferruginea Walk.	<i>id.</i>		
herbida Walk.	Columb.		
<b>Lappida</b> <i>Amyot &amp; Serville.</i>			
proboscidea Spin.	Brasil.		
<b>Rhotala</b> <i>Walker.</i>			
delineata Walk.	Borneo.		
<b>Daradax</b> <i>Walker.</i>			
fusipennis Walk.	Malac.		
<b>Elica</b> <i>Walker.</i>			
latipennis Walk.	Malac.		
<b>Euria</b> <i>Walker.</i>			
lurida Walk.	Singap.		
		<b>Leusaba</b> <i>Walker.</i>	
		marginalis Walk.	Borneo.
		<b>Isporisa</b> <i>Walker.</i>	
		apicalis Walk.	Borneo.
		<b>Epora</b> <i>Walker.</i>	
		subtilis Walk.	Borneo.
		<b>Dyctiophora</b> <i>Germer.</i>	
		europaea Linné.	Europa.
		hemiptera Costa.	Neapel.
		elegans Costa.	<i>id.</i>
		pannonica Germ.	Eur. mer.
		cyrnea Spin.	?
		senegalensis Spin.	Seneg.
		affinis Spin.	Amer. mer.
		virescens Fabr.	<i>id.</i>
		distinguenda Spin.	<i>id.</i>
		vidua Fabr.	Cuba.
		noctivida Linn.	Brasil.
		conirostris Deg.	Ind. or.
		graminea Fabr.	?
		pungens Germ.	?
		lyrata Germ.	Afr. mer.
		fenestrata Fabr.	Guinea.
		? taenia Fabr.	
		lineata Donov.	Ind. orient.
		pallida Gray.	<i>id.</i>
		pallida Donov.	Java.
		splendens Germ.	Ind. orient.
		indiana Walk.	Hondur.
		chlorochroma Walk.	
		platyrhina Walk.	?
		elliptica Walk.	Sier. Leon.
		ferrifera Walk.	?
		rufistigma Walk.	?
		despecta Walk.	Malab.
		microrrhina Walk.	Amer bor.
		fusiformis Walk.	Brasil.
		truncata Walk.	<i>id.</i>
		longipennis Walk.	Philipp.
		brachyrhina Walk.	Columb.
		obtusifrons Walk.	?
		nigrimacula Walk.	Ind. or.
		albivitta Walk.	<i>id.</i>
		*pallida Walk.	<i>id.</i>
		sinica Walk.	China.
		leptorhina Walk.	Java.
		inscripta Walk.	Hong-kong.
		speilinea Walk.	Singap.
		speicarina Walk.	Borneo.
		concolor Walk.	?
		longirostris Walk.	Hispan.

longipes Duf.	<i>Hispan.</i>	<b>Benna</b>	
Genei Duf.	<i>id.</i>	<i>Walker.</i>	
suturalis Stål.	<i>Brasil.</i>	capitulata Walk.	<i>Malac.</i>
vinula Stål.	<i>Caffr.</i>	cannescens Walk.	<i>Borneo.</i>
caffra Stål.	<i>id.</i>	clarescens Walk.	<i>id.</i>
apicemaculata Stål.	<i>id.</i>	praestans Walk.	<i>id.</i>
natalensis Stål.	<i>id.</i>		
casta Stål.	<i>id.</i>		
Cereris Stål.	<i>id.</i>		
		<b>Cixius</b>	
<b>Simotettix</b>		<i>Latreille.</i>	
<i>Stål.</i>		Colombiae Walk.	<i>Columb.</i>
Wahlbergi Stål.	<i>Caffr.</i>	musivus Germ.	<i>Europa.</i>
		leporinus Linné.	<i>id.</i>
<b>Eutropistes</b>		pallidus H.-Sch.	<i>id.</i>
<i>Schaum.</i>		simplex H.-Sch.	<i>German.</i>
callifer Schaum.	<i>Mozamb.</i>	albicinctus Latr.	
		nervosus Fabr.	<i>Europa.</i>
<b>Aselgeia</b>		Cynosbatis Fall.	
<i>Walker.</i>		contaminatus Latr.	<i>id.</i>
ramulifera Walk.	<i>Port. Nat.</i>	cunicularius Linn.	
		cunicularis Latr.	
<b>Monopsis</b>		Dionysii Panz.	<i>id.</i>
<i>Spinola.</i>		nervoso-punctatus	
tabida Spin.	<i>Am. bor.</i>	Deg.	
pallida Walk.	<i>Jamaica.</i>	nervosus Fall.	
viridis Walk.	<i>St. Thoms.</i>	stigmaticus Latr.	
fusca Walk.	?	contaminatus Germ.	<i>id.</i>
Floridæ Walk.	<i>Florida.</i>	? pilosus Oliv.	
sinica Walk.	<i>Hong-kong.</i>	nervosus Linn.	<i>id.</i>
		Cynosbatis Fabr.	
<b>Achilus</b>		dorsalis Hardy.	<i>Anglia.</i>
<i>Kirby.</i>		pallens Germ.	<i>German.</i>
flammea Kirby.	<i>Nor. Holl.</i>	Servillei Spin.	?
bicinctus Spin.	<i>Am. mer.</i>	anceps Germ.	<i>Brasil.</i>
		bicarinatus Fabr.	<i>id.</i>
<b>Paricana</b>		venustus Germ.	<i>id.</i>
<i>Walker.</i>		seriatus Germ.	<i>id.</i>
dilatipennis Walk.	<i>Borneo.</i>	grammicus Germ.	<i>id.</i>
		bipunctatus Linn.	<i>id.</i>
<b>Eucarpia</b>		suleifrons Germ.	<i>id.</i>
<i>Walker.</i>		? quinquecostatus	<i>Eur. mer.</i>
univitta Walk.	<i>Borneo.</i>	Duf.	
		vicarius Walk.	<i>Florida.</i>
<b>Ficarasa</b>		maculifrons Walk.	<i>Sier. Leon.</i>
<i>Walker.</i>		testaceus Walk.	?
pallida Walk.	<i>Borneo.</i>	latifrons Walk.	?
		australis Walk.	<i>Port Nat.</i>
<b>Eupilis</b>		oppositus Walk.	<i>Nov. Seel.</i>
<i>Walker.</i>		pustulatus Walk.	<i>Singap.</i>
albilineola Walk.	<i>Borneo.</i>	albistriga Walk.	<i>id.</i>
hebes Walk.		efferatus Walk.	<i>id.</i>
		rufimacula Walk.	<i>Columb.</i>
<b>Conna</b>		longipennis Walk.	<i>Port Nat.</i>
<i>Walker.</i>		albidus Walk.	<i>Sier. Leon.</i>
guttifera Walk.	<i>Malac.</i>	obscurus Walk.	<i>Port Nat.</i>
	<i>Borneo.</i>	flavisigna Walk.	<i>Ind. orient.</i>
		Meander Walk.	<i>id.</i>
		hottentotus Stål.	<i>Caffr.</i>
		natalensis Stål.	<i>id.</i>
		caffra Stal.	<i>id.</i>

fasciolatus Stål.	<i>Caffr.</i>	[dispar Fall.	
fuscipennis Stål.	<i>id.</i>	? marginata Fabr.	<i>Succia.</i>
moestus Stål.	<i>id.</i>	? flavescens Fabr.	
setinervis Stål.	<i>id.</i>	sordidula Stål.	<i>id.</i>
albipennis Stål.	<i>id.</i>	collina Boh.	<i>id.</i>
variegatus Stål.	<i>id.</i>	hyalinipennis Stål.	<i>id.</i>
pustulatus Walk.	<i>Ind. or.</i>	brevipennis Boh.	<i>id.</i>
albigriga Walk.	<i>id.</i>	elegantula Boh.	<i>id.</i>
efferatus Walk.	<i>id.</i>	obscura Boh.	<i>id.</i>
ferreus Walk.	<i>Borneo.</i>	discolor Boh.	<i>id.</i>
diffinis Walk.	<i>id.</i>	forceipata Boh.	<i>id.</i>
guttifer Walk.	<i>id.</i>	exigua Boh.	<i>id.</i>
aequus Walk.	<i>id.</i>	denticanda Boh.	<i>id.</i>
perplexus Walk.	<i>id.</i>	lugubrina Boh.	<i>id.</i>
inclinatus Walk.	<i>id.</i>	pullula Boh.	<i>id.</i>
simplex Walk.	<i>id.</i>	mesomela Boh.	<i>id.</i>
vilis Walk.	<i>id.</i>	bivittata Boh.	<i>id.</i>
modicus Walk.	<i>id.</i>	(albosignata Dahlb.	<i>id.</i>
nexus Walk.	<i>id.</i>	(fuscinervis Boh.	
despectus Walk.	<i>id.</i>	(moesta Boh.	<i>id.</i>
deductus Walk.	<i>id.</i>	(collaris Stål.	
munitus Walk.	<i>id.</i>	(nasalis Boh.	<i>id.</i>
trahens Walk.	<i>id.</i>	(mutabilis Boh.	
pallens Walk.	<i>id.</i>	pteridis Spin.	<i>id.</i>
finitus Walk.	<i>id.</i>	raniceps Boh.	<i>id.</i>
directus Walk.	<i>id.</i>	unicolor H.-Sch.	<i>Europa.</i>
dotatus Walk.	<i>id.</i>	venosa Germ.	<i>id.</i>
insuetus Walk.	<i>id.</i>	stigmatalis Curt.	<i>Anglia.</i>
		longipennis Curt.	<i>id.</i>
		suturalis Curt.	<i>id.</i>
		pictipennis Curt.	<i>id.</i>
		bicarinata H.-Sch.	<i>Europa</i>
		saccharivora	<i>Amer. bor.</i>
		Westw.	
		tricarinata Say.	<i>id.</i>
		producta Walk.	<i>Jamaica.</i>
		luteivitta Walk.	<i>Amer. bor.</i>
		substitua Walk.	<i>Galapag.</i>
		unicolor Walk.	<i>Amer. bor</i>
		vicaria Walk.	<i>Galapag.</i>
		simulans Walk.	<i>id.</i>
		albomarginata	<i>Anglia.</i>
		Curt.	
		rivularis Germ.	?
		vitticollis Stål.	<i>Caffr.</i>
		lugens Stål.	<i>id.</i>
		obscuripennis Stål.	<i>Brasil.</i>
		placida Stål.	<i>id.</i>
		annulipes Stål.	<i>Guam.</i>
		lugens Stål.	<i>Java.</i>
		Bohemani Stål.	<i>Jsl.d.Franc.</i>
		caliginea Stål.	<i>Taiti.</i>
		concinna Stål.	<i>Mexico.</i>
		pulchra Stål.	<i>Honolulu.</i>
		granulineris Stål.	<i>Guam.</i>
		seminigra Stål.	<i>Brasil.</i>
		Fairmairei Perris.	<i>Gall. mer.</i>
		Aubei Perris.	<i>id.</i>
		lineata Perris.	<i>id.</i>
<b>fasciolatus Stål.</b>	<i>Caffr.</i>		
<b>fuscipennis Stål.</b>	<i>id.</i>		
<b>moestus Stål.</b>	<i>id.</i>		
<b>setinervis Stål.</b>	<i>id.</i>		
<b>albipennis Stål.</b>	<i>id.</i>		
<b>variegatus Stål.</b>	<i>id.</i>		
<b>pustulatus Walk.</b>	<i>Ind. or.</i>		
<b>albigriga Walk.</b>	<i>id.</i>		
<b>efferatus Walk.</b>	<i>id.</i>		
<b>ferreus Walk.</b>	<i>Borneo.</i>		
<b>diffinis Walk.</b>	<i>id.</i>		
<b>guttifer Walk.</b>	<i>id.</i>		
<b>aequus Walk.</b>	<i>id.</i>		
<b>perplexus Walk.</b>	<i>id.</i>		
<b>inclinatus Walk.</b>	<i>id.</i>		
<b>simplex Walk.</b>	<i>id.</i>		
<b>vilis Walk.</b>	<i>id.</i>		
<b>modicus Walk.</b>	<i>id.</i>		
<b>nexus Walk.</b>	<i>id.</i>		
<b>despectus Walk.</b>	<i>id.</i>		
<b>deductus Walk.</b>	<i>id.</i>		
<b>munitus Walk.</b>	<i>id.</i>		
<b>trahens Walk.</b>	<i>id.</i>		
<b>pallens Walk.</b>	<i>id.</i>		
<b>finitus Walk.</b>	<i>id.</i>		
<b>directus Walk.</b>	<i>id.</i>		
<b>dotatus Walk.</b>	<i>id.</i>		
<b>insuetus Walk.</b>	<i>id.</i>		
<b>Delphacidae.</b>			
<b>Embolophora</b>			
<i>Stål.</i>			
monocerus Stål.	<i>Caffr.</i>		
<b>Delphax</b>			
<i>Fabricius.</i>			
(minuta Fabr.	<i>Europa.</i>		
(lineola Germ.	<i>Succia.</i>		
truncatipennis Boh.	<i>id.</i>		
smaragdula Stål.	<i>id.</i>		
longifrons Stål.	<i>Sibir.</i>		
fuscovittata Stål.	<i>German.</i>		
guttula Germ.	<i>Succia.</i>		
pallidula Boh.	<i>id.</i>		
perspicillata Boh.	<i>id.</i>		
basilinea Germ.	<i>id.</i>		
striatella Fall.	<i>id.</i>		
striata Fall.	<i>id.</i>		
hamata Boh.	<i>id.</i>		
notula Germ.	<i>id.</i>		
pallens Stål.	<i>id.</i>		
lepida Boh.	<i>id.</i>		
tristis Boh.	<i>id.</i>		
(limbata Fabr.			
(anceps Germ.	<i>id.</i>		
(palliatia Boh.			
hemiptera Germ.	<i>id.</i>		
pellucida Fabr.	<i>id.</i>		

<b>Ostama</b> <i>Walker.</i> juncta Walk.	<i>Borneo.</i>	<b>Derbidae.</b>	
<b>Ugyops</b> <i>Guérin.</i> Percheroni Guér.	<i>Cochin-chin.</i>	<b>Derbe</b> <i>Fabricius.</i> nervosa Burm. <i>Brasil.</i> haemorrhoidalis <i>id.</i> Fabr.	
<b>Bidis</b> <i>Walker.</i> notivena Walk. <i>Singap.</i> pictula Walk. <i>Borneo.</i> pictifrons Walk. <i>id.</i> contigua Walk. <i>id.</i>		semistriata Westw. <i>id.</i> strigipennis Westw. <i>id.</i> Essingtoni Westw. <i>Port Essing.</i> lanius Stål. <i>Caffr.</i>	
<b>Rhinotettix</b> <i>Stål.</i> fuscipennis Stål.	<i>Caffr.</i>	<b>Mysidia</b> <i>Westwood.</i> pallida Fabr. <i>Brasil.</i> albipennis Westw. <i>Hondur.</i> lactiflora Westw. <i>Brasil.</i> pallida Westw. <i>id.</i> subfasciata Westw. <i>id.</i> costata Fabr. <i>id.</i> squamigera Fabr. <i>id.</i> ? punctum Fabr. <i>id.</i> ? testacea Fabr. <i>id.</i> ? nivea Fabr. <i>id.</i> ? stigma Germ. <i>Montevideo.</i> albicans Stål. <i>Brasil.</i>	
<b>Amblycotis</b> <i>Stål.</i> laticeps Stål.	<i>Caffr.</i>	<b>Phenice</b> <i>Westwood.</i> fritillaris Boh. <i>Guinea.</i> lunulata A & S. <i>Isl. d. Franc.</i> stellulata Boh. <i>Guinea.</i> fasciolata Boh. <i>id.</i> furecato-vittata Stål. <i>Java.</i>	
<b>Hapalomelus</b> <i>Stål.</i> flavipes Stål.	<i>Caffr.</i>	<b>Helcita</b> <i>Stål.</i> Wahlbergi Stål.	<i>Caffr.</i>
<b>Alleloplasis</b> <i>Waterhouse.</i> Darwini Waterh.	<i>Austral.</i>	<b>Nicerta</b> <i>Walker.</i> submentiens Walk. <i>Borneo.</i> flammula Walk. <i>id.</i> fervens Walk. <i>id.</i>	
<b>Tropidocephala</b> <i>Stål.</i> fiaviceps Stål.	<i>Caffr.</i>	<b>Cenckrea</b> <i>Westwood.</i> dorsalis Westw.	<i>St. Vincent.</i>
<b>Aracophus</b> <i>Spinola.</i> crassicornis Fabr. pulchellus Curt. dubius Panz. griseus Latr. ? cylindricornis Fabr. ? oppositus Fabr.	<i>Anglia.</i>       <i>Amer. mer.</i>      <i>id.</i>	<b>Labicerus</b> <i>Erichson.</i> elegans Erichs.	<i>Guiana</i>
<b>Asiraca</b> <i>Latreille.</i> clavicornis Fabr. angulicornis Latr.	<i>Europa.</i> <i>Africa.</i>	<b>Thracia</b> <i>Westwood.</i> sinuosa Westw. javanica Westw.	<i>Sier. Leon.</i> <i>Java.</i>



<i>nervosa</i> Boh. <i>Bohemani</i> Westw.	<i>Sier. Leon.</i>	<b>Issidae.</b>	
<b>Erana</b> <i>Walker.</i> <i>operosa</i> Walk.	<i>Borneo.</i>	<b>Caliscelis</b> <i>Laporte.</i> <i>Bonellii</i> Latr. <i>(heterodoxa</i> Lap.	<i>Eur. mer.</i>
<b>Patara</b> <i>Westwood.</i> <i>guttata</i> Westw. <i>albida</i> Westw.	<i>St. Vincent.</i> <i>id.</i>	<b>Brucho-</b> <b>morpha</b> <i>Newman.</i> <i>oculata</i> Newm.	<i>Florida.</i>
<b>Diospolis</b> <i>Westwood.</i> <i>elongata</i> Westw.	<i>Austral.</i>	<b>Ancyra</b> <i>White.</i> <i>appendiculata</i> <i>White.</i>	<i>Ind. orient.</i>
<b>Zeugma</b> <i>Westwood.</i> <i>vittata</i> Westw.	?	<b>Corethrura</b> <i>Hope.</i> <i>fuscovaria</i> Hope.	<i>Silhet.</i>
<b>Hynnus</b> <i>Burmeister.</i> <i>rosea</i> Burm. <i>(Degeeri</i> Kirby.	<i>Amer. bor.</i>	<b>Eurybrachys</b> <i>Guérin.</i> <i>tomentosa</i> Fabr. <i>spinosa</i> Fabr. <i>Lepelletieri</i> Guér. <i>abbreviata</i> Guér. <i>insignis</i> Westw. <i>maculipennis</i> <i>Le Guill.</i> <i>aeruginosa</i> Hope. <i>pulverosa</i> Hope. <i>reversa</i> Hope. <i>decora</i> Walk. <i>punctifera</i> Walk. <i>tricolor</i> Walk. <i>sicca</i> Walk. <i>sera</i> Walk. <i>rubiginea</i> Walk. <i>semilimpida</i> Walk. <i>semisicca</i> Walk. <i>leucostigma</i> Walk. <i>decemmacula</i> Walk. <i>decisa</i> Walk. <i>lurida</i> Walk. <i>rubicunda</i> Walk. <i>laeta</i> White. <i>subfasciata</i> Walk. <i>dilatata</i> Walk. <i>apicalis</i> Walk. <i>bufo</i> Walk. <i>varia</i> Walk. <i>rufiventris</i> Stål. <i>multicolor</i> Walk. <i>rubescens</i> Walk. <i>conserta</i> Walk. <i>vetusta</i> Walk.	<i>Ind. orient.</i> <i>id.</i> <i>id.</i> <i>Nov. Holl.</i> <i>Manila.</i> <i>Austr.</i> <i>Ind. orient.</i> <i>Silhet.</i> <i>id.</i> <i>Assam</i> <i>Madras.</i> <i>Ind. orient.</i> <i>Nov. Holl.</i> <i>id.</i> <i>id.</i> <i>?</i> <i>Nov. Holl.</i> <i>id.</i> <i>id.</i> <i>?</i> <i>Nov. Holl</i> <i>id.</i> <i>Ind. or.</i> <i>Ceylon.</i> <i>Nov. Holl.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>Ind. orient.</i> <i>id.</i> <i>Borneo.</i> <i>id.</i>
<b>Otiocerus</b> <i>Kirby.</i> <i>(Stolli</i> Kirby. <i>(Winthemi</i> Germ. <i>Coqueberti</i> Kirby. <i>Abboti</i> Kirby. <i>Francilloni</i> Kirby. <i>Reaumuri</i> Kirby. <i>Wolffi</i> Kirby. <i>Schellenbergi</i> <i>Kirby.</i>	<i>Amer bor.</i> <i>Nov. Scot.</i> <i>Am. bor.</i> <i>id.</i> <i>id.</i> <i>id.</i> <i>id.</i>		
<b>Deribia</b> <i>Westwood.</i> <i>coccinea</i> Guér.	<i>Austral.</i>		
<b>Anotia</b> <i>Kirby.</i> <i>Bonneti</i> Kirby.	<i>Georg.</i>		
<b>Phrygia</b> <i>Stål.</i> <i>fuscata</i> Stål.	<i>Brasil.</i>		
<b>Adana</b> <i>Stål.</i> <i>Westwoodi</i> Stål.	<i>Mexico.</i>		
<b>Brixia</b> <i>Stål.</i> <i>natalicola</i> Stål.	<i>Caffr.</i>		

intercepta Walk.	Borneo.	<b>Issus</b>	
turrecta Walk.	id.	<i>Fabricius.</i>	
<b>Phylloscelis</b>		Colombiae Walk.	Columb.
<i>Germar.</i>		pectinipennis Guér.	Ind. orient.
pallescens Germ.	Pensylv.	longipennis Spin.	?
atra Germ.	id.	prasinus Spin.	Brasil.
<b>Ommatidiotus</b>		tendinosus Spin.	Rumel.
<i>Spinola.</i>		Servillei Spin.	Am. bor.
dissimilis Fall.	Suecia.	coleoptratus Fabr.	
<b>Hemisphaerius</b>		dilatatus Donov.	Anglia.
<i>Schaum.</i>		gibbosus Oliv.	
coccinelloides	Manila.	lauri Germ.	
Burm.		dilatatus Vill.	Italia.
flavimacula Walk.	Hong-kong.	liliumacula Costa.	id.
contusus Walk.	China.	bifasciatus Costa.	id.
chilocorides Walk.	Hong-kong.	flavescens Costa.	id.
signifer Walk.	id.	pallipes Lucas.	Creta.
Schaumi Stål.	Ceylon.	maurus Walk.	? Gall. mer.
niger Walk.	Borneo.	bimacula Walk.	?
typicus Walk.	id.	concolor Walk.	?
torpidus Walk.	id.	consersus Walk.	Amer. bor.
<b>Miracia</b>		quadriguttatus	Hong-kong.
<i>Walker.</i>		Walk.	
ignava Walk.	Borneo.	biplaga Walk.	id.
<b>Hysteropterum</b>		sinensis Walk.	id.
<i>Am. &amp; Serv.</i>		apicalis Walk.	Ind. or.
immaculatum Fabr.	Europa.	testaceus Walk.	Columb.
grylloides Fabr.	Italia.	acutus Walk.	Manila.
Dufouri Spin.	Eur. mer.	cristatus Fabr.	Jsl. d. Franc
apterum Fabr.	Barbar.	carinatus Fabr.	id.
dyscolor Germ.	Russ. mer.	muscarius Germ.	Brasil.
smyrnense Spin.	Smyrna.	nodipennis Germ.	id.
conspureatum Spin.	Rumel.	compressus Spin.	id.
difforme Spin.	Toscan.	rubrocostatus Spin.	id.
dorsale Walk.	Nor. Holl.	herbaceus Spin.	id.
irroratum Walk.	Port Nat.	retusus Walk.	Madeira.
punctiferum Walk.	Florida.	adscendens H.-S.	Europa.
truncatellum Walk.	Nov. Holl.	reticulatus H.-S.	id.
arctum Stål.	Min. Geraes.	varius Walk.	Galapag.
vitripenne Stål.	Californ.	? praecustus Fabr.	Suecia.
maculifrons Muls. &	Gall. mer.	? pedestris Fabr.	Pedemont.
Rey.		? bicornis Fabr.	Am. mer.
<b>Conosimus</b>		? undatus Fabr.	Cuba.
<i>Mulsant &amp; Rey.</i>		sanguinipes Germ.	?
caelatus Muls. &	Gall. mer.	biforis Germ.	?
Rey.		alliger Germ.	?
<b>Peltonotus</b>		simplex Germ.	?
<i>Mulsant &amp; Rey.</i>		ellipticus Germ.	?
raniformis Muls. &	Gall. mer.	muscarius Germ.	?
Rey.		compressus Stål.	Caffr.
		testudinarius Stål.	Pul. Pen.
		malayus Stål.	Malac.
		cinctifrons Stål.	Brasil.
		praecedens Walk.	Borneo.
		compositus Walk.	id.
		retractus Walk.	id.
		furtivus Walk.	id.
		patulus Walk.	id.
		iners Walk.	id.
		gravis Walk.	id.

arctatus Walk.	<i>Borneo.</i>	Occidentis Walk.	<i>Amer. bor.</i>
sobrinus Walk.	<i>id.</i>	punctata Walk.	<i>id.</i>
ovalis Walk.	<i>id.</i>	Guianae Walk.	<i>Guiana.</i>
litosus Walk.	<i>id.</i>	ferruginea Walk.	<i>Ind. or.</i>
lineatus Walk.	<i>id.</i>	rufescens Walk.	<i>Sier. Leon.</i>
		smaragdilinea	<i>Ophir.</i>
		Walk.	
<b>Mycterodes</b>		<b>Cystingocephala</b>	
<i>Spinola.</i>		<i>Stål.</i>	
nasutus H.-Sch.	<i>Eur. mer.</i>	marguelineata Stål.	<i>Caffr.</i>
<b>Strigimargines</b>			
<b>Flatidae.</b>		<b>Flatoides</b>	
		<i>Guérin.</i>	
<b>Lophops</b>		tortrix Guér.	<i>Madagasc.</i>
<i>Spinola.</i>		fenestrata Fabr	<i>Java.</i>
Servillei Spin.	<i>Africa.</i>	hyalina Fabr.	<i>Ceylon.</i>
		Pelops Walk.	<i>Brasil.</i>
<b>Phleboterum</b>		humeralis Walk.	<i>id.</i>
<i>Stål.</i>		speculum Walk.	<i>Philipp.</i>
praemorsum Stål.	<i>Sier. Leon.</i>	tenebrosus Walk.	<i>China.</i>
		perforatus Walk.	<i>?</i>
<b>Tropiduchus</b>		guttatus Walk.	<i>Hong-kong.</i>
<i>Stål.</i>		marginalis Walk.	<i>Africa.</i>
sobrinus Stål.	<i>Sier. Leon.</i>	discus Walk.	<i>Brasil.</i>
		stigma Walk.	<i>?</i>
<b>Elasmoscelis</b>		stipatus Walk.	<i>Nor. Holl.</i>
<i>Spinola.</i>		mesochlorus Walk.	<i>?</i>
cimicoides Germ.	<i>Cap. b. sp.</i>	cervinus Walk.	<i>Jamaica.</i>
trimaculata Walk.	<i>Sier. Leon.</i>	conformis Walk.	<i>id.</i>
tagalica Stål.	<i>Manila.</i>	tenebrosus Walk.	<i>Sier. Leon.</i>
fuscofasciata Stål.	<i>Ind. or.</i>	lignarius Walk.	<i>Hong-kong.</i>
		fumosus Walk.	<i>?</i>
<b>Acrometopon</b>		bifascia Walk.	<i>Port. Nat.</i>
<i>Stål.</i>		marginatus Walk.	<i>?</i>
costatipenne Stål.	<i>Caffr.</i>	retractus Walk.	<i>Sier. Leon.</i>
		Orientis Walk.	<i>Ind. orient.</i>
<b>Phalaenomorpha</b>		minor Walk.	<i>China.</i>
<i>Amyot &amp; Serville.</i>		decorus Walk.	<i>?</i>
incubans A. & S.	<i>St. Doming.</i>	truncatus Walk.	<i>Ind. orient.</i>
mira Stål.	<i>Caffr.</i>	basalis Walk.	<i>?</i>
		quadratus Walk.	<i>Columb.</i>
<b>Elidiptera</b>		Cixii Walk.	<i>Port Nat.</i>
<i>Spinola.</i>		?rudis Schaum.	<i>Columb.</i>
callosa Spin.	<i>Brasil.</i>	discalis Walk.	<i>Singap.</i>
advena Spin.	<i>Sardin.</i>	emarginatus Walk.	<i>id.</i>
Genei Spin.	<i>Italia.</i>	veterator Walk.	<i>Borneo.</i>
marginicollis Spin.	<i>Sicil.</i>	posterus Walk.	<i>id.</i>
eincticeps Spin.	<i>Senegal.</i>	limitarsis Walk.	<i>id.</i>
fimbriata Walk.	<i>?</i>	stupidus Walk..	<i>id.</i>
tuberculosa Walk.	<i>?</i>		
indica Walk.	<i>Madras.</i>	<b>Pocilloptera</b>	
fimbria Walk.	<i>Silhet.</i>	<i>Latreille.</i>	
		phalaenoides Linn.	<i>Brasil.</i>
		aurora Guér.	<i>Java.</i>
		maculata Guér.	<i>id.</i>
		melanaria Spin.	<i>Guiana.</i>
		marginella Guér.	<i>Coch.-Chin.</i>

aspericollis Spin.	<i>Brasil.</i>	? vittata Fabr.	<i>Am. mer.</i>
septentrionalis Spin.	<i>Amer. bor.</i>	? pulverulenta Guér.	<i>Ceylon.</i>
		? quadripunctata Fabr.	<i>Ind. occident.</i>
brasilensis Spin.	<i>Brasil.</i>	? relicta Fabr.	<i>Carolina.</i>
dominicensis Spin.	<i>St. Doming.</i>	? retusa Fabr.	<i>Guiana.</i>
ocellata Fabr.	<i>Java.</i>	? pyralina Germ.	?
ricanioides Spin.	<i>Mexico.</i>	? prumosa Say.	<i>Amer. bor.</i>
acuminipennis Spin.	<i>St. Doming.</i>	? bivittata Say.	<i>id.</i>
cruentata Fabr.	<i>Amboina</i>	? stigmata Say.	<i>id.</i>
viridana Donovan.	<i>Nor. Holl.</i>	? noeva Say.	<i>id.</i>
modesta Donovan.	<i>id.</i>	? opaea Say.	<i>id.</i>
emortua Fabr.	<i>Surin.</i>	? pallida Say.	<i>id.</i>
roscida Germ.	<i>Brasil.</i>	? bullata Say.	<i>id.</i>
albicosta Guér.	<i>Malac.</i>	? quinquefasciata Say	<i>id.</i>
dentifrons Guér.	<i>Malab.</i>	? humilis Say.	<i>id.</i>
folium Deg.	<i>Amer. mer.</i>	? subquadrata H.-Sch.	<i>Rumel.</i>
unipunctata Oliv.	<i>Senegal.</i>	? herbida Walk.	<i>Jamaica.</i>
tortricina Germ.	<i>Honduras.</i>	rorida Walk.	<i>Borneo.</i>
circulata Guér.	<i>Java.</i>	deplana Walk.	<i>id.</i>
Dianthus White.	<i>Guiana.</i>	luteimargo Walk.	<i>Singap.</i>
fritillaria Erichs.	?	niveina Walk.	<i>Ophir.</i>
? umbraculata Fabr.	<i>Ind. or.</i>	fimbriolata Stål.	<i>Malac.</i>
? truncata Linn.	<i>Java.</i>	Cereris Stål.	<i>China.</i>
suffusa Walk.	<i>Silhet.</i>	limbatella Stål.	<i>Chile.</i>
comma Walk.	?	vidua Stål.	<i>Ind. or.</i>
addita Walk.	<i>Nor. Holl.</i>	sobrina Stål.	<i>Sier. Leon.</i>
acuta Walk.	<i>Jamaica.</i>	argiolus Stål.	?
perfecta Walk.	<i>id.</i>		
robusta Walk.	<i>Ind. or.</i>		
lactifera Walk.	<i>Java.</i>		
completa Walk.	<i>Hong-kong.</i>		
sinensis Walk.	?		
producta Walk.	?		
Cupido Walk.	<i>Africa.</i>		
stellaris Walk.	<i>Ind. orient.</i>		
ocellata Fabr.	<i>Nor. Holl.</i>		
munda Walk.	<i>Brasil.</i>		
testacea Walk.	<i>Ind. orient.</i>		
antica Walk.	<i>Nor. Orl.</i>		
latifrons Walk.	<i>Afr. mer.</i>		
prasinaria Walk.	<i>Florida.</i>		
rufifascia Walk.	<i>id.</i>		
proxima Walk.	<i>Jamaica.</i>		
quadrata Walk.	<i>Nor. Holl.</i>		
acuminata Walk.	?		
complanata Walk.	?		
lata Walk.	?		
incerta Walk.	?		
plana Walk.	?		
nivifera Walk.	<i>Brasil.</i>		
hebes Walk.	<i>Nor. Holl.</i>		
serva Walk.	<i>Philipp.</i>		
unicolor Walk.	<i>Nor. Holl.</i>		
nana Walk.	<i>Amer. bor.</i>		
albula Walk.	?		
venusta Walk.	?		
solita Walk.	?		
perpusilla Walk.	?		
? marginata Linn.	<i>Ind. occident.</i>		
? ferrugata Fabr.	<i>Ind. orient.</i>		
		<b>Phyllyphanta</b>	
		<i>Amyot &amp; Serville.</i>	
		producta Spin.	<i>Brasil.</i>
		pustulata Donovan.	<i>Austr.</i>
		<b>Cromna</b>	
		Walker.	
		acutipennis Walk.	<i>Malac.</i>
		<b>Colobesthes</b>	
		<i>Amyot &amp; Serville.</i>	
		falcata Guér.	<i>Java.</i>
		candida Fabr.	<i>id.</i>
		truncaticornis Spin.	<i>Philipp.</i>
		coromandelica Spin.	<i>Coromand.</i>
		? adscendens Fabr.	<i>Afr. occident.</i>
		conspersa Walk.	<i>Ind. orient.</i>
		guttifascia Walk.	<i>Philipp.</i>
		bigutta Walk.	<i>Port Nat.</i>
		Walkeri Stål.	<i>Caffr.</i>
		bellula Stål.	<i>id.</i>
		albiplana Walk.	<i>Singap.</i>
		marginata Walk.	<i>Malac.</i>
		<b>Fleta</b>	
		Fabricius.	
		limbata Fabr.	<i>Ind. orient.</i>
		var. pallida Oliv.	

floccosa Guér.  
marginella Oliv.  
nigricornis Fabr.  
tineoides Oliv.  
Stolli Spin.  
papilionaria White.  
bombycoides Guér.  
pyralis Guér.  
Malgacha Guér.  
tricolor White.  
intacta Walk.  
Maria White.  
completa Walk.  
tenella Walk.  
matutina Walk.  
inornata Walk.  
nivis Walk.  
albata Stål.

**Daladax**

Amyot &amp; Serville.

postica Spin.  
nigricornis Guér.

**Acanaloniidae.****Acanalonia**

Spinola.

Servillei Spin. Amer. bor.

**Ricanidae.****Nephesa**

Am. &amp; Serv.

rosea Spin.  
grata Walk.  
guttularis Walk.  
volens Walk.  
lutea Walk.  
deducta Walk.  
tripas Walk.

**Pochazia**

Am. &amp; Serv.

fasciata Fabr.  
funata A. & S.  
splendida Fabr.  
tobscura Guér.  
antica Westw.  
iodipennis Guér.  
trianguli Walk.  
guttifera Walk.  
interrupta Walk.  
obliqua Walk.  
ocellus Walk.

Java.

Assam.

Java.

Malab.

Offak.

Madagasc.

Silhet.

id.

id.

id.

Ind. or.

Java.

Tenasser.

Port Nat.

Malac.

Caffr.

Amer. bor.

Java.

Borneo.

id.

id.

id.

id.

id.

Java.

id.

Nov. Guin.

Ind. or.

Nov Guin.

Congo.

Silhet.

Malab.

?

China.

australis Walk.  
simulans Walk.  
apicalis Walk.  
dubia Walk.  
remota Walk.  
convergens Walk.  
interrupta Walk.  
costimacula Walk.  
gradiens Walk.

**Ricania**

Germar.

reticulata Fabr.  
planipennis Spin.  
hyalinata Donov.  
Donovani Spin.  
poecilopteroides  
Spin.

pellucida Spin.  
panorpaepennis  
Guér.

Servillei Spin.  
oculata Spin.

Ho Boisd.

Klugi Spin.  
trimaculata Guér.  
crocea Guér.  
nebulosa Fabr.  
pallidipennis Guér.  
cyanescens Guill.

albizona Germ.

vitrata Fabr.

planiceps Fabr.

diaphana Fabr.

Hemerobii Walk.

osmyloidis Walk.

subacta Walk.

zonata Stål.

lugens Stål.

malaya Stål.

Mellerborgi Stål.

seria Stål.

Nor. Holl.  
Ind. orient.

?

Mozamb.

Brasil.

Borneo.

Malac.

id.

id.

Hondur.

Africa.

Offak.

Brasil.

Java.

Tasman.

Isl. d. Franc.

Nov. Guin.

Brasil.

Nov. Guin.

Madagasc.

Afr. mer.

Austral.

?

Cap. b. sp.

Amer. mer.

id.

id.

Ceylon.

Borneo.

id.

Caffr.

id.

Malac.

Java.

Africa.

**PLANIGENI.****Tettigome-  
tridae****Tettigometra**

Latreille.

virescens Latr.  
umbrosa Germ.  
piceola Burm.  
abliqua Panz.  
impresso-punctata  
Duf.  
atra Hagenb.

Europa.

id.

id.

id.

Gallia.

Helvet.



**Lepyronia***Amyot & Serville.*

obscurata A. & S.	<i>Brasil.</i>
subfasciata A. & S.	<i>id.</i>
coleoptrata Linn.	<i>Europa.</i>
angulata Fabr.	<i>Nor. Holl</i>
convexa Walk.	<i>id.</i>
albicincta Erichs.	<i>Columb.</i>
brevis Walk.	<i>Nor. Holl.</i>
? Australiae Walk.	<i>Port Ric.</i>
? signifera Walk.	<i>Brasil.</i>
concinna Stål.	<i>Nor. Holl.</i>
moerens Stål.	

**Orthorhaphia***Westwood.*

cassidioides Westw.	<i>Brasil.</i>
reducta Walk.	<i>id.</i>
testacea Walk.	<i>id.</i>

**Machaerota***Burmeister.*

ensifera Burm.	<i>Philipp.</i>
----------------	-----------------

**Amarusa***Walker.*

picea Walk.	<i>Borneo.</i>
-------------	----------------

**Perinoia***Walker.*

septemfasciata Walk.	<i>Philipp.</i>
varia Walk.	<i>id.</i>
exclamans Walk.	<i>Borneo.</i>
signifera Walk.	<i>id.</i>
expressa Walk.	<i>id.</i>

**Chalepus***Walker.*

hastatus Walk.	?
teliferus Walk.	<i>Nor. Hoil.</i>
pugionatus Stål.	<i>id.</i>

**Isthmia***Walker.*

undata Walk.	<i>Sier. Leon.</i>
--------------	--------------------

**Clastopte-  
ridae.****Clastoptera***Germer.*

achatina Germ.	<i>Pensylv.</i>
darnoides Germ.	<i>Brasil.</i>
cimicoides Germ.	<i>id.</i>
flavifrons Germ.	<i>id.</i>

xanthocephala

Germ.

*Pennsylv.*

nigra Germ.

*Brasil.*

scutellata Germ.

*id.*

Sahlbergi Stål.

*id.*

fuscomaculata Stål.

*id.*

obtusata Stål.

*id.*

lineatocollis Stål.

*Californ.*

funesta Stål.

*Honduras.***Cercopidae.****Sphenorhina***Am. & Serv.*

lineolata A. &amp; S.

*Am. mer.*

marginata Fabr.

*id.*

rufivaria Walk.

*Brasil.*compressa Lep. &  
Serv.*id.*liturata Lep. &  
Serv.*id.*

venosa Walk.

?

elliptica Walk.

*Columb.*

circulata Guér.

*id.*

latifascia Walk.

*id.*

ruba Linn.

cruentata Fabr.

*Brasil.*

? tricolor Guér.

*Honduras.*quadriguttata  
Walk.

?

suffusa Walk.

?

notata Walk.

?

unifascia Walk.

?

punctigera Germ.

*Brasil.*

lineata Walk.

*Honduras.*

stellata Walk.

*Brasil.*

metallica Walk.

?

brevis Walk.

*Brasil.*

? sanguinea Fabr

*Am. mer.*

festa Germ.

*Brasil.*

sororia Germ.

*id.*

melanoptera Germ.

?

haematina Germ.

*Columb.*

ocellata Walk.

*Am. mer.*

parallela Walk.

*Ind. or.*

contigua Walk.

*id.*

intermedia Walk.

*id.*

proxima Walk.

?

producta Walk.

*Brasil.*

transiens Walk.

*Port Nat.*

rubicunda Walk.

**Monocphora***Am. & Serv.*

cingulata Lep. &amp;

*Am. mer.*

Serv.

mutata Fabr.

*Seneg.*

humeralis Lep. & Serv.	<i>Brasil.</i>	contigua Walk.	<i>Hondur.</i>
lanio Lep. & Serv.	<i>id.</i>	propinqua Walk.	<i>Columb.</i>
Inca Guér.	<i>Mexico.</i>	scita Walk.	<i>Brasil.</i>
maculata Fabr.	<i>Guinea.</i>	bella Walk.	<i>Columb.</i>
areata Germ.	<i>Port Natal.</i>	ferruginea Walk.	<i>Philipp.</i>
arithmetica Germ.	<i>id.</i>	maculata Walk.	<i>Noc. Holl.</i>
phaenicoptera Germ.	<i>id.</i>	afra Walk.	<i>Cap. b. sp.</i>
flammigera Walk.	?	inconstans Walk.	<i>Noc. Holl.</i>
incarnata Walk.	<i>Afr. mer.</i>	antica Walk.	<i>Columb.</i>
flexuosa Walk.	?		
radiata Walk.	<i>Columb.</i>		
rubicunda Walk.	<i>Brasil.</i>		
crocea Walk.	<i>Columb.</i>		
bifascia Walk.	?		
viridescens Walk.	<i>Amer. mer.</i>		
semifascia Walk.	<i>Columb.</i>		
angusta Walk.	<i>Georg.</i>		
sanguinipes Walk.	<i>Cap. b. sp.</i>		
vittata Walk.	<i>Am. mer.</i>		
ornata Walk.	<i>id.</i>		
alboatra Walk.	<i>Columb.</i>		
trimacula Walk.	<i>Ind. or.</i>		
solita Walk.	<i>Brasil.</i>		
basalis Walk.	<i>Jamaica.</i>		
neglecta Walk.	<i>id.</i>		
incompleta Walk.	<i>Brasil.</i>		
demissa Walk.	<i>Columb.</i>		
erythrotena Walk.	<i>Cap. b. sp.</i>		
vinula Stål.	<i>Brasil.</i>		
semilutea Stål.	<i>id.</i>		
semiflava Stål.	<i>id.</i>		
flavopicta Stål.	<i>id.</i>		
ruforivulata Stål.	<i>id.</i>		
fimbriolata Stål.	<i>id.</i>		
posticata Stål.	<i>id.</i>		
fascicollis Stål.	<i>Caffr.</i>		
rubida Stål.	<i>id.</i>		
postica Stål.	<i>id.</i>		
funebriis Stål.	<i>id.</i>		
rubella Stål.	<i>id.</i>		
vidua Stål.	<i>id.</i>		
<b>Triecphora</b>			
<i>Am. &amp; Serv.</i>			
sanguinolenta Linn.	<i>Europa.</i>		
mactata Germ.	<i>id.</i>		
vulnerata Germ.	<i>id.</i>		
dorsata Germ.	<i>id.</i>		
arcuata Fieb.	<i>id.</i>		
quinquemaculata Germ.	<i>As. min</i>		
numida Guér.	<i>Constant.</i>		
plagiata Burm.	<i>Brasil.</i>		
coccinea Fabr.	<i>Ind. occid.</i>		
bicolor Fabr.	<i>Cap. b. sp.</i>		
analisis Fabr.	<i>id.</i>		
basirubra Walk.	?		
		<b>Rhinaulax</b>	
		<i>Am. &amp; Serv.</i>	
		analisis Fabr.	
		maculipennis Am.	<i>Cap. b. sp.</i>
		& Serv.	
		sericans Stål.	<i>Caffr.</i>
		lugens Stål.	<i>id.</i>
		<b>Tomaspis</b>	
		<i>Am. &amp; Serv.</i>	
		furcata Germ.	
		collaris Lep. & Serv.	<i>Brasil.</i>
		nigricans Am. & Serv.	<i>id.</i>
		apicalis Lep. & Serv.	<i>id.</i>
		coccinea Fabr.	<i>Ind. occid.</i>
		quadrifasciata Lep. & Serv.	<i>Brasil.</i>
		divisa Walk.	<i>id.</i>
		<b>Colsa</b>	
		<i>Walker.</i>	
		costaestriga Walk.	<i>Malac.</i>
		<b>Cercopis</b>	
		<i>Fabricius.</i>	
		tricolor Lep. & Serv.	<i>Java.</i>
		costalis Walk.	<i>Philipp.</i>
		Proserpina White.	<i>id.</i>
		Theora White.	<i>id.</i>
		Charon White.	<i>id.</i>
		perspicillaris White.	<i>id.</i>
		xanthomelaena White.	<i>id.</i>
		spectabilis Burm.	<i>id.</i>
		mactans White.	<i>id.</i>
		plana Walk.	<i>Java.</i>
		nigripennis Fabr.	<i>id.</i>
		fuscipennis Lep. & Serv.	<i>id.</i>
		Urvillei Lep. & Serv.	<i>Offak.</i>
		bivittata Lep. & Serv.	<i>Java.</i>



guttata Lep. & Serv.	<i>Java.</i>
flavifascia Walk.	<i>id.</i>
heros Fabr.	<i>China.</i>
abdominalis Walk.	<i>id.</i>
viridans Guér.	<i>Java.</i>
latissima Walk.	<i>id.</i>
signifera Walk.	<i>Silhet.</i>
ducens Walk.	<i>id.</i>
octopunctata A. & Serv.	<i>Java.</i>
bispeularis Walk.	<i>Ind. or.</i>
bimacula Walk.	<i>Hong-kong.</i>
pallida Walk.	<i>Ind. or.</i>
submaculata Walk.	<i>Java.</i>
semicineta Walk.	<i>id.</i>
inclusa Walk.	<i>Ceylon.</i>
dorsalis Walk.	<i>Ind. or.</i>
dorsimacula Walk.	<i>id.</i>
septempunctata	<i>?</i>
undata Walk.	<i>Silhet.</i>
trigona Walk.	<i>Ind. orient.</i>
ferruginea Walk.	<i>?</i>
fulvicollis Walk.	<i>Java.</i>
concolor Walk.	<i>id.</i>
cyaneiventris Walk.	<i>id.</i>
quadrinaculata Walk.	<i>?</i>
dorsivitta Walk.	<i>Ind. orient.</i>
humeralis Walk.	<i>Silhet.</i>
*dorsimacula Walk.	<i>Malab.</i>
connexa Walk.	<i>?</i>
fulva Walk.	<i>?</i>
proxima Walk.	<i>Java.</i>
costalis Walk.	<i>Malab.</i>
hilaris Walk.	<i>id.</i>
rugulosa Walk.	<i>Ophir.</i>
dislocata Walk.	<i>Singap.</i>
unifascia Walk.	<i>id.</i>
discrepans Walk.	<i>id.</i>
semipardalis Walk.	<i>Borneo.</i>
delineata Walk.	<i>id.</i>
semirosea Walk.	<i>id.</i>
undulifera Walk.	<i>id.</i>
subdolens Walk.	<i>id.</i>
sumptuosa Stål.	<i>?</i>
pitilis Stål.	<i>Ind orient.</i>

## CICADINA.

### Reticelli.

### *Polyneuridae.*

#### *Polyneura* Westwood.

ducalis Westw. *Nepaul.*

#### *Cystosoma* Westwood.

Saundersi Westw. *Nov. Holl.*

#### *Hemidietya* Burmeister.

frondosa Burm. *Brasil.*

### Octicelli.

### *Tosenidae.*

#### *Taenia*

*Am. & Serv.*

indica Donovan. *Ind. orient.*  
speciosa Illig.

#### *Tosena*

*Am. & Serv.*

fasciata Fabr. *Java.*  
melanoptera White. *Ind. or.*  
Mearesiana Westw. *id.*  
dives Westw. *id.*

#### *Pycna*

*Am. & Serv.*

strix Brullé. *Madagasc.*

#### *Gaena*

*Am. & Serv.*

maculata Fabr. *China.*  
consors White. *?*  
sulphurea Hope. *Ind. or.*  
pulchella Westw. *?*  
consobrina White.

#### *Huechys*

*Am. & Serv.*

sanguinea Deg. *China.*  
sanguinolenta Fabr. *Ind. orient.*  
philaemata Fabr. *Ind. orient.*  
incarnata Germ. *Java.*  
sanguinolenta Brullé. *Java.*  
Germari Guér. *Ind. orient.*  
splendidula Fabr. *id.*  
testacea Fabr. *Malac.*  
crocea Guér. *?*  
trabeata Germ. *?*  
phoenicura Germ. *?*  
vidua White. *Nov. Holl.*  
octonotata Westw. *Silhet.*  
facialis Walk. *Borneo.*  
fumigata Stål. *Ind. orient.*

**Platyleura***Amyot & Serville.*

stridula Linn.	
catenata Drury.	
nigrolinea Deg.	<i>Cap. b. sp.</i>
hirtipennis Germ.	<i>id.</i>
cavensis Linn.	<i>id.</i>
divisa Germ.	<i>id.</i>
ciliaris Linn.	<i>id.</i>
ocellata Deg.	<i>id.</i>
plumosa Germ.	<i>id.</i>
affinis Fabr.	<i>id.</i>
decora Germ.	<i>id.</i>
phalaenoides Walk.	<i>Ind. orient.</i>
Hilpa Walk.	<i>China.</i>
signifera Walk.	<i>Cap. b. sp.</i>
varia Oliv.	<i>id.</i>
chloronota Walk.	<i>id.</i>
fulvigerata Walk.	<i>Philipp.</i>
basimacula Walk.	<i>Congo.</i>
reducta Walk.	<i>Afr. mer.</i>
albigerata Walk.	<i>id.</i>
Sphinx Walk.	<i>Ind. or.</i>
punctigera Walk.	<i>Port Nat.</i>
subfolia Walk.	<i>id.</i>
basifolia Walk.	<i>id.</i>
cervina Walk.	<i>Ind. orient.</i>
straminea Walk.	<i>id.</i>
basiviridis Walk.	<i>?</i>
brevis Walk.	<i>Port Nat.</i>
semiclara Germ.	<i>id.</i>
semilucida Walk.	<i>Java.</i>
gemina Walk.	<i>Cap. b. sp.</i>
simplex Walk.	<i>Congo.</i>
Afzelii Stål.	<i>Sier. Leon.</i>
Wahlbergi Stål.	<i>Caffr.</i>

**Oxyleura***Amyot & Serville.*

clara A. & S.	<i>Gambia.</i>
limbata Fabr.	<i>id.</i>
capitata Oliv.	<i>Java.</i>
nobilis Germ.	<i>Ceylon.</i>
repanda Linn.	<i>?</i>
armata Oliv.	<i>Ind. orient.</i>
marmorata Fabr.	<i>?</i>
sanguiflua Walk.	<i>Ind. or.</i>
subrufa Walk.	<i>id.</i>
basialba Walk.	<i>Congo.</i>
Bufo Walk.	<i>?</i>
passa Walk.	<i>Gambia.</i>
polita Walk.	<i>Sier. Leon.</i>
basistigma Walk.	<i>Port Nat.</i>
contracta Walk.	<i>Port Nat.</i>
Polydorus Walk.	<i>Mozamb.</i>
neurosticta Schaum.	<i>Caffr.</i>
sobrina Stål.	<i>id.</i>
patruelis Stål.	<i>id.</i>

**Zammara***Amyot & Serville.*

tympanum Fabr.	<i>Brasil.</i>
strepens A. & S.	<i>id.</i>
tympanum P. B.	<i>Amer. occid.</i>
smaragdina Walk.	<i>Mexico.</i>
angulosa Walk.	<i>Guayaq.</i>
intricata Walk.	<i>Mexico.</i>
Montezuma Walk.	<i>St. Doming.</i>
suffusa Walk.	<i>Jamaica.</i>
plena Walk.	<i>id.</i>
cuncta Walk.	<i>?</i>
praxita Walk.	<i>Jamaica.</i>
Crato Walk.	

**Thopha***Amyot & Serville.*

saccata Fabr.	<i>Nov. Holl.</i>
perulata Guér.	<i>id.</i>
varia Walk.	<i>?</i>
chloromera Walk.	<i>?</i>

**Cyclochila***Amyot & Serville.*

Australasiae Donovan.	
australis Leach.	<i>Austral.</i>
olivacea Germ.	
honestata Walk.	<i>Brasil.</i>

**Dundubia***Amyot & Serville.*

imperatoria Westw.	<i>Borneo.</i>
obtectata Fabr.	<i>Ind. or.</i>
spinosa Fabr.	<i>Philipp.</i>
vaginata Fabr.	<i>Java.</i>
virescens Oliv.	<i>?</i>
chlorogaster Boisd.	<i>?</i>
doryca Boisd.	<i>Nov. Holl.</i>
varians Germ.	<i>?</i>
linearis Walk.	<i>Silhet.</i>
einctimanus Walk.	<i>Tenasser.</i>
immaculata Walk.	<i>Ceylon.</i>
stipitata Walk.	<i>Corea.</i>
phaeophila Walk.	<i>Silhet.</i>
ramifera Walk.	<i>id.</i>
vibrans Walk.	<i>Ind. or.</i>
microdon Walk.	<i>Corea</i>
opalifera Walk.	<i>Philipp</i>
nigristigma Walk.	<i>China.</i>
albistigma Walk.	<i>Java.</i>
rufivena Walk.	<i>Corea.</i>
serva Walk.	<i>Philipp.</i>
fuliginosa Walk.	<i>Silhet.</i>
lateralis Walk.	<i>Java.</i>
nigrimacula Walk.	<i>Hong-kong.</i>
sobria Walk.	<i>Java.</i>
fusca Oliv.	<i>Ind. orient.</i>
Urania Walk.	<i>Java.</i>
Pseca Walk.	

Clonia Walk.	<i>Ceylon.</i>
Nicomache Walk.	<i>Ind. or.</i>
tigrina Walk.	<i>Malab.</i>
maculipes Walk.	<i>Ind. or.</i>
Carmente Walk.	<i>Java.</i>
Thalia Walk.	?
Clio Walk.	?
diminuta Walk.	?
labyrinthica Walk.	<i>Nor. Holl.</i>
Melpomene Walk.	<i>Philipp.</i>
Samia Walk.	<i>Ind. orient.</i>
quadrituberculata Sign.	<i>Java.</i>
tuberosa Sign.	<i>id.</i>
guttigera Walk.	<i>Malac.</i>
albigutta Walk.	<i>id.</i>
intemerata Walk.	<i>id.</i>
decem Walk.	<i>Borneo.</i>
duarum Walk.	<i>id.</i>
fasciceps Stål.	<i>China.</i>

**Fidicina**

*Amgot & Sercille.*

angularis Germ.	<i>Nor. Holl.</i>
mannifera Fabr.	<i>Brasil.</i>
cantatrix Germ.	<i>id.</i>
recta Walk.	<i>Sihet.</i>
acuta Sign.	<i>Java.</i>
nivifera Walk.	<i>Mexico.</i>
picea Walk.	<i>Hong-kong.</i>
Bubo Walk.	<i>Philipp.</i>
Accipiter Walk.	<i>Corea.</i>
Aquila Walk.	?
Taurus Walk.	<i>Sihet.</i>
corvus Walk.	<i>Cayenne.</i>
aper Walk.	?
rana Walk.	?
chlorogena Walk.	?
opalina Germar.	<i>Brasil.</i>
atrata Fabr.	
nigra Oliv.	<i>China.</i>
atra Sign.	
? intermedia Sign.	<i>Tenasser.</i>
? vicina Sign.	<i>Sihet.</i>
operculata Carreno.	?
opercularis Oliv.	?
immaculata Oliv.	<i>Ind. orient.</i>
literata Walk.	?
excavata Walk.	<i>Amer. mer.</i>
nigrorufa Walk.	<i>Columb</i>
tibicen Linn.	<i>Amer. bor.</i>
lyricen Deg.	<i>Philipp.</i>
Polyhymnia Walk.	<i>Nor. Holl.</i>
subgutatta Walk.	<i>id.</i>
fullo Walk.	<i>id.</i>
intersecta Walk.	<i>id.</i>
internata Walk.	<i>id.</i>
ochracea Walk.	?
prasina Walk.	?
olympusa Walk.	?

sericans Stål.
vinula Stål.

**Cicada**

*Linné.*

adusta Walk.	<i>Java. ?</i>
triypsilon Walk.	<i>? ?</i>
gigas Oliv.	<i>Brasil.</i>
sonans Walk.	<i>? ?</i>
sonora Walk.	<i>? ?</i>
resonans Walk.	<i>?</i>
consonans Walk.	<i>Amer. occid.</i>
vibrans Walk.	<i>? ?</i>
sodalis Walk.	<i>?</i>
plaga Walk.	<i>Nor. Holl.</i>
argentata Germ.	<i>id.</i>
auletes Germ.	<i>Pennsylv.</i>
rosa-cordis Walk.	<i>? Brasil.</i>
bicosta Walk.	<i>? ?</i>
Harrisi Leach.	<i>Nor. Holl.</i>
moerens Germ.	<i>id.</i>
cingulata Fabr.	<i>Nor. Secl.</i>
curvicosta Germ.	<i>Nor. Holl.</i>
? tephrogaster Boisid.	<i>id.</i>
convergens Walk.	<i>id.</i>
ferrifera Walk.	<i>China.</i>
bimaculata Oliv.	<i>Java.</i>
canicularis Harris.	<i>?</i>
Dorei Boisid.	<i>? Nor. Holl</i>
Germari Guér.	<i>?</i>
grossa Fabr.	<i>Brasil.</i>
pulverea Oliv.	<i>Surin.</i>
ferruginea Oliv.	<i>Ind. or.</i>
didyma Boisid.	<i>? Nor. Holl.</i>
hieroglyphica Say.	<i>Amer. bor.</i>
xanthogramma Germ.	<i>Brasil.</i>
dilatata Fabr.	<i>Jamaica.</i>
conspureata Fabr.	<i>India.</i>
Kaempferi Fabr.	<i>Japon.</i>
guttata Oliv.	<i>?</i>
hilaris Germ.	<i>Nor. Hoil.</i>
costalis Fabr.	<i>Amer. bor.</i>
pustulata Fabr.	<i>Amer. mer.</i>
flavida Guér.	<i>Ind. orient.</i>
garrula Oliv.	<i>Cap. b. sp.</i>
fasciculata Germ.	<i>Brasil.</i>
festiva Fabr.	<i>Sumatra.</i>
Cerisyi Guér.	<i>Aegypt.</i>
catena Fabr.	<i>Cap. b. sp.</i>
cafra Oliv.	<i>id.</i>
bicolor Boisid.	<i>? Nor. Holl.</i>
thalassina Perch.	<i>Cuba.</i>
rufescens Fabr.	<i>Peru.</i>
marginata Oliv.	<i>Am. mer.</i>
viridis Fabr.	<i>Guinea</i>
strumosa Fabr.	<i>Amer. bor.</i>
variegata Fabr.	<i>Brasil.</i>
viridicollis Germ.	

viridis Oliv.	<i>Surinam.</i>	muta Fabr.	<i>Nov. Seel.</i>
scutellata Fabr.	<i>Am. mer.</i>	Cutora Walk.	?
exhausta Guér.	<i>Molucc.</i>	melanopygia Germ.	<i>Nov. Holl.</i>
biconica Walk.	<i>Cuba.</i>	connexa Walk.	<i>id.</i>
viridifascia Walk.	?	*marginata Leach.	<i>id.</i>
semilata Walk.	<i>Cayenne.</i>	excaustica Germ.	<i>id.</i>
viridifemur Walk.	?	angusta Walk.	?
passer Walk.	<i>Columb.</i>	interrupta Walk.	<i>Nov. Holl.</i>
passereculus Walk.	<i>Brasil.</i>	cruentata Fabr.	<i>Nov. Seel.</i>
brizo Walk.	?	juncta Walk.	?
spinicosta Walk.	<i>Brasil.</i>	*connexa Walk.	?
melisa Walk.	<i>Columb.</i>	Themiscura Walk.	?
melina Walk.	?	Damater Walk.	<i>Nov. Holl.</i>
mesochlora Walk.	<i>Jamaica.</i>	Melete Walk.	<i>id.</i>
serricosta Germ.	<i>Brasil.</i>	Aaede Walk.	<i>id.</i>
brisa Walk.	<i>Guiana.</i>	Mneme Walk.	?
lacrines Walk.	?	antica Walk.	?
panyases Walk.	<i>Guiana.</i>	Latorea Walk.	<i>Nov. Holl.</i>
pidytes Walk.	?	Arclus Walk.	<i>id.</i>
physcoa Walk.	?	multifascia Walk.	<i>id.</i>
braure Walk.	<i>Brasil.</i>	singula Walk.	?
ornea Walk.	<i>Mexico.</i>	obscurior Walk.	?
diupsilon Walk.	<i>Guiana.</i>	incepta Walk.	<i>Nov. Holl.</i>
cuta Walk.	?	juvenis Walk.	<i>id.</i>
lucastia Walk.	?	incipiens Walk.	<i>id.</i>
Asius Walk.	?	dolens Walk.	<i>id.</i>
semicineta Walk.	?	quadricineta Walk.	<i>id.</i>
solennis Walk.	<i>Brasil.</i>	ruffascia Walk.	?
Pronoe Walk.	?	diversa Walk.	?
septemdecim Linn.	<i>Am. bor.</i>	Telxiope Walk.	<i>Nov. Holl.</i>
Chariclo Walk.	<i>Cuba.</i>	duplex Walk.	<i>id.</i>
subtineta Walk.	<i>Silhet.</i>	Arche Walk.	<i>Nov. Seel.</i>
albiflos Walk.	<i>Jamaica.</i>	crucifera Walk.	<i>Mexico.</i>
Johannis Walk.	<i>Florida.</i>	Elana Walk.	<i>Afr. mer.</i>
scutellaris Walk.	<i>Nov. Seel.</i>	Xantes Walk.	<i>Ind. or.</i>
torrida Walk.	<i>Guiana.</i>	Cadisia Walk.	<i>Afr. mer.</i>
invaria Walk.	<i>Am. mer.</i>	puer Walk.	<i>Nov. Holl.</i>
hirundo Walk.	?	infans Walk.	<i>id.</i>
Psophis Walk.	<i>Mexico.</i>	tricolor Walk.	<i>Columb.</i>
sexguttata Walk.	?	nana Walk.	<i>China.</i>
stipata Walk.	?	tristis Germ.	<i>Cap. b. sp.</i>
Euterpe Walk.	?	cineta Walk.	<i>Nov. Seel.</i>
Dexitheia Walk.	?	annulivena Walk.	<i>Cap. b. sp.</i>
zealandica Boisd.	<i>Nov. Seel.</i>	striata Walk.	?
rufiventris Walk.	<i>Cap. b. sp.</i>	truncatella Walk.	?
albida Oliv.	<i>Cuba.</i>	Anoea Walk.	<i>Ind. orient.</i>
grisea Fabr.	<i>Aegypt.</i>	complex Walk.	?
stigmatica Germ.	<i>Brasil.</i>	Acrida Walk.	<i>Cap. b. sp.</i>
apicalis Germ.	<i>Ind. or.</i>	Aethlius Walk.	<i>id.</i>
apicifera Walk.	?	fusiformis Walk.	?
tristigma Germ.	<i>Nov. Holl.</i>	Calliope Walk.	<i>Carolina.</i>
nodosa Walk.	?	nervosa Walk.	<i>Nov. Seel.</i>
terminus Walk.	?	obliqua Walk.	<i>Afr. mer.</i>
Sphinx Walk.	?	aurata Walk.	?
Cuna Walk.	<i>Brasil.</i>	hottentotta Oliv.	<i>Afr. mer.</i>
stigma Walk.	<i>id.</i>	Aurora Walk.	<i>id.</i>
viridula Walk.	?	primitiva Walk.	<i>id.</i>
cingulata Fabr.	<i>Nov. Seel.</i>	monilifera Walk.	<i>id.</i>
sericea Walk.	<i>id.</i>	rosea Walk.	<i>Nov. Seel.</i>
basiflamma Walk.	<i>Iasman.</i>	nebulosa Oliv.	<i>Cap. b. sp.</i>

maculipennis Lap.	<i>Cap. b. sp.</i>	tomentosa Oliv.	
versicolor Brullé.		picta Fabr.	<i>Eur. mer.</i>
sumptuosa Blanch.	<i>Ind. orient.</i>	plebeja Scop.	
subvitta Walk.	?	fraxini Fabr.	<i>id.</i>
coleoptrata Walk.	<i>Afr. mer.</i>	orni Fabr.	
gracilis Walk.	<i>Amer. occid.</i>	obscura Fabr.	
Occidentis Walk.	<i>Brasil.</i>	orni Linn.	<i>id.</i>
moneta Germ.	<i>Cap b. sp</i>	punctata Fabr.	<i>id.</i>
semipunctata		querula Pall.	<i>id.</i>
Germ.		hyalina Fabr.	<i>id.</i>
signifera Germ.	<i>id.</i>	lineola Hagen.	<i>Syria.</i>
scripta Germ.	<i>id.</i>	atra Oliv.	
simplex Germ.	<i>id.</i>	concinna Germ.	
bicolor Oliv.	<i>Brasil.</i>	cantans Fabr.	<i>Eur. mer.</i>
lutescens Oliv.	?	transversa Germ.	
vitellina Germ.	?	vitrea Brullé.	
transversa Germ.	<i>Cap. b. sp.</i>	hyalinata Brullé.	
vacua Oliv.	<i>Japon.</i>	montana Scop.	
marginella Oliv.	<i>Surinam.</i>	haematodes Linn.	
cincta Fabr.	<i>Nov. Cambr.</i>	dimidiata Fabr.	<i>Europa.</i>
brunnea Fabr.	<i>Jsl. d. Franc</i>	sanguinea Panz.	
dimidiata Oliv.	<i>Cap b. sp.</i>	tilialis Latr.	
octoguttata Fabr.	<i>Surinam.</i>	anglica Leach.	<i>Eur. orient.</i>
ochracea Germ.	?	prasina Pall.	<i>German.</i>
musiva Germ.	<i>Nubia.</i>	tibialis Panz.	<i>Græcia.</i>
? muscaria Fabr.	<i>Amer. mer.</i>	annulata Brullé.	
leucoptera Germ.	<i>Cap. b. sp.</i>	flaveola Brullé.	<i>id.</i>
fenestrata Fabr.	<i>id.</i>	virens H.-Sch.	
cantans Fabr.	<i>Barbar.</i>	undulata Waltl.	
fornicata Linn.	<i>India.</i>	argentata Oliv.	<i>Eur. mer.</i>
fuscovenosa Stål.	<i>Brasil.</i>	sericans H.-Sch.	
Drewseni Stål.	<i>id.</i>	dimissa Hagen.	<i>Turecia.</i>
macrophthalma Stål.	<i>id.</i>	picta Germ.	<i>Eur. mer.</i>
perpulchra Stål.	<i>id.</i>	laestuanus Fabr.	<i>id.</i>
Sahlbergi Stål.	<i>id.</i>	algira Fabr.	<i>id.</i>
misella Stål.	<i>id.</i>	violacea Linn.	<i>Andalus.</i>
pulcherrima Stål.	<i>id.</i>	varipes Waltl.	
costa Stål.	<i>id.</i>		
severa Stål.	<i>id.</i>		
gastrica Stål.	?		
Steveni Stål.	<i>Russ. mer.</i>		
Cereris Stål.	<i>Caffr.</i>		
fuscovenosa Stål.	<i>id.</i>		
pulchella Stål.	<i>id.</i>		
abdominalis Stål.	<i>id.</i>		
nigricans Stål.	<i>id.</i>		
luctuosa Stål.	<i>id.</i>		
longula Stål.	<i>id.</i>		
elongata Stål.	<i>id.</i>		
Holmgreni Stål.	<i>id.</i>		
ruficollis Stål.	<i>id.</i>		
virguncula Walk.	<i>Malac.</i>		
superba Fitch.	<i>Amer bor.</i>		
Robertsoni Fitch.	<i>id.</i>		
Resch Haldem.	<i>id.</i>		
striatipis Haldem.	<i>id.</i>		
haematodes Scop.			
sanguinea Fabr.	<i>Eur. mer.</i>		
plebeja Germ.			
helvola Germ.			

**Tettigades***Amyot & Serville.*

chilensis A. & S.	<i>Chili.</i>
rubrolineata Spin.	<i>id.</i>
compacta Walk.	<i>id.</i>

**Cephaloxys***Signoret.*

viridis Sign.	?
hemelytra Sign.	?
microcephala Walk.	<i>Port Nat.</i>
rostrata Walk.	<i>Java.</i>
nutans Walk.	?
concolor Walk.	?
Locusta Walk.	<i>Ind. orient.</i>
lacteipennis Walk.	<i>id.</i>
quadrinacula Walk.	<i>id.</i>
Terpsichore Walk.	<i>id.</i>
cinctomaculata Stål.	<i>Brasil.</i>

**Carineta***Amyot & Serville.*

formosa Germ.	
Diardi Guér.	<i>Brasil.</i>
Polychroa Perty.	
villosa Fabr.	<i>Afr. mer.</i>
pilosa Walk.	<i>Columb.</i>
Sciras Walk.	<i>id.</i>
trichiosoma Walk.	<i>Afr. mer.</i>
lenconeura Walk.	<i>id.</i>
basalis Walk.	<i>Columb.</i>
submarginata	<i>?</i>
Walk.	

**Tettigarcta***White.*

tomentosa White.	<i>Nov. Holl.</i>
------------------	-------------------

**Tettigomyia***Am. & Serv.*

vespiformis A. & S.	<i>Afr. mer.</i>
annulata Germ.	<i>id.</i>
scurra Germ.	<i>id.</i>
tabaniformis Germ.	<i>id.</i>
lutea Oliv.	<i>id.</i>
musca Oliv.	<i>id.</i>

**Mogannia***Am. & Serv.*

illustrata A. & S.	<i>Ind. or.</i>
nasalis White.	<i>China.</i>
indicans Walk.	<i>id.</i>
ignifera Walk.	<i>Java.</i>
avicula aWlk.	<i>id.</i>

## MEMBRACINA.

**Membracidae.****Membracis***Fabricius.*

fusca Deg.	<i>Brasil.</i>
atrata Fabr.	<i>id.</i>
carinata Fabr.	<i>id.</i>
lunata Fabr.	<i>id.</i>
foliata Oliv.	<i>id.</i>
C-album Fairm.	<i>id.</i>
foliaia Deg.	<i>id.</i>
var:lunata Fabr.	
foliata Linn.	<i>id.</i>
lunata Fabr.	<i>id.</i>
flaveola Germ.	
trimaculata Fairm.	<i>Columb.</i>
periphaeria Fairm.	<i>?</i>
expansa Walk.	
celsa Walk.	
surgens Walk.	
alta Walk.	
fasciata Fabr.	
cucullata A. & S.	
rosea Fairm.	<i>id.</i>
Lefebvrei Fairm.	<i>id.</i>
tectigera Oliv.	
elevata Fabr.	<i>id.</i>
fuscata Coqueb.	
fuscata Fabr.	<i>id.</i>
nigra Oliv.	<i>id.</i>
compressa Fabr.	<i>id.</i>
confusa Fairm.	<i>id.</i>
arcuata Deg.	<i>id.</i>
dorsata Fabr.	<i>id.</i>
malleonotata Fairm.	<i>id.</i>
zonata Fairm.	<i>id.</i>
cingulata Germ.	<i>id.</i>
mexicana Guér.	<i>Mexico.</i>
stolida Fairm.	<i>id.</i>
peruviana Fairm.	<i>Peru.</i>
intermedia Fairm.	<i>Brasil.</i>
tricolor Fairm.	<i>Columb.</i>
ambigua Fairm.	<i>Cayenne.</i>
marginalis Walk.	<i>Brasil.</i>
cruentata Germ.	<i>id.</i>
ensata Coqueb.	<i>id.</i>
quinque-maculata	<i>id.</i>
Fairm.	
squamigera Linn.	<i>id.</i>
gladius Fabr.	<i>id.</i>
lanceolata Fabr.	<i>Columb.</i>
longicollum Oliv.	<i>Am. bor.</i>
binotata Say.	<i>Brasil.</i>
albidorsa Fairm.	<i>id.</i>
fulica Germ.	<i>Am. bor.</i>
latipes Say.	<i>Brasil.</i>
nutans Germ.	<i>Columb.</i>
altissima Fairm.	<i>Mexico.</i>
minans Fairm.	<i>Brasil.</i>
gracilis Germ.	<i>id.</i>
concolor Fairm.	<i>id.</i>
monoceros Germ.	<i>Buen. Ayr.</i>
truncata Fairm.	<i>Brasil.</i>
maculosa Fairm.	<i>id.</i>
decipiens Fairm.	<i>id.</i>
tricostata Germ.	<i>Columb.</i>
ophthalmica Fairm.	<i>Cayenne.</i>
nigrovittata Fairm.	<i>Luçon.</i>
lugonica Fairm.	<i>Surinam.</i>
sanguinolenta	
Fairm.	
bicristata Fairm.	<i>Brasil.</i>
poeila Germ.	<i>id.</i>
torva Germ.	<i>id.</i>
carbonaria Germ.	<i>id.</i>
monstrosa Fairm.	<i>id.</i>
? xiphias Fabr.	<i>id.</i>

fissa Walk.  
 subtrigona Walk.  
 longa Walk.  
 galeata Walk.  
 scenica Walk.  
 bicuspis Walk.  
 Antonina Walk.  
 venosa Walk.  
 ferruginea Walk.  
 densa Walk.  
 frigida Walk.  
 bimacula Walk.  
 bicolor Walk.  
 brevis Walk.  
 ascendens Walk.  
 sericea Walk.  
 laeta Walk.  
 univittata Harris.  
 taurina Harris.

### **Bolbonota**

*Am. & Serv.*

globosa Fairm. *Columb.*  
 pusilla Fairm. *id.*  
 pictipennis Fairm. *Brasil.*  
 melaena Germ. *id.*  
 flavicans Fairm. *id.*  
 nisus Germ. *id.*  
 auripennis Fairm. *id.*  
 inaequalis Fabr. *id.*  
 tuberculata Fabr. *id.*  
 pusio Germ. *id.*

### **Sphongophorus**

*Fairmaire.*

ballista Germ. *Mexico.*  
 mirabilis Fairm. *Brasil.*  
 paradoxus Germ. *id.*  
 clavaria Fairm. *id.*  
 Benneti Kirby. *Columb.*  
 Guérini Fairm. *Brasil.*  
 spatulatus Fairm. *id.*  
 biclavatus Westw. *id.*  
 undulatus Walk. *id.*

### **Pterygia**

*Laporte.*

arietina Germ. *Brasil.*  
 tripodica Fairm. *Cayenne.*  
 cruciata Fabr. *id.*  
 quadridens Fairm. *id.*  
 crassicornis Fairm. *id.*  
 Satanas Lesson. *Brasil.*  
 hispida Fairm. *Columb.*  
 Macquarti Lap. *id.*  
 ? horrida Walk. *Philipp.*  
 brachycera Fairm. *Brasil.*

*Brasil.*  
*Columb.*

*Brasil.*

*id.*

*id.*

*id.*

*Am. bor.*

*id.*

*Columb.*

*id.*

*Nov. Scot.*

*Am. bor.*

*Brasil.*

*Amer bor.*

*Columb.*

*id.*

*id.*

*Amer. bor.*

*id.*

quinquetuberculata *Columb.*  
 Fairm.

tuberosa Fairm.

pileata Fairm.

capitata Fairm.

bifida Fairm.

exaltata Walk.

varia Walk.

*Brasil.*  
*Columb.*

*id.*

*Cayenne.*

*Brasil.*

*Columb.*

### **Oxyrhachis**

*Germar.*

tarandus Fabr.  
 subjecta Walk.  
 furcicornis Germ.  
 Delalandi Fairm.  
 Gambiae Fairm.  
 subserrata Walk.  
 rufescens Walk.  
 vetusta Walk.  
 dilaticornis Walk.  
 parallela Walk.  
 suberecta Walk.  
 unicolor Walk.  
 rudis Walk.

*Ind. or.*

*id.*

*Afr. mer.*

*id.*

*Gambia.*

*Congo.*

*?*

*Port Natal.*

*?*

*Port Nat.*

*id.*

*Ind. orient.*

*id.*

### **Tetraplatys**

*Walker.*

atomarius Walk.

*Columb.*

### **Hoplophora**

*Germar.*

gigantea Fairm.  
 sanguinosa Fairm.  
 vicina Fairm.  
 lineata Fairm.  
 vittata Fabr.  
 pertusa Germ.  
 variegata Fairm.  
 monogramma Germ.  
 sordida Germ.  
 cribrum Fairm.  
 corrosa Fairm.  
 punctum Fairm.  
 cinerea Fairm.  
 triangulum Germ.  
 proxima Walk.  
 porosa Walk.  
 concolor Walk.  
 humilis Walk.  
 granadensis Fairm.  
 sagittata Germ.  
 quadrilineata Germ.  
 tuberculata Fairm.  
 ornata Fairm.

*Columb.*

*Mexico.*

*Columb*

*Amer. bor.*

*Amer. mer.*

*id.*

*Columb.*

*Mexico.*

*Brasil.*

*Columb.*

*id.*

*id.*

*Mexico.*

*Brasil.*

*Quito.*

*?*

*Columb.*

*?*

*Columb.*

*Brasil.*

*Am. bor.*

*Californ.*

*Mexico.*

### **Physoplia**

*Am. & Serv.*

nigrata A. & S.

media Walk.

crassicornis A. & S.

*Brasil.*

*Mexico.*

*id.*

**Umbonia***Burmeister.*

gladius Fairm.  
 turrita Germ.  
 obscura Walk.  
 apicalis Walk.  
 reclinata Germ.  
 spinosa Fabr.  
 armata Fabr.  
 Orozimbo Fairm.  
 pyramidalis Fairm.  
 Amazili Fairm.  
 Signoreti Fairm.  
 Ataliba Fairm.  
 venosa Germ.  
 indicator Fairm.  
 reducta Walk.  
 lativitta Walk.  
 funesta Stål.

*Columb.*  
*Brasil.*  
*id.*  
*Columb.*  
*Mexico.*  
*Brasil.*  
*Mexico.*  
*Columb.*  
*Amer. bor.*  
*Columb.*  
*Brasil.*  
*id.*  
*Cayenne.*  
*Brasil.*  
*id.*  
*Am. centr.*

**Triquetra***Fairmaire.*

inermis Fairm.  
 nigrocarinata Fairm.  
 grossa Fairm.  
 tridentata Fairm.  
 ustulata Fairm.  
 fastidiosa Fairm.  
 testacea Fairm.  
 virescens Fairm.  
 virgata Fairm.  
 bos Fairm.  
 angustata Fairm.  
 truncaticornis  
 Germ.  
 sobria Walk.  
 venosa Walk.  
 reticulata Walk.  
 valida Walk.  
 hebes Walk.

*Columb.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*Brasil.*  
*Quito.*  
*Columb.*  
*id.*  
*Mexico.*  
*Columb.*

**Ceresa***Am. & Serv.*

vitalus Fabr.  
 pallens Germ.  
 aculeata Fairm.  
 affinis Fairm.  
 testacea Fairm.  
 borealis Fairm.  
 spinifera Fairm.  
 ustulata Fairm.  
 malina Germ.  
 brunnicornis Germ.  
 axillaris Germ.  
 diceros Say.  
 postfasciata A. &  
 Serv.  
 basalis Walk.

*Brasil.*  
*Bolivia.*  
*Brasil.*  
*Mexico.*  
*Canada.*  
*Brasil.*  
*id.*  
*id.*  
*Buen. Ayr.*  
*Brasil.*  
*Nov. Scot.*  
*id.*

brevis Walk.  
 terminalis Walk.  
 alta Walk.  
 plana Walk.  
 suffusa Walk.  
 ? bubalus Fabr.  
 discolor Fairm.  
 bifasciata Fairm.  
 colona Germ.  
 ciliata Fairm.  
 terminata Fairm.  
 tigrina Fairm.  
 morio Fairm.  
 flaccida Fairm.  
 incrassata Fairm.  
 aurantiaca Fairm.  
 nervosa Fairm.  
 chlorotica Fairm.  
 femorata Fairm.  
 uniformis Fairm.  
 apicalis Fairm.

*Am. bor.*  
 ?  
 ?  
*Brasil.*  
 ?  
*Amer. bor.*  
*Brasil.*  
*id.*  
*id.*  
*Nov. Gran.*  
*Columb.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*Brasil.*  
*id.*  
*Mexico.*  
*id.*  
*Am. bor.*

**Smiliorachis***Fairmaire.*

bipunctata Fairm.  
 bispina Fairm.  
 binotata Fairm.  
 variegata Fairm.

*Brasil.*  
*Columb.*  
*Brasil.*  
*id.*

**Smilia***Germar.*

vaginata Germ.  
 brunneo-fasciata  
 Fairm.  
 lacca Burm.  
 campestris Fairm.  
 prasina Germ.  
 nigro-fasciata  
 Fairm.  
 dorsata Germ.  
 formicata Germ.  
 vittatipennis Fairm.  
 ? sellata Germ.

*Brasil.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*Am. centr.*  
 ?

**Aconophora***Fairmaire.*

flavipes Germ.  
 laminata Fairm.  
 pugnax Germ.  
 var. grisescens  
 Germ.  
 teligera Germ.  
 pugionata Germ.  
 incubens Germ.  
 rubrivittata Say.  
 porrecta Walk.  
 viridescens Walk.  
 nigrivittata Walk.  
 guttifera Walk.

*Brasil.*  
*Mexico.*  
*Brasil.*  
*id.*  
*id.*  
*id.*  
*Am. bor.*  
 ?  
 ?  
 ?  
*Florida.*



marginata Walk.	<i>Mexico.</i>
concolor Walk.	<i>id.</i>
compressa Walk.	<i>id.</i>
interna Walk.	<i>Brasil.</i>
obtusa Walk.	<i>id.</i>
<b>Nessorhinus</b>	
<i>Am. &amp; Serv.</i>	
vulpes A. & S.	<i>St. Doming.</i>

**Polyglypta***Burmeister.*

costata Burm.	<i>Mexico.</i>
pilosa Fairm.	<i>id.</i>
dorsalis Burm.	<i>id.</i>
sicula A. & S.	<i>Columb.</i>
bogotensis Fairm.	
maculata Burm.	<i>id.</i>
flavomaculata A. & S.	<i>id.</i>
nigriventris Fairm.	<i>id.</i>
viridimaculata Fairm.	<i>id.</i>
pallipes Burm.	<i>id.</i>
lineata Burm.	<i>Mexico.</i>
nigella Fairm.	<i>id.</i>
tredecim-costata Fairm.	<i>id.</i>
straminea Walk.	<i>Columb.</i>
brevivitta Walk.	<i>id.</i>
interrupta Walk.	<i>id.</i>

**Entylia***Germar.*

gemmata Germ.	<i>Columb.</i>
corniculata Fairm.	<i>id.</i>
sinuata Fabr.	<i>Amer. bor.</i>
bactriana Germ.	<i>id.</i>
concava Say.	<i>id.</i>
conciisa Walk.	<i>id.</i>
decisa Walk.	<i>id.</i>
accisa Walk.	<i>id.</i>
incisa Walk.	<i>Brasil.</i>
indecisa Walk.	<i>Amer. bor.</i>
reducta Walk.	<i>id.</i>

**Oxygonia***Fairmaire.*

rufipes Fairm.	<i>Columb.</i>
chrysura Fairm.	<i>id.</i>
auriflua Walk.	<i>id.</i>
conica Fairm.	<i>id.</i>
pacifica Fairm.	<i>Brasil.</i>
dorsalis Fairm.	<i>Columb.</i>
maculicornis Fairm.	<i>id.</i>
erythropus Fairm.	<i>Brasil.</i>
rufiventris Fairm.	<i>id.</i>
signata Germ.	<i>id.</i>
atroaptera Fairm.	<i>id.</i>

galeata Oliv.	?
militaris Fabr.	<i>Amer. mer.</i>
nimbata Fabr.	<i>id.</i>
cultrata Fabr.	<i>id.</i>
alliacea Germ.	<i>Brasil.</i>
zebrina Fairm.	<i>Columb.</i>
viridula Fairm.	<i>id.</i>
altifrons Walk.	<i>Brasil.</i>
extensa Walk.	<i>Am. bor.</i>

**Thelia***Amyot & Serville.*

ursus Fairm.	<i>Columb.</i>
miltoglypta Fairm.	<i>id.</i>
planeflava Fairm.	<i>Brasil.</i>
porphyrea Fairm.	<i>Am. bor.</i>
varia Walk.	<i>Columb.</i>
bipuncta Walk.	<i>Brasil.</i>
similis Walk.	<i>id.</i>
spinigera Walk.	<i>id.</i>
conica Walk.	<i>Florida.</i>
angulata Walk.	<i>Carolina</i>
substriata Walk.	<i>Florida.</i>
rufivitta Walk.	<i>id.</i>
lutea Walk.	<i>Am. bor.</i>
tumida Walk.	<i>Florida.</i>
tacta Walk.	<i>Mexico.</i>
semifascia Walk.	<i>Florida.</i>
sculpta Fairm.	<i>Am. bor.</i>
tuberosa Fairm.	<i>id.</i>
camelus Fabr.	
centralis Germ.	<i>id.</i>
vittata A. & S.	
fasciata A. & S.	<i>id.</i>
pallida Fairm.	<i>Brasil.</i>
antica Germ.	<i>Columb.</i>
citrina Fairm.	<i>Cayenne.</i>
bracteata Fabr.	<i>Am. bor.</i>
galeata Fabr.	<i>Am. mer.</i>
obtegens Fabr.	
expansa Germ.	<i>Mexico.</i>
cucullata Burm.	<i>Am. bor.</i>
constans Walk.	
monticola Fabr.	<i>id.</i>
cissi Harris.	
excelsa Fairm.	<i>Mexico.</i>
acuminata Linn.	<i>Am. bor.</i>
cyrtops Fairm.	<i>Nov. Scot.</i>
scalaris Fairm.	<i>Am. bor.</i>
cristata Fairm.	<i>Mexico.</i>
ephippigeri Fairm.	<i>Columb.</i>
collina Walk.	<i>Florida.</i>
bimaculata Fabr.	<i>Carolina.</i>
unanimis Walk.	?
gladiator Walk.	<i>Brasil.</i>
? gibba Lap.	?

**Hemiptycha***Germar.*

marginata Fabr.	<i>Brasil.</i>
sinopsis Gmel.	
maculata Oliv.	
punctata Fabr.	<i>id.</i>
cervus Germ.	
scutelligera Less.	<i>id.</i>
compressicornis Fairm.	<i>Columb.</i>
rotundicornis Fairm.	<i>id.</i>
furcata Fairm.	<i>Brasil.</i>
flava Fairm.	<i>Am. bor.</i>
longicornis Fairm.	<i>Brasil.</i>
apicalis Germ.	<i>id.</i>
bimaculata Fairm.	<i>id.</i>
flavo-marginata Fairm.	<i>id.</i>
xanthographa Germ.	<i>id.</i>
brunniventris Fairm.	<i>id.</i>
picea Fairm.	<i>id.</i>
centrotoides Fairm.	<i>id.</i>
expansicornis Fairm.	<i>id.</i>
alata Fairm.	<i>id.</i>
longa Walk.	?
lata Walk.	?
brevis Walk.	?
apicalis Walk.	?
viridissima Walk.	<i>Mexico.</i>
punctum Fairm.	<i>Brasil.</i>
laevigata Fairm.	<i>id.</i>
placida Germ.	<i>id.</i>
globiceps Fairm.	<i>Mexico.</i>
camelus Gray.	<i>id.</i>
sagata Germ.	<i>id.</i>
asphaltina Fairm.	<i>id.</i>
cuneata Germ.	<i>id.</i>

**Darnis***Fabricius.*

cyclops Fairm.	<i>Columb.</i>
flaviceps Burm.	<i>Brasil.</i>
affinis Guér.	<i>id.</i>
adusta Burm.	<i>Mexico.</i>
lateralis Fabr.	<i>Brasil.</i>
praecox Burm.	<i>Mexico.</i>
bipunctata Burm.	<i>id.</i>
strigifrons Fairm.	<i>id.</i>
trifasciata Fabr.	<i>Brasil.</i>
suturalis Germ.	
tricincta Burm.	<i>id.</i>
capistrata Burm.	<i>id.</i>
bifasciata A. & S.	<i>id.</i>
cruenta Burm.	<i>id.</i>
acutula Fairm.	<i>id.</i>

pralina Fairm.	<i>Columb.</i>
tripartita Walk.	<i>Florida.</i>
stupida Walk.	<i>Am. bor.</i>
squarus Fairm.	<i>Cayenne.</i>
convoluta Fabr.	
var. flavicincta Germ.	<i>Brasil.</i>
var. atomaria Germ.	<i>id.</i>
limacodes Burm.	<i>Mexico.</i>
brevis Fairm.	<i>Brasil.</i>
limbata Burm.	<i>id.</i>
olivacea Fabr.	<i>id.</i>
pallescens Fabr.	<i>id.</i>
laticauda Fairm.	<i>id.</i>
apicalis Fairm.	<i>id.</i>
robusta Walk.	<i>id.</i>

**Tragopa***Latreille.*

auriculata Oliv.	<i>Cayenne.</i>
vespertilio Fabr.	
cimicoides Fabr.	
var. melanostigma Perty.	<i>Brasil.</i>
alacris Burm.	<i>id.</i>
tetyrides Walk.	<i>Guiana.</i>
nitida Germ.	<i>Brasil.</i>
aenea Perty.	<i>id.</i>
bajulus Germ.	<i>id.</i>
marmorea Fairm.	<i>id.</i>
punctatissima Fairm.	<i>Cayenne.</i>
coccinella Fairm.	<i>Brasil.</i>
Dohrni Fairm.	<i>St. Cruz.</i>
annulata Fabr.	<i>Am. mer.</i>
dimidiata Fairm.	<i>id.</i>
bipartita Fairm.	<i>id.</i>
funerula Fairm.	<i>Brasil.</i>
fulvovaria Fairm.	<i>id.</i>
frontalis Fairm.	<i>id.</i>
albimacula Germ.	<i>id.</i>
bistriata Burm.	<i>id.</i>
humeralis Fairm.	<i>id.</i>
globus Germ.	<i>id.</i>
sacrata Burm.	<i>id.</i>
obliqua Germ.	<i>id.</i>
involuta Fabr.	<i>id.</i>
morio Fabr.	<i>id.</i>
ovalis Burm.	<i>id.</i>
xanthocephala Germ.	<i>id.</i>
cyanea Burm.	<i>id.</i>
tripartita Fairm.	<i>id.</i>

**Parmula***Fairmaire.*

bistrigata Fairm.	<i>Columb.</i>
vertebralis Fairm.	<i>Am. mer.</i>

gibbula Fairm.	<i>Brasil.</i>	flavolineatus Lap.	
longula Burm.	<i>id.</i>	furcatus Gray.	<i>Brasil.</i>
<b>Floriola</b>		signatus Burm.	<i>id.</i>
<i>Fairmaire.</i>		vulnerans Burm.	<i>id.</i>
\picta Fabr.		nigricans Lap.	<i>id.</i>
\elegantula Perty.	<i>Brasil.</i>	excisus Walk.	<i>id.</i>
\elegantula Perty.	<i>id.</i>	glanduliger Lesson.	<i>id.</i>
lineolata Fairm.	<i>id.</i>	bicornis Lesson.	<i>id.</i>
ferruginea Fairm.	<i>id.</i>	abbreviatus Fairm.	<i>id.</i>
Andreae Burm.	<i>id.</i>	nodosus Germ.	<i>id.</i>
Chi Burm.	<i>id.</i>	tridens Burm.	<i>id.</i>
ephippium Burm.	<i>Am. centr.</i>	armatus Lap.	<i>id.</i>
semivitta Walk.	<i>Columb.</i>	? spinosus Lap.	<i>id.</i>
trigona Walk.	<i>id.</i>	fuseus Lap.	<i>id.</i>
composita Walk.	<i>id.</i>	reticulatus Burm.	<i>id.</i>
latifrons Walk.	<i>id.</i>	bulbifer Burm.	<i>id.</i>
		horridus Fabr.	<i>id.</i>
		abceisus alk.	<i>id.</i>
<b>Cyphotes</b>		<b>Cyphonia</b>	
<i>Burmeister.</i>		<i>Laporte.</i>	
nodosa Burm.	<i>Brasil.</i>	\trifida Fabr.	<i>Brasil.</i>
		\ornata Lap.	<i>Mexico.</i>
<b>Ophiderma</b>		proxima Guér.	<i>Brasil.</i>
<i>Fairmaire.</i>		? capra Burm.	<i>id.</i>
salamandra Fairm.	<i>Amer. bor.</i>	flava Burm.	<i>id.</i>
		? furcata Burm.	<i>Mexico.</i>
<b>Scaphula</b>		rectispina Fairm.	<i>Brasil.</i>
<i>Fairmaire.</i>		hirta Germ.	<i>id.</i>
semiatra Fairm.	<i>Coromand.</i>	braecata Germ.	<i>id.</i>
flavicans Fairm.	<i>Cayenne.</i>	elavigera Fabr.	<i>id.</i>
minuta Fabr.	? <i>Ind. or.</i>	\clavata Fabr.	<i>id.</i>
centromaculata	<i>Cayenne.</i>	\bulbifera Germ.	
Fairm.			
alutacea Fairm.	<i>id.</i>		
		<b>Combophora</b>	
<b>Barnoides</b>		<i>Germar.</i>	
<i>Fairmaire.</i>		\Beskei Germ.	<i>Brasil.</i>
limbata Fabr.	<i>Columb.</i>	cucullata Perty.	<i>id.</i>
bruncea Germ.	<i>Brasil.</i>	? inanis Fabr.	<i>id.</i>
carinata Walk.	<i>id.</i>	Laportei Germ.	<i>id.</i>
		consentanea Fairm.	<i>Bolivia.</i>
<b>Acutalis</b>		maculata Guér.	<i>Brasil.</i>
<i>Fairmaire.</i>		minor Fairm.	<i>id.</i>
balteata Fairm.	<i>Columb.</i>	carinata Guér.	
flavozonata Fairm.	<i>Brasil.</i>		
binaria Fairm.	<i>id.</i>	<b>Oeda</b>	
\tripunctata Fairm.	<i>id.</i>	<i>Amyot &amp; Serville.</i>	
? triguttata Burm.	<i>Pensylr.</i>	\inflata Fabr.	<i>Brasil.</i>
flavipennis Germ.	<i>Brasil.</i>	\vnermis Fairm.	<i>id.</i>
? melanogramma		\inflata Perty.	<i>id.</i>
Perty.		informis Westw.	<i>id.</i>
fuscoconvorsa Fairm.	<i>Columb.</i>		
antico-nigra Fairm.	<i>Am. bor.</i>	<b>Boeydium</b>	
biguttula Fairm.	<i>Brasil.</i>	<i>Latreille.</i>	
litterata Fairm.	<i>Columb.</i>	globulare Fabr.	<i>Brasil.</i>
		globuliferum	?
<b>Heteronotus</b>		Pallas.	
<i>Laporte.</i>			
quadrinodosus	<i>Mexico.</i>		
Fairm.			

glomeriferum Germ.		ignipes Walk.	
? tintinnabuliferum	<i>Brasil.</i>	flavivitta Walk.	<i>Jamaica.</i>
Less.		aurifascia Walk.	<i>id.</i>
rufiglobum Fairm.	<i>id.</i>	platycerus Walk.	<i>id.</i>
Germari Guér.	<i>id.</i>	cibratus Walk.	<i>id.</i>
lancora Perty.	<i>id.</i>	jucundus Walk.	<i>id.</i>
(trispinosum Guér.		montifer Walk.	<i>Hong-kong.</i>
		decisus Walk.	<i>Nov. Holl.</i>
		invarius Walk.	? <i>China.</i>
		contractus Walk.	<i>Nov. Holl.</i>
		falcatus Walk.	<i>Tasman.</i>
		tenebrosus Walk.	<i>Sier. Leon.</i>
		convergens Walk.	<i>Philipp.</i>
		atratus Walk.	<i>Sier. Leon.</i>
		transiens Walk.	?
		pallidus Walk.	?
		bicolor Walk.	?
		vitta Walk.	?
		basalis Walk.	<i>Hong-kong.</i>
		capreolus Walk.	<i>Philipp.</i>
		finitimus Walk.	<i>Hong-kong.</i>
		australis Fairm.	<i>Nov. Holl.</i>
		subspinosus Fairm.	<i>Mexico.</i>
		maculiscutum Fairm.	?
		(gibbosus Deg.	<i>Ind. occid.</i>
		fasciatus Fabr.	<i>Cuba.</i>
		flavidus Fairm.	<i>Europa.</i>
		genistae Fabr.	<i>Philipp.</i>
		dilatatus Walk.	<i>id.</i>
		pygmaeus Walk.	<i>Singap.</i>
		laminifer Walk.	<i>Malac.</i>
		caliginosus Walk.	<i>Singap.</i>
		semivitreus Walk.	<i>Malac.</i>
		semifascia Walk.	<i>Caffr.</i>
		validicornis Stål.	<i>id.</i>
		bilineatus Stål.	<i>id.</i>
		spiniornis Stål.	<i>id.</i>
		quadripunctatus	
		Stål.	
		chloroticus Fairm.	<i>Madrid.</i>
		<b>Micreme</b>	
		Walker.	
		formidanda Walk.	<i>Singap.</i>
		<b>Hypsauchenia</b>	
		Germar.	
		(Hardwicki Kirby.	<i>Nepal.</i>
		(balista Germ.	<i>Philipp.</i>
		Westwoodi Fairm.	?
		bifoliata Guér.	
		<b>Anomus</b>	
		Fairmaire.	
		reticulatus Fairm.	<i>Brasil.</i>
		<b>Lycoderes</b>	
		Germar.	
		(mitratus Germ.	<i>Brasil.</i>
		(Spinolae Fairm.	

galeritus Less.  
 gladiator Germ.  
 fuscus A. & S.  
 ancora Germ.  
 furca Fairm.  
 gaffa Fairm.  
 Burmeisteri Fairm.  
 unicolor Fairm.  
 petasus Fairm.  
 pileolum Fairm.  
 hippocampus Fabr.

**Stegaspis**  
*Germar.*

fronditia Linn.  
 squamigera Linn.  
 laevipennis Fairm.  
 folium Oliv.  
 melanopetalus Oliv.

**Lamproptera**  
*Germar.*

capreolus Germ. *id.*  
 capra Burm. *id.*  
 vacca Germ. *id.*  
 ? scutellata Fabr. *id.*  
 ? muscaria Fabr. *id.*  
 pygmaea Fabr. *id.*

**Aethalionidae.**

**Urophora**  
*Gray.*

Hardwicki Gray. *Ind. orient.*

**Aethalion**  
*Latreille.*

parviceps Sign. *Valparaiso.*  
 Latreillei Sign. *Chile.*  
 unicolor Sign. *id.*  
 semiannulatum  
 Sign. *Brasil.*  
 simile Sign. *id.*  
 vicinum Sign. *Columb.*  
 albinervosum  
 Blanch. *id.*  
 multicolor Sign. *Chile.*  
 reticulatum Linn. *Brasil.*  
 minutum Fabr. *id.*  
 parallelum Sign. *id.*  
 nigrum Sign. *Columb.*  
 curvatum Sign. *Brasil.*  
 Servillei Laporte. *Mexico.*  
 nervosopunctatum  
 Sign. *id.*  
 punctatum Walk. *Columb.*  
 pilehrum Walk. *id.*

*Brasil.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*  
*id.*

*Brasil.*  
*id.*  
*id.*  
*Surinam.*  
*id.*

basale Walk.  
 apicale Walk.  
 fissum Walk.  
 bivittatum Walk.  
 latipes Walk.

**Bohemia**  
*Stål.*

sobrina Stål. *Caffr.*  
 patruelis Stål. *id.*

**Ulopidae.**

**Ulopa**  
*Fallén.*

obtecta Fall. *Europa.*  
 ericae Germ.  
 ericetorum Lap. &  
 Serv. *id.*  
 trivia Germ. *Gall. mer.*  
 decussata Germ. *German.*  
 grisea Walk. *Am. cent.*  
 lugens Germ.  
 sordida Stål.

**IASSINA.**

**Paropidae.**

**Stenocotis**  
*Stål.*

planiuscula Stål. *Nov. Holl.*  
 subvittata Stål. *id.*

**Megophthal-  
 mus**  
*Curtis.*

scanicus Fall. *Europa.*  
 bipunctatus Curt.  
 pallidipennis Hardy.

**Paropia**  
*Germar.*

scutata Germ. *Europa.*  
 guttifera Walk. *?*  
 triangulum Walk. *Brasil.*

**Eupelix**  
*Germar.*

cuspidata Germ. *Europa.*  
 ? producta Germ. *id.*  
 spathulata Germ.

*Columb.*  
 ?  
*Columb.*  
*id.*  
*id.*

*Caffr.*  
*id.*

*Europa.*

*id.*

*Gall. mer.*  
*German.*  
*Am. cent.*

*Nov. Holl.*  
*id.*

*Europa.*

*Europa.*  
 ?  
*Brasil.*

*Europa.*  
*id.*

**Cephaletidae.****Cephaletus***Percheron.*

infumatus Perch.	<i>Afr. mer.</i>
paradoxus Burm.	
Percheroni Guér.	?
marginatus Waterh.	<i>Austral.</i>
brunneus Waterh.	<i>id.</i>

**Dorydium***Burmeister.*

lanceolatum Burm.	<i>Sicil.</i>
-------------------	---------------

**Acocephalidae.****Acocephalus***Germar.*

olivaceus Walk.	<i>Philipp.</i>
stramineus Walk.	<i>Java.</i>
solidaginis Walk.	<i>Am. bor.</i>
peltastes Burm.	<i>Afr. mer.</i>
bimaculatus A. & S.	?
costatus Panz.	<i>Europa.</i>
cardui Curt.	
? var. obscurus Curt.	<i>Anglia.</i>
? var. sparsus Curt.	
striatus Fabr.	
rusticus Fabr.	
variegatus Fabr.	<i>Europa.</i>
strigatus Germ.	
rugosus Curt.	
livens Zetterst.	
? var. nigropunctatus Zetterst.	<i>Lapp.</i>
unicolor Curt.	
? var. pulverulentus Curt.	<i>Anglia.</i>
fasciatus Curt.	<i>id.</i>
pallidus Curt.	<i>id.</i>
bicinctus Curt.	<i>id.</i>
adustus Hardy.	<i>id.</i>
albifrons Linn.	
dispar Zetterst.	<i>Europa.</i>
bifasciatus Linn.	
trifasciatus Deg.	<i>id.</i>
tricinctus Curt.	
affinis Fall.	<i>Suecia.</i>
spurius Fall.	<i>id.</i>
nitidus Curt.	<i>Anglia.</i>
sparsus Walk.	<i>Guiana.</i>
obliquus Walk.	<i>Galapag.</i>
discigutta Walk.	<i>Borneo.</i>
punctiger Stål.	<i>Caffr.</i>
vitticollis Stål.	<i>id.</i>
misellus Stål.	<i>id.</i>
blennus Stål.	<i>id.</i>
funebrius Stål.	<i>id.</i>
viduus Stål.	<i>id.</i>

**Selenocephalus***Germar.*

obsoletus Germ.	
conspersus H.-Sch.	<i>Eur. mer.</i>
agrestis H.-Sch.	
agrestis Fall.	<i>Suecia.</i>
decurtatus Stål.	<i>Caffr.</i>
punctattonervosus Stål.	<i>Turcia.</i>
africanus Stål.	<i>Sier. Leon.</i>
lucidus Schaum.	<i>Mozamb.</i>

**Coelididae.****Coelidia***Germar.*

venosa Germ.	<i>Brasil.</i>
poecila Germ.	<i>id.</i>
variegata Germ.	<i>id.</i>
pruinosa Germ.	<i>id.</i>
atra Walk.	<i>Columb.</i>
rufipennis Walk.	<i>Brasil.</i>
costalis Walk.	?
rufifrons Walk.	<i>Honduras.</i>
eburata Walk.	<i>Brasil.</i>
indica Walk.	<i>Ind. orient.</i>
australis Walk.	<i>Nov. Holl.</i>
guttivena Walk.	<i>Malac.</i>
punctivena Walk.	<i>id.</i>
dirigens Walk.	<i>Borneo.</i>
pardalis Walk.	<i>id.</i>
albissima Walk.	<i>id.</i>
cupraria Walk.	<i>id.</i>
macliniervis Stål.	<i>Sier. Leon.</i>
sparsa Stål.	<i>Manila.</i>
adpersa Stål.	<i>Montevideo.</i>
nigrina Stål.	<i>id.</i>
ineoligera Stål.	<i>Caffr.</i>
fuscovaria Stål.	<i>id.</i>

**Bythosco-  
pidae.****Bythoscopus***Germar.*

lanio Linn.	
brunneus Fabr.	
viridis Donov.	
lineolatus Lep. & Serv.	<i>Europa.</i>
dorsiger Lep. & Serv.	
var. uniformis Amyot.	

prasinus Fabr.	<i>German.</i>	ferrugineus Walk.	<i>Java.</i>
populi Linn.		remotus Walk	<i>Philipp.</i>
coryli Linn.		fulvus Walk.	<i>Tasman</i>
biguttatus Fabr.		dorsalis Walk.	<i>Nor. Holl.</i>
fulgidus Fabr.		nigroaeneus Walk.	<i>Tasman.</i>
stigma Germ.		anguliferus Walk.	<i>Nor. Holl.</i>
margarita Lep. & Serv.	<i>Europa.</i>	stramineus Walk.	<i>Florida.</i>
maculipennis Curt.		latifrons Walk.	<i>Nor. Holl.</i>
sulphureus Curt.		transversus Walk.	<i>id.</i>
effulgens Curt.		luridus Walk.	<i>id.</i>
unifasciatus Curt.		capensis Walk.	<i>Afr. mer.</i>
aenens Curt.		sinensis Walk.	<i>Hong-kong.</i>
litratus H.-Sch	<i>German.</i>	ater Walk.	<i>Philipp.</i>
Gyllenhali Fall.	<i>Suecia.</i>	eupreus Walk.	<i>Nor. Holl.</i>
nitidissimus H.-Sch.	<i>German.</i>	albidus Walk.	<i>Hondur.</i>
crenatus Germ.	<i>id.</i>	australis Walk.	<i>Nor. Holl.</i>
scurra Germ.	<i>id.</i>	obsoletus Walk.	<i>Huds. Bay.</i>
litratus Fall.	<i>id.</i>	africanus Walk.	<i>Sier. Leon.</i>
tremulae Fall.	<i>Suecia.</i>	stipatus Walk.	<i>Florida.</i>
varius Fabr.		sobrius Walk.	<i>Huds. Bay.</i>
stigmaticalis Lewis.	<i>Europa.</i>	flavus Walk.	<i>id.</i>
maculicollis Curt.		auroalbus Walk.	<i>Florida.</i>
poccilus H.-Sch.	<i>German.</i>	strobi Fitch.	<i>Am. bor.</i>
notatus H.-Sch.	<i>id.</i>	clitellarius Say.	<i>id.</i>
larvatus H.-Sch.	<i>id.</i>	variabilis Fitch.	<i>id.</i>
venosus Fall.	<i>id.</i>	minor Fitch.	<i>id.</i>
? puncticeps Germ.	<i>id.</i>	alternatus Fitch.	<i>id.</i>
reticulatus Linn.	<i>id.</i>	testaceus Walk.	<i>Borneo.</i>
mixtus Fabr.	<i>id.</i>	metallicus Walk.	<i>id.</i>
virescens Linn.		lateralis Walk.	<i>id.</i>
? gramineus Fabr.	<i>id.</i>	cephalotes Walk.	<i>id.</i>
marginatus H.-Sch.	<i>id.</i>	biarcuatus Walk.	<i>id.</i>
nassatus Germ.	<i>id.</i>	lactisigna Walk.	<i>id.</i>
nigritulus Zetterst.	<i>id.</i>	nigrilinea Walk.	<i>id.</i>
? fruticola Fall.	<i>id.</i>	ignicauts Walk.	<i>id.</i>
nitidulus H.-Sch.	<i>id.</i>	flavofasciatus Stål.	<i>Brasil.</i>
flavicollis Linn.		olivacescens Stål.	<i>Caffr.</i>
alhi Schrank.		bimaculicollis Stål.	<i>id.</i>
diadema Fabr.			
bipustulatus Fabr.			
triangularis Fabr.			
flavescens Fabr.			
fruticola Fall.			
( <i>cum varietat.</i> )			
tiliae Germ.	<i>Europa.</i>		
ferrugineus Curt.		Abicolor Burm.	<i>Nor. Holl.</i>
pulchellus Curt.		Abasalis Walk.	
fenestratus Curt.		rubrovittata A. & S.	<i>id.</i>
reticulatus Curt.		fenestrata Lep. & Serv.	<i>id.</i>
personatus Curt.			
nanus H.-Sch.	<i>id.</i>	Abisoidalis Sign.	<i>id.</i>
ustulatus Muls. & Rey.	<i>Gall. mer.</i>	? latifascia Walk.	
ocularis Muls. & Rey.	<i>id.</i>	ruficollis Burm.	<i>id.</i>
sinuatus Muls. & Rey.	<i>id.</i>	distincta Sign.	<i>id.</i>
guttatus Walk.	<i>Brasil.</i>	vicina Sign.	<i>id.</i>
rivularis Walk.	<i>Nor. Holl.</i>	erythrocnemis	<i>id.</i>
		Burm.	
		marmorata Germ.	<i>id.</i>
		maura Fabr.	<i>id.</i>
		pulehra Sign.	
		? terminalis Walk.	<i>id.</i>
		discifera Walk.	
		lineata Sign.	<i>id.</i>

**Furymela**

Lepelletier &amp; Ser-ville.

adpersa Sign.	<i>Nov. Holl.</i>	commissuralis Stål.	<i>Sibir.</i>
bicincta Er.	<i>id.</i>	smaragdula Fall.	<i>German.</i>
ocellata Sign.	<i>id.</i>	signatipennis Boh.	<i>Suecia.</i>
punctata Sign.	<i>id.</i>	quadrinotata Fabr.	<i>German.</i>
trifasciata Sign.	<i>id.</i>	pusilla Rossi.	<i>id.</i>
porriginosa Sign.	<i>id.</i>	picta Fabr.	<i>id.</i>
suffusa Walk.	<i>id.</i>	urticae Fabr.	<i>id.</i>
speculum Walk.	<i>id.</i>	hortensis Curt.	<i>id.</i>
livida Walk.	<i>id.</i>	tarsalis Curt.	<i>id.</i>
semifascia Walk.	<i>id.</i>	Melissae Curt.	<i>id.</i>
decisa Walk.	<i>id.</i>	octonotata Hardy.	<i>id.</i>
varia Walk.	<i>id.</i>	sexmaculata Hardy.	<i>id.</i>
atra Walk.	<i>id.</i>	jucunda Hardy.	<i>id.</i>
		stachydearum	<i>id.</i>
		Hardy.	<i>id.</i>
<b>Typhlocyba</b>		septemnotata Fall.	<i>id.</i>
<i>German.</i>		fasciata Curt.	<i>Anglia.</i>
albi Linn.	<i>Europa.</i>	viridipes Curt.	<i>id.</i>
ocellata Curt.	<i>id.</i>	maculipennis Curt.	<i>id.</i>
rubi Hardy.	<i>German.</i>	solani Curt.	<i>id.</i>
elegantula Zetterst.	<i>id.</i>	elypeata Curt.	<i>id.</i>
discicollis H.-Sch.	<i>id.</i>	plagiata Hardy.	<i>id.</i>
laureola Fall.	<i>id.</i>	eximia Hardy.	<i>id.</i>
chlorophana Panz.	<i>id.</i>	Dahlbomi Zetterst.	<i>Lapp.</i>
citrinella Zetterst.	<i>id.</i>	tenella Fall.	<i>German.</i>
gracilis Zetterst.	<i>id.</i>	spretta Zetterst.	<i>Lappon.</i>
unicantula Zetterst.	<i>id.</i>	vitrea Fabr.	<i>German.</i>
micratula Burm.	<i>id.</i>	albobstriella H.-Sch.	<i>Eur. mer.</i>
viridula Fall.	<i>id.</i>	lunaris Muls. & Rey.	<i>Gall. mer.</i>
flavescens Fabr.	<i>id.</i>	bisignata Muls. &	<i>id.</i>
blandula Rossi.	<i>id.</i>	Rey.	<i>id.</i>
quercus Panz.	<i>id.</i>	rorida Muls. & Rey.	<i>id.</i>
flammigera Curt.	<i>id.</i>	stigmatipennis	<i>id.</i>
tiliae Geoffr.	<i>id.</i>	Muls. & Rey.	<i>id.</i>
hyperici Burm.	<i>id.</i>	nivea Muls. & Rey.	<i>id.</i>
decempunctata Fall.	<i>id.</i>	punctulum Muls. &	<i>id.</i>
? sexnotata Curt.	<i>id.</i>	Rey.	<i>id.</i>
scutellaris Burm.	<i>id.</i>	coryli Tollin.	<i>German.</i>
rosae Linn.	<i>id.</i>	roseipennis Tollin.	<i>id.</i>
pulchella Fall.	<i>id.</i>	fasciata Tollin.	<i>id.</i>
ornatipennis Curt.	<i>id.</i>	pictilis Stål.	<i>Suecia.</i>
? lutea Hardy.	<i>id.</i>	placidula Stål.	<i>id.</i>
concinna Germ.	<i>id.</i>	Wallengreni Stål.	<i>id.</i>
Germari Zetterst.	<i>Lappon.</i>	vitis Harris.	<i>Am. bor.</i>
stellulator Burm.	<i>German.</i>	fabae Harris.	<i>id.</i>
adpersa Burm.	<i>id.</i>	tricincta Fitch.	<i>id.</i>
vittata Linn.	<i>id.</i>	obliqua Say.	<i>id.</i>
notata Curt.	<i>id.</i>	tricolor Walk.	<i>Port. Nat.</i>
quadrisignata	<i>id.</i>	marginata Walk.	<i>Afr. mer.</i>
Hardy.	<i>id.</i>	pura Stål.	<i>Sibir.</i>
aurata Linn.	<i>id.</i>	carneola Stål.	<i>id.</i>
picta Fabr.	<i>id.</i>		
? nigropunctata	<i>id.</i>		
Schrank.	<i>id.</i>		
quercus Fabr.	<i>id.</i>		
flammigera Geoffr.	<i>id.</i>		
nitidula Fabr.	<i>id.</i>		
tenerrima Burm.	<i>id.</i>		
geometrica	<i>id.</i>		
Schrank.	<i>id.</i>		
lineatella Fall.	<i>id.</i>		

**Jassidae.****Jassus**  
*Fabricius.*

punctatus Thunbg.	<i>Europa.</i>
puncticollis H.-Sch.	<i>id.</i>
quadrinotatus Fabr.	<i>id.</i>



variatus Fall.	<i>Europa.</i>	reticulatus Thunbg.	<i>German.</i>
alpinus Zetterst.	<i>id.</i>	mixtus Fabr.	<i>id.</i>
sexnotatus Fall.	<i>id.</i>	atomarius Fabr.	<i>id.</i>
lineatifrons Stål.	<i>Sibir.</i>	nervosus Fall.	<i>id.</i>
strigipes Zetterst.	<i>Europa.</i>	prasinus Fall.	<i>id.</i>
maculipes Zetterst.	<i>Lappon.</i>	simplex H.-Sch.	<i>id.</i>
notaticeps Stål.	<i>Sibir.</i>	cruentatus Panz.	<i>id.</i>
fascifrons Stål.	<i>id.</i>	abietinus Fall.	<i>id.</i>
sordidipennis Stål.	<i>id.</i>	var:biguttatus Fall.	<i>id.</i>
striola Fall.	<i>Europa.</i>	var:torneellus	<i>id.</i>
? frenatus Germ.	<i>id.</i>	Zetterst.	<i>Lappon.</i>
fulvicaris Fall.	<i>id.</i>	tinctus Zetterst.	<i>id.</i>
fenestratus H.-Sch.	<i>id.</i>	vittatus Linn.	<i>Europa.</i>
punctifrons Fall.	<i>id.</i>	undatus Deg.	<i>id.</i>
ventralis Panz.	<i>id.</i>	flammigera Vill.	<i>German.</i>
ventralis Fall.	<i>id.</i>	rostratus H.-Sch.	<i>Anglia.</i>
punctifrons Germ.	<i>Succia.</i>	consobrinus Curt.	<i>German.</i>
Phragmitis Bohem.	<i>German.</i>	rivularis Germ.	<i>Anglia.</i>
frontalis H.-Sch.	<i>id.</i>	puella Curt.	<i>id.</i>
splendidulus Fabr.	<i>id.</i>	insularis Curt.	<i>id.</i>
nitidulus Turt. (?)	<i>Lappon.</i>	costatus Curt.	<i>id.</i>
lunulatus Zetterst.	<i>Succia.</i>	pallidipennis Curt.	<i>id.</i>
assimilis Fall.	<i>id.</i>	maculipennis Curt.	<i>id.</i>
pascuellus Fall.	<i>id.</i>	tactiola Curt.	<i>id.</i>
panctipes Zetterst.	<i>Lappon.</i>	craticula Curt.	<i>id.</i>
flavipennis Zetterst.	<i>Europa.</i>	maculipes Curt.	<i>id.</i>
striatus Linn.	<i>Sibir.</i>	nitidus Curt.	<i>id.</i>
areatus Stål.	<i>id.</i>	unimaculatus Curt.	<i>id.</i>
attenuatus Germ.	<i>id.</i>	latus Curt.	<i>id.</i>
? tenuis Germ.	<i>id.</i>	melanopsis Hardy.	<i>id.</i>
striatulus Fall.	<i>id.</i>	juvencus Hardy.	<i>id.</i>
striatellus H.-Sch.	<i>id.</i>	spilotocephalus	<i>id.</i>
russeolus Fall.	<i>id.</i>	Hardy.	<i>id.</i>
ocellatus Scop.	<i>id.</i>	*variatus Hardy.	<i>Succia.</i>
ocellaris Fall.	<i>id.</i>	maculiceps Boh.	<i>id.</i>
sabulicola Curt.	<i>id.</i>	multinotatus	<i>id.</i>
pallens Zetterst.	<i>Gronland.</i>	Boh.	<i>id.</i>
lividellus Zetterst.	<i>Europa.</i>	brachypterus	<i>id.</i>
abdominalis Fabr.	<i>id.</i>	Boh.	<i>id.</i>
bicolor Fabr.	<i>Lappon.</i>	stylatus Boh.	<i>id.</i>
Bohemani Zetterst.	<i>id.</i>	quadripunctatus	<i>id.</i>
balteatus Zetterst.	<i>Europa.</i>	Fall.	<i>German.</i>
lineatus Fabr.	<i>Succia.</i>	punctiferus H.-Sch.	<i>id.</i>
transversus Fall.	<i>Europa.</i>	Proteus H.-Sch.	<i>id.</i>
histrionicus Fabr.	<i>id.</i>	argentatus Fabr.	<i>id.</i>
serratulae Fabr.	<i>id.</i>	interstitialis Germ.	<i>id.</i>
albiger Germ.	<i>id.</i>	griseus Zetterst.	<i>id.</i>
concinus Curt.	<i>id.</i>	croceus H.-Sch.	<i>id.</i>
testudo Curt.	<i>id.</i>	impurus Boh.	<i>Succia.</i>
plebejus H.-Sch.	<i>id.</i>	chlorizau Walk.	<i>Europa.</i>
marmoratus Hardy.	<i>id.</i>	assimilis Germ.	<i>German.</i>
sordidus Zetterst.	<i>id.</i>	diminutus Kirschb.	<i>id.</i>
brevis H.-Sch.	<i>id.</i>	obsoletus Kirschb.	<i>id.</i>
auratus H.-Sch.	<i>German.</i>	marginatus Kirschb.	<i>id.</i>
procerus H.-Sch.	<i>id.</i>	distinguendus	<i>id.</i>
flavovarius H.-Sch.	<i>id.</i>	Kirschb.	<i>id.</i>
subfuscus Fall.	<i>id.</i>	variegatus Kirschb.	<i>id.</i>
pectoralis Germ.	<i>id.</i>	brevipennis	<i>id.</i>
sulphureus Curt.	<i>id.</i>	Kirschb.	<i>id.</i>
		obscurus Kirschb.	<i>id.</i>

sulphureus Kirschb.	<i>German.</i>
thiogaster Kirschb.	<i>id.</i>
anomalus Kirschb.	<i>id.</i>
maritimus Perris.	<i>Gall. mer.</i>
cinctus Perris.	<i>id.</i>
conspurcatus Perris.	<i>id.</i>
ornatus Perris.	<i>id.</i>
nymphaeae Perris.	<i>id.</i>
Laboulbenei Perris.	<i>id.</i>
cyclops Muls. & Rey.	<i>id.</i>
haematoceps Muls.	<i>id.</i>
& Rey.	
didymus Muls. & Rey.	<i>id.</i>
quadrinotatus Muls. & Rey.	<i>id.</i>
medius Muls. & Rey.	<i>id.</i>
luteus Muls. & Rey.	<i>id.</i>
productus Walk.	<i>Amer. bor.</i>
testudinarius Germ.	<i>id.</i>
perlatius Burm.	<i>Brasil.</i>
octopunctatus Burm.	<i>Syria.</i>
	<i>Am. bor.</i>
fulvidorsum Fitch.	
*irroratus Fitch.	<i>id.</i>
acutus Say.	<i>id.</i>
Melsheimeri Fitch.	<i>id.</i>
Sayi Fitch.	<i>id.</i>
? inimicus Say.	<i>id.</i>
immistus Say.	<i>id.</i>
sanctus Say.	<i>id.</i>
verticis Say.	<i>id.</i>
novellus Say.	<i>id.</i>
irroratus Say.	<i>id.</i>
clitellarius Say.	<i>id.</i>
hyalinipennis Stål.	<i>Brasil.</i>
lineatipennis Stål.	<i>id.</i>
flavovirescens Stål.	<i>Coffr.</i>
rorentus Stål.	<i>id.</i>
amoenus Stål.	<i>id.</i>
dilectus Stål.	<i>id.</i>
severus Stål.	<i>id.</i>
capicola Stål.	<i>id.</i>

### **Tettigonidae.**

#### **Euacanthus** *Burmeis ter.*

interruptus Linn.	<i>Europa.</i>
acuminatus Fabr.	
interstinctus Fall.	<i>id.</i>
(Germari Curt.	
moestus Zetterst.	<i>id.</i>
maculipes Curt.	<i>Anglia.</i>
nervosus Curt.	<i>id.</i>
irroratus Curt.	<i>id.</i>

#### **Tettigonia**

##### *Geoffroy.*

bimaculata Sign.	<i>Brasil.</i>
(dispar Germ.	<i>id.</i>
(decorata Sign.	
Burmeisteri Sign.	<i>Mexico.</i>
(demissa Fabr.	
(cephalotea Walk.	<i>Brasil.</i>
(multicolor Walk.	
discoidea Fabr.	<i>id.</i>
myopa Fabr.	<i>id.</i>
Klugi Sign.	<i>id.</i>
exaltata Fabr.	<i>id.</i>
hexaptera Burm.	<i>id.</i>
Stolli Sign.	<i>Columb.</i>
fervens Walk.	<i>Brasil.</i>
vicina Sign.	<i>id.</i>
fastuosa Fabr.	<i>id.</i>
vespiformis Fabr.	<i>id.</i>
(trinctata Sign.	<i>id.</i>
(trifasciata Sign.	
modesta Fabr.	<i>id.</i>
aurulenta Fabr.	<i>id.</i>
purpurata Germ.	<i>id.</i>
pulchra Fabr.	<i>id.</i>
decora Fabr.	<i>id.</i>
Schaumi Sign.	<i>id.</i>
resecta Sign.	<i>id.</i>
unifasciata Fabr.	<i>id.</i>
(bifasciata Fabr.	<i>id.</i>
(bicincta Germ.	
frontalis Germ.	<i>id.</i>
(Servillei Sign.	<i>id.</i>
(trifasciata A. & S.	
aestnans Walk.	<i>id.</i>
gaudens Walk.	<i>id.</i>
septemfasciata Sign.	<i>Columb.</i>
episcopalis Sign.	<i>Brasil.</i>
glaucomaculata Germ.	<i>id.</i>
opulenta Walk.	<i>Columb.</i>
venosa Sign.	<i>Bolivia.</i>
mirabilis Sign.	<i>Columb.</i>
concinna Perty.	<i>Brasil.</i>
monstruosa Sign.	<i>id.</i>
tarsalis Sign.	<i>id.</i>
(rufipes Fabr.	<i>id.</i>
(decora Walk.	
duodecimpunctata Germ.	<i>id.</i>
(elegantissima Blanch.	<i>id.</i>
(albofasciata Walk.	
trilineaticeps Sign.	<i>id.</i>
albigutta Walk.	<i>id.</i>
assimilis Sign.	<i>id.</i>
leucampix Sign.	<i>id.</i>
crassa Walk.	<i>Bolivia.</i>
(contaminata Fabr.	<i>Brasil.</i>
(ruficauda Walk.	

pruinina Sign.	<i>Brasil.</i>	cruciata Sign.	<i>Columb.</i>
transversa Sign.	<i>id.</i>	Walkeri Sign.	<i>Quito.</i>
dubia Sign.	<i>id.</i>	decorata Walk.	<i>Guatamal.</i>
gratiosa Blanch.	<i>id.</i>	Lucasi Sign.	<i>Mexico.</i>
bilimitata Sign.	<i>id.</i>	multicolor Sign.	<i>Amer. Afr.</i>
oculata Sign.	<i>Columb.</i>	cosmopolita Sign.	<i>Brasil.</i>
inspergata Sign.	<i>Brasil.</i>	Westwoodi Sign.	<i>id.</i>
limitata Sign.	<i>id.</i>	Perrisi Sign.	<i>id.</i>
bilunata Sign.	<i>id.</i>	grandis Walk.	<i>id.</i>
punctulata Sign.	<i>Mexico.</i>	Spinolae Sign.	<i>id.</i>
segmentalis Sign.	<i>Brasil.</i>	Edwardsi Sign.	<i>Guatimal.</i>
Aubei Sign.	<i>Columb.</i>	albostrciata Sign.	<i>Brasil.</i>
solitaria Sign.	<i>Brasil.</i>	semiguttata Sign.	<i>id.</i>
nigroguttata Sign.	<i>Mexico.</i>	Dallasi Sign.	<i>id.</i>
lutea Sign.	<i>Am. cent.</i>	geographica Sign.	<i>id.</i>
foveolata Sign.	<i>Brasil.</i>	basimacula Walk.	<i>id.</i>
albomarginata Sign.	<i>Nor. Holl.</i>	verniosa Lep. &	<i>id.</i>
semicircularis Sign.	<i>Ind. orient.</i>	Serv.	
coronata Sign.	<i>Brasil.</i>	humeralis Sign.	<i>id.</i>
leucomelas Walk.	<i>id.</i>	verticalis Sign.	<i>Columb.</i>
flavopunctata	<i>Chile.</i>	nigripes Sign.	<i>Brasil.</i>
Blanch.		dilecta Walk.	<i>id.</i>
dorsalis Sign.	<i>Brasil.</i>	sanguinicollis Latr.	<i>Cuba.</i>
nigrocincta Sign.	<i>id.</i>	farinaria A. & S.	
flavomaculata Sign.	<i>id.</i>	albigena Sign.	<i>Java.</i>
vittifacies Sign.	?	costata Sign.	<i>Columb.</i>
flavicollis Sign.	<i>Brasil.</i>	icterica Sign.	<i>Brasil.</i>
lepida Sign.	<i>Peru.</i>	rufa Walk.	<i>id.</i>
flavifrons Sign.	<i>Brasil.</i>	pellucida Sign.	<i>id.</i>
croceipennis Sign.	<i>id.</i>	longipes Walk.	
rutilans Walk.	<i>id.</i>	sordida Sign.	<i>Surinam.</i>
geniculata Sign.	<i>id.</i>	auroguttata Sign.	<i>Brasil.</i>
Coquereli Sign.	<i>Madagasc.</i>	pauperata Fabr.	<i>Amer. bor.</i>
elegantula Germ.	<i>Brasil.</i>	macroptera Latr.	?
phoenicea Sign.	<i>id.</i>	lurida Sign.	<i>Brasil.</i>
elegantula Walk.		lactea Sign.	<i>Port Prasl.</i>
colorata Germ.	<i>id.</i>	albida Walk.	<i>As. Af. Austr.</i>
circumcincta Sign.	<i>id.</i>	extrema Walk.	<i>Assan.</i>
divisa Sign.	<i>id.</i>	quattuordecim-	<i>Mexico.</i>
maculicollis Sign.	<i>Columb.</i>	punctata Sign.	
quinquemaculata	<i>Brasil.</i>	scita Walk.	<i>Columb.</i>
Germ.		cara Walk.	<i>Java.</i>
areolata Sign.	<i>Mexico.</i>	tristis Fabr.	<i>Amer. mer.</i>
jucunda Walk.	<i>id.</i>	gelida Walk.	<i>Java.</i>
quadriguttata Fabr.	<i>Columb.</i>	semiclara Sign.	<i>Pul. Pen.</i>
sexguttata Fabr.	<i>Brasil.</i>	stellata Sign.	<i>Java.</i>
circularis Fabr.	<i>id.</i>	opponens Walk.	<i>Ind. or.</i>
quadriplagiata	<i>Columb.</i>	rubromaculata Sign.	<i>id.</i>
Walk.		cardinalis Walk.	
moesta Fabr.	<i>Brasil.</i>	vulnerata Sign.	<i>Guatamal.</i>
sanguineovittata	<i>id.</i>	quadrilineata Sign.	<i>Neelgher.</i>
Sign.		histrion Fabr.	?
Germari Sign.	<i>id.</i>	farinosa Fabr.	<i>Java.</i>
fasciata Linn.		brevifrons Walk.	
miniata Germ.	<i>id.</i>	nigrifrons Sign.	<i>Pul. Pen.</i>
quadrivittata Lep.		Norma Sign.	<i>Manila.</i>
& Serv.		coeruleipennis	?
pulchella Guér.	<i>Mexico.</i>	Titonii Sign.	<i>Philipp.</i>
proxima Sign.	<i>Columb.</i>	coerulescens Fabr.	<i>Ind. or.</i>
Chevrolati Sign.	<i>id.</i>	dives Walk.	

sumptuosa Blanch.	<i>Madagasc.</i>	<i>novaboracensis</i>	
flavosparsa Sign.	<i>id.</i>	Fitch.	<i>Am. bor.</i>
philippina Walk.	<i>Philipp.</i>	<i>pralina</i> Walk.	
pavo Sign.	<i>Ind. or.</i>	<i>aequalis</i> Sign.	<i>Sibir.</i>
ferruginea Fabr.		hectica Sign.	<i>Brasil.</i>
apicalis Walk.		ventralis Sign.	<i>id.</i>
confinis Walk.		lineata Sign.	<i>Am. bor.</i>
addita Walk.		reticulata Sign.	<i>Cuba.</i>
gemina Walk.		flavipes Sign.	<i>Bolivia.</i>
obscura Walk.	<i>Java.</i>	salamandra Sign.	<i>Columb.</i>
duplex Walk.		<i>tripunctata</i> Fitch.	
reducta Walk.		<i>nigrifascia</i> Walk.	<i>Mexico.</i>
longa Walk.		<i>pallida</i> Walk.	
immaculata Walk.		<i>albida</i> Walk.	<i>id.</i>
confinis Walk.		Stáli Sign.	<i>Guatamal.</i>
impudica Sign.	<i>Manila.</i>	Blanchardi Sign.	<i>Am. bor.</i>
argyrops Sign.	<i>id.</i>	uniguttata Walk.	<i>Mexico.</i>
indistincta Walk.	<i>Java.</i>	mexicana Sign.	?
dimidiata Sign.	<i>id.</i>	grossa Sign.	<i>Brasil.</i>
victima Germ.	<i>Brasil.</i>	interstitialis Sign.	<i>Chile.</i>
pruinosa Walk.	<i>id.</i>	albinervosa Sign.	<i>Ind. or</i>
striata Walk.	<i>Bolivia.</i>	unimaculata Sign.	<i>Mexico.</i>
plumbea Walk.	<i>Quito.</i>	sagata Sign.	<i>Columb.</i>
mutabilis Sign.	<i>Columb.</i>	distincta Sign.	<i>id.</i>
incarnata Germ.	<i>Brasil.</i>	melanocephala Sign.	<i>Brasil.</i>
biscuta Sign.	<i>id.</i>	variolosa Sign.	<i>Bolivia.</i>
Fairmairei Sign.	<i>id.</i>	pilipennis Sign.	<i>Brasil.</i>
amoena Walk.	<i>Columb.</i>	nebulosa Sign.	<i>id.</i>
sanguinea Drury.	<i>Jamaica.</i>	stylata Sign.	<i>Mexico.</i>
cardinalis Fabr.	<i>Brasil.</i>	tessellata Sign.	<i>Madagasc.</i>
fusiformis Walk.	?	madagascariensis	
rubripennis Sign.	<i>Brasil.</i>	Sign.	<i>Brasil.</i>
bigutta Sign.	<i>id.</i>	maculipes Sign.	<i>Am. bor.</i>
cruenta Fabr.	<i>id.</i>	gothica Sign.	<i>Hong-kong.</i>
semivitta Walk.	?	attenuata Walk.	<i>Madagasc.</i>
nigriventris Sign.	<i>Brasil.</i>	collaris Sign.	<i>Columb.</i>
ignicolor Sign.	<i>id.</i>	<i>marginella</i> Fabr.	<i>Jamaica.</i>
xanthogramma	<i>id.</i>	<i>ruficaput</i> Walk.	<i>Martinique.</i>
Sign.		intensa Walk.	
fenestrata Sign.	<i>Chile.</i>	versuta Say.	<i>Mexico.</i>
bella Walk.	<i>Ind. or.</i>	<i>quadrivittata</i> Sign.	
robusta Walk.	?	<i>telififormis</i> Walk.	<i>Brasil.</i>
alboparallela Sign.	<i>Columb.</i>	<i>trivittata</i> Sign.	<i>Mexico.</i>
illustris Sign.	<i>Brasil.</i>	<i>pallipes</i> Walk.	<i>Brasil.</i>
interrupta Sign.	<i>Port Prince.</i>	lunata Sign.	<i>id.</i>
<i>bifida</i> Say.	<i>Amer. bor.</i>	xanthonota Sign.	<i>Brasil.</i>
<i>tenella</i> Walk.		flavolineata Sign.	<i>id.</i>
geometrica Sign.	<i>Columb.</i>	<i>splendida</i> Fabr.	<i>id.</i>
lugubris Sign.	<i>Mexico.</i>	<i>festiva</i> Fabr.	<i>id.</i>
vermiculata Sign.	<i>Brasil.</i>	rubricauda Sign.	<i>id.</i>
variabilis Sign.	<i>Columb.</i>	rhienneta Sign.	<i>id.</i>
varicolor Sign.	<i>Sandw. Isl.</i>	pudica Fabr.	<i>id.</i>
obsoleta Sign.	<i>Columb.</i>	flaveola Fabr.	<i>id.</i>
impressifrons Sign.	<i>Bolivia.</i>	sexlineata Sign.	<i>Guatamal.</i>
Gayi Spin.	<i>Chile.</i>	virginea Fabr.	<i>Brasil.</i>
punctatissima Sign.	<i>Columb.</i>	Dohrni Sign.	<i>Mexico.</i>
<i>viridis</i> Linn.		occatoria Say.	<i>Am. bor.</i>
<i>arundinis</i> Germ.	<i>Europa.</i>	atropunctata Sign.	<i>Brasil.</i>
lineiceps Spin.	<i>Chile.</i>	guttata Sign.	<i>Mexico.</i>
herbida Walk.	<i>Am. bor.</i>	cyanesens Walk.	<i>id.</i>

flavoguttata Latr.	<i>Brasil.</i>	diadema Burm.	<i>Brasil</i>
congregata Sign.	<i>Columb.</i>	physocephala Sign.	<i>id.</i>
rubromarginata	<i>Montevideo.</i>	pubescens Sign.	?
Sign.		ulcerata Sign.	<i>Brasil.</i>
costalis Fabr.		spatulata Sign.	<i>Columb.</i>
lateralis Fabr.		variegata Fabr.	<i>Brasil.</i>
marginella Fabr.	<i>Columb.</i>	pulcherrima Blanch.	<i>Columb.</i>
lugens Walk.		subflava Walk.	<i>Mexico.</i>
pyrrhotela Walk.	<i>id.</i>	typhlocyboides Sign.	<i>Amer mer.</i>
circumducta Sign.	<i>Brasil.</i>	bicolor Fabr.	<i>Peru.</i>
laminata Sign.	<i>id.</i>	obtecta Sign.	
flavolimbata Sign.	<i>id.</i>	inollipes Say.	
stipata Walk.	<i>Bolivia.</i>	producta Walk.	
trita Walk.	<i>Java.</i>	aucta Walk.	<i>Mexico.</i>
bimaculata Sign.	<i>Mexico.</i>	? minor Walk.	
cincta Sign.	<i>Brasil.</i>	? innotata Walk.	
personata Sign.	<i>id.</i>	angulifera Walk.	<i>Am. bor.</i>
magna Walk	<i>id.</i>	antica Walk.	<i>Florida.</i>
terminalis Walk.	<i>id.</i>	septemguttata Walk	<i>Madagasc.</i>
caudata Walk.	<i>Bolivia.</i>	lineatocollis Sign.	<i>Columb</i>
speculifera Walk.	<i>Mexico.</i>	viridescens Walk.	<i>Brasil.</i>
fulvopunctata Sign.	<i>Brasil.</i>	plana Fabr.	<i>id.</i>
orbona Fabr.	<i>Am. bor.</i>	pallipes Fabr.	<i>Am. bor.</i>
clathrata Sign.	<i>Columb.</i>	communis Fitch.	<i>Boliv.</i>
xanthocephala	<i>Brasil.</i>	similis Walk.	<i>Brasil.</i>
Germ.		ignota Walk.	<i>id.</i>
alternata Sign.	<i>id.</i>	diversa Sign.	<i>id.</i>
undata Fabr.		flammea Sign.	<i>id.</i>
nigricans Walk.	<i>id.</i>	sanguinolenta Fabr.	<i>id.</i>
tenebrosa Walk.		rubriguttata Walk.	<i>id.</i>
plagiata Walk.		Guérini Sign.	<i>Mexico.</i>
marginata Walk.		rubriventris Sign.	<i>Columb.</i>
lucerneae Walk.	<i>id.</i>	Laboulbeni Sign.	<i>Boliv.</i>
badia Walk.		Amblardi Sign.	<i>Brasil.</i>
scutellata Walk.		separata Sign.	<i>Columb.</i>
herpes Sign.	<i>id.</i>	Dufouri Sign.	<i>id.</i>
obtusa Fabr.	<i>id.</i>	latifasciata Walk.	<i>Brasil.</i>
clarior Walk.		sulcicollis Germ.	<i>id.</i>
parallela Walk.	<i>Mexico.</i>	atomaria Walk.	<i>Mexico.</i>
rufipennis Sign.	<i>Brasil.</i>	linearis Walk.	<i>Boliv.</i>
facialis Sign.	<i>Mexico.</i>	confusa Sign.	<i>Brasil.</i>
funnebris Sign.	?	sulcata Sign.	<i>Mexico.</i>
nigripennis Fabr.	<i>Mexico.</i>	irrorata Fabr.	<i>Boliv.</i>
rubiginosa Sign.	<i>Brasil.</i>	rufiventris Walk.	<i>Brasil.</i>
major Sign.		flava Sign.	<i>Mexico.</i>
atra Walk.	<i>id.</i>	basalis Walk.	<i>Boliv.</i>
contraria Walk.	<i>id.</i>	repanda Sign.	<i>Brasil.</i>
vitripennis Germ.	<i>id.</i>	aurantiaca Sign.	<i>Mexico.</i>
ichthyocephala	<i>Am. centr.</i>	corticata Sign.	<i>Peru.</i>
Sign.		conspersa Walk.	<i>Brasil.</i>
fusca Walk.	<i>Bolivia.</i>	affinis Sign.	
quadrimaculata		terminalis Walk.	<i>id.</i>
Walk.	<i>id.</i>	maculata Walk.	
pruinosa Walk.		mutans Sign.	<i>Mexico.</i>
elongata Sign.	<i>id.</i>	intersecta Germ.	<i>Brasil.</i>
truncatipennis Sign.	<i>id.</i>	canaliculata Fabr.	<i>id.</i>
obliqua Walk.		viridivittata Walk.	<i>id.</i>
Reichei Sign.	<i>Columb.</i>	Fitchi Sign.	<i>id.</i>
rubrolimbata Sign.	<i>Bolivia.</i>	tredecimpunctata	<i>id.</i>
imbricata Sign.	<i>Brasil.</i>	Sign.	

irregularis Sign.	<i>Bolivia.</i>	albipennis Fabr.	<i>Brasil.</i>
quattuor punctata Germ.	<i>Brasil.</i>	nigropunctata Sign.	<i>Mexico.</i>
terminalis Walk.	<i>id.</i>	bituberculata Sign.	<i>Brasil.</i>
erythrocephala Germ.	<i>id.</i>	marmorata Fabr.	<i>id.</i>
clypeata Sign.	<i>id.</i>	cristata Fabr.	<i>id.</i>
maculifrons Sign.	<i>id.</i>	cucullata Lap.	<i>id.</i>
columbica Sign.	<i>Columb.</i>	ladspersa Fabr.	<i>id.</i>
similata Sign.	<i>Brasil.</i>	obliqua Walk.	<i>Guinea.</i>
fossulata Sign.	<i>Columb.</i>	Caternaulti Spin.	<i>Am. mer.</i>
lucernaria Linn.	<i>Surinam.</i>	micans Fabr.	?
brevirostris Deg.	<i>Columb.</i>	suturalis Fabr.	?
ignifera Walk.	<i>Mexico.</i>	Danais Fabr.	<i>Am. mer.</i>
luciola Sign.	<i>id.</i>	longipes Fabr.	<i>Surinam.</i>
centrolineata Sign.	<i>Am. mer.</i>	laeta Fabr.	<i>Am. mer.</i>
pustulata Fabr.	<i>id.</i>	lineata Fabr.	<i>id.</i>
punctata Fabr.	<i>id.</i>	fuscata Fabr.	?
triquetra Fabr.	<i>Am. centr.</i>	acuminata Oliv.	<i>St. Doming.</i>
triangularis Fabr.	<i>Columb.</i>	marginata P. B.	<i>Am. bor.</i>
nigriceps Sign.	<i>Brasil.</i>	octolineata Say.	<i>id.</i>
sparsuta Sign.	<i>id.</i>	? comes Say.	<i>id.</i>
rostrata Sign.	<i>Surinam.</i>	? trifasciata Say.	<i>id.</i>
flavoscutellata Sign.	<i>id.</i>	hieroglyphica Say.	<i>Jsl.d.Franc.</i>
bigibbosa Sign.	<i>id.</i>	viridicans A. & S.	<i>China.</i>
rutilans Fabr.	<i>id.</i>	sinensis Walk.	<i>Caffr.</i>
maculata Walk.	<i>id.</i>	Signoreti Stål.	<i>id.</i>
diminuta Walk.	<i>Brasil.</i>	actuosa Stål.	<i>Honduras.</i>
limpida Sign.	<i>id.</i>	rubrotaeniata Stål.	<i>Min Geraës</i>
nigra Sign.	<i>id.</i>	cinctovittata Stål.	<i>id.</i>
aurea Fabr.	<i>id.</i>	sempustulata Stål.	<i>id.</i>
nitida Sign.	<i>Guatemal.</i>	Drewseni Stål.	<i>id.</i>
compressa Walk.	<i>Brasil.</i>	tripars Walk.	<i>Malac.</i>
dorsivittata Walk.	<i>id.</i>	suavissima Walk.	<i>Singap.</i>
excavata Lep. & Serv.	<i>id.</i>	jocosa Walk.	<i>Ophir.</i>
pervirgata Am. & Serv.	<i>id.</i>	elongata Walk.	<i>Borneo.</i>
fulvofasciata Gray.	<i>id.</i>	lineolata Walk.	<i>id.</i>
intermedia Walk.	<i>id.</i>	angularis Walk.	<i>id.</i>
cinctipes Walk.	<i>id.</i>	invadens Walk.	<i>id.</i>
rufifascies Walk.	<i>id.</i>	scitipennis Walk.	<i>id.</i>
ornata Blanch.	<i>id.</i>	lepidipennis Walk.	<i>id.</i>
testacea Walk.	<i>id.</i>	eburnea Walk.	<i>id.</i>
Fabricii Sign.	<i>id.</i>	signifera Walk.	<i>id.</i>
fasciata Fabr.	<i>id.</i>	polita Walk.	<i>id.</i>
flammea Oliv.	<i>id.</i>	glabra Walk.	<i>id.</i>
obliquata Lap.	<i>id.</i>	inclinans Walk.	<i>id.</i>
phosphorea Linn.	<i>id.</i>	difficilis Walk.	<i>id.</i>
filirostris Deg.	<i>id.</i>		
ascendens Fabr.	<i>id.</i>		
cupriventris Lap.	<i>id.</i>		
angusta Walk.	<i>Columb.</i>		
rugosa Sign.	<i>Amer. occid.</i>		
brevis Walk.	<i>Columb.</i>		
reflexa Sign.	<i>Columb.</i>		
attenuata Walk.	<i>Brasil.</i>		
nervosa Sign.	<i>Mexico.</i>		
cuspidata Sign.			
rugicollis Sign.			

**Scaridae.****Ledra  
Fabricius.**

aurita Linn.	<i>Europa.</i>
perdita A. & S.	<i>Am. bor.</i>
dorsalis Walk.	<i>Ind. or.</i>
gibba Walk.	<i>Philipp.</i>
dilatata Walk.	<i>Ind. or.</i>
scutellata Walk.	<i>id.</i>
plana Walk.	<i>id.</i>
caudata Walk.	<i>Nov. Holl.</i>
valida Walk.	?
corticalis Walk.	<i>Nov. Holl.</i>

fornicata Walk.	<i>Ind. or.</i>	latipennis Walk.	<i>Columb.</i>
carinata Walk.	<i>id.</i>	obliqua Walk.	<i>id.</i>
rugosa Walk.	<i>Ceylon.</i>		
planirostris Donov.	<i>Nov. Holl.</i>	<b>Zinneca</b>	
ferruginea Walk.	<i>Tasman.</i>	<i>Amyot &amp; Serville.</i>	
depressa Walk.	<i>id.</i>	flavidorsum A. & S.	<i>Amer. bor.</i>
conferta Walk.	<i>Hong-kong.</i>		
unicolor Walk.	<i>Philipp.</i>	<b>Isaca</b>	
varia Walk.	<i>Tasman.</i>	<i>Walker.</i>	
brevis Walk.	<i>Nov. Holl.</i>	bipars Walk.	<i>Borneo.</i>
costalis Walk.	<i>id.</i>		
australis Walk.	<i>id.</i>	<b>Gypona</b>	
fusififormis Walk.	<i>Hong-kong.</i>	<i>Germar.</i>	
conica Walk.	<i>Ceylon.</i>	glauca Fabr.	<i>Brasil.</i>
latifrons Walk.	<i>?</i>	thoracica Fabr.	<i>id.</i>
punctata Walk.	<i>Ind. or.</i>	equestris Fabr.	<i>id.</i>
brevifrons Walk.	<i>Nov. Holl.</i>	pallens Germ.	<i>id.</i>
chlorocephala	<i>Ind. or.</i>	histrio Burm.	<i>id.</i>
Walk.		aurulenta Fabr.	<i>id.</i>
concolor Walk.	<i>Tasman.</i>	chalcoptera Burm.	<i>id.</i>
teliformis Walk.	<i>id.</i>	smaragdula Walk.	<i>id.</i>
navicula Walk.	<i>Austral.</i>	viridirufa Walk.	<i>id.</i>
laevis Walk.	<i>Philipp.</i>	signifera Walk.	<i>Columb.</i>
culobata Walk.	<i>Ind. or.</i>	quadrinacula Walk.	<i>Brasil.</i>
invaria Walk.	<i>?</i>	reticulata Walk.	<i>id.</i>
parva Walk.	<i>Hong-kong.</i>	marginata Walk.	<i>?</i>
episcopalis Walk.	<i>Columb.</i>	fervens Walk.	<i>Columb.</i>
guttata Walk.	<i>China.</i>	prasina Burm.	<i>Brasil.</i>
cuspidata Walk.	<i>Nov. Holl.</i>	striata Burm.	<i>Pennsylv.</i>
lineata Walk.	<i>Ind. or.</i>	cana Burm.	<i>Am. bor.</i>
cultellifera Walk.	<i>Singap.</i>	lineata Burm.	<i>Brasil.</i>
conifera Walk.	<i>id.</i>	sordida Stål.	<i>id.</i>
nigrilinea Walk.	<i>id.</i>	adpersa Stål.	<i>id.</i>
tuberculifera Walk.	<i>Borneo.</i>	interspersa Stål.	<i>id.</i>
dilatifrons Walk.	<i>id.</i>	venosa Stål.	<i>id.</i>
tenuifrons Walk.	<i>id.</i>	praeusta Stål.	<i>id.</i>
longifrons Walk.	<i>id.</i>	sanguineosparsa	<i>id.</i>
conicifrons Walk.	<i>id.</i>	Stål.	
planifrons Walk.	<i>id.</i>	albidosparsa Stål.	<i>id.</i>
arcuatifrons Walk.	<i>id.</i>	nigronevosa Stål.	<i>id.</i>
ranifrons Walk.	<i>id.</i>	vittulata Stål.	<i>id.</i>
obtusifrons Walk.	<i>id.</i>	nigrina Stål.	<i>Buen. Ayr.</i>
truncatifrons Walk.	<i>id.</i>	diluta Stål.	<i>Peru.</i>
		<b>Penthimia</b>	
<b>Ledropsis</b>		<i>Germar.</i>	
<i>White.</i>		atra Fabr.	
canceroma White.	<i>Hong-kong.</i>	sanguinicollis Fabr.	
Naso Walk.	<i>id.</i>	haemorrhoea Fabr.	
		nigra Rossi.	<i>Europa</i>
<b>Epiclines</b>		thoracica Panz.	
<i>Amyot &amp; Serville.</i>		aethiops Panz.	
planata Fabr.	<i>Ind. or.</i>	vicaria Walk.	<i>Florida.</i>
obtusa Walk.	<i>Sier. Leon.</i>	orientalis Walk.	<i>Ind. or.</i>
obliqua Walk.	<i>Borneo.</i>	fulviventris Walk.	<i>?</i>
		compacta Walk.	<i>Ind. or.</i>
<b>Scaris</b>		vinula Stål.	<i>Caffr.</i>
<i>Lepelletier &amp; Ser-</i>		bella Stål.	<i>id.</i>
<i>ville.</i>		castanea Walk.	<i>Malac.</i>
ferruginea Fabr.	<i>Brasil.</i>		
picea Walk.	<i>id.</i>		





sanguinosa Först.	<i>German.</i>
haematodes Först.	<i>id.</i>
cinnabarina Först.	<i>id.</i>
nigricornis Först.	<i>id.</i>
pinicola Först.	<i>id.</i>
? pini Linn.	
? laricis Macquart	<i>Gallia</i>
femoralis Först.	<i>German.</i>
acutipennis Zetterst.	<i>id.</i>
galii Först.	<i>id.</i>
velutina Först.	<i>Anglia</i>
abieticola Först.	<i>id.</i>
munda Först.	<i>Europa</i>
Walkeri Först.	<i>Gallia</i>
flavipennis Först.	<i>German.</i>
vitripennis Först.	<i>id.</i>
marginata Hart.	<i>id.</i>
fusca Zetterst.	<i>Lappon.</i>
picta Zetterst.	<i>id.</i>
affinis Zetterst.	<i>id.</i>
viridula Zetterst.	<i>id.</i>

### **Aphalara**

*Förster.*

flavipennis Först.	<i>German.</i>
exilis Web. & Mohr	<i>Anglia</i>
polygoni Först.	<i>id.</i>
nervosa Först.	<i>German.</i>
subfasciata Först.	<i>id.</i>
innoxia Först.	<i>id.</i>
subpunctata Först.	<i>id.</i>
ulicis Först.	<i>id.</i>
artemisiae Först.	<i>id.</i>
sonchi Föest.	<i>id.</i>
nebulosa Zetterst.	<i>Lappon.</i>
arctica Walk.	<i>Amer. bor.</i>

### **Rhinocola**

*Förster.*

aceris Linn.	<i>German.</i>
ericæ Curt.	<i>id.</i>

### **Anisostropha**

*Förster.*

ficus Linn.	<i>Gallia</i>
-------------	---------------

### **Euphyllura**

*Förster.*

oleæ Först.	<i>Gallia</i>
phillyreæ Först.	<i>id.</i>

### **Spanioneura**

*Förster.*

Fonscolombi Först.	<i>Gallia.</i>
--------------------	----------------

### **Aphidae.**

#### **Aphis**

*Linné.*

platanoidis Schrank.	
pseudoplatani	<i>Anglia</i>
Mosley	
acerina Walk.	<i>id.</i>
betulae Linn.	
nigritarsis Heyden	<i>id.</i>
? punctipennis Zttst.	
comes Walk.	<i>id.</i>
oblonga Heyden	<i>id.</i>
fagi Linn.	<i>id.</i>
antennata Kalt.	<i>German.</i>
tiliae Linn.	<i>id.</i>
betulicola Kalt.	<i>id.</i>
juglandina Walk.	<i>Anglia</i>
coryli Götze	<i>German.</i>
annulata Hartig	<i>id.</i>
quercus Kalt.	
quereca Kalt.	<i>Anglia</i>
alni Fabr.	<i>German.</i>
maculata Heyden	
juglandicola Kalt.	<i>id.</i>
platani Kalt.	<i>Russia</i>
juglandis Frisch.	<i>German.</i>
bifrons Walk.	<i>Anglia</i>
populi Linn.	<i>id.</i>
populeti Panz.	
hirticornis Walk.	<i>id.</i>
aceris Linn.	
? villosus Hart.	<i>Europa</i>
acericola Walk.	<i>Anglia</i>
quadrutuberculata	<i>id.</i>
Kalt.	
populea Kalt.	<i>German.</i>
punctata Burm.	
salicis Linn.	<i>id.</i>
salicivora Walk.	<i>Anglia</i>
capreae Mosley	
glyceriae Kalt.	<i>id.</i>
littoralis Walk.	<i>id.</i>
hirtellus Halid.	<i>id.</i>
Cyperii Walk.	<i>id.</i>
eriphori Walk.	<i>id.</i>
bufo Walk.	<i>id.</i>
serrulata Halid.	<i>id.</i>
picæe Fabr.	
grossa Kalt.	<i>Helvet.</i>
pini Linn.	<i>Europa</i>
pinicola Kalt.	<i>id.</i>
piniphila Ratzeb.	
pineti Fabr.	<i>id.</i>
abietis Walk.	<i>Anglia</i>
costata Zetterst.	
? abietis Kirb. &	
pence	<i>German.</i>
fasciata Burm.	
symphiti Curt.	

laricis Walk.	<i>Anglia</i>	ribis Linn.	<i>Europa</i>
juniperi Fabr.	<i>id.</i>	galeopsidis Kalt.	<i>German.</i>
submacula Walk.	<i>id.</i>	abietina Walk.	<i>Anglia</i>
saligna Sulzer	<i>Europa</i>	rosarum Kalt.	<i>German.</i>
? salicina Zetterst.		avellanæ Schrank.	<i>id.</i>
viminalis Fonscol.		coryli Mosley	
roboris Linn.	<i>id.</i>	urticaria Kalt.	<i>id.</i>
longipes Duf.		urticæ Fonscol.	
agilis Kalt.	<i>id.</i>	tetrarhoda Walk.	<i>Anglia</i>
* tiliæ Lep. & Serv.	<i>Gallia</i>	cerasi Fabr.	<i>Europa</i>
* roboris Hart.	<i>German.</i>	trirhoda Walk.	<i>Anglia</i>
pruinosa Hart.	<i>id.</i>	brassicæ Linn.	
* padi Hart.	<i>id.</i>	rapharis Schrank.	
caryæ Harris	<i>Amer. bor.</i>	isatidis Fonscol.	<i>Europa</i>
salicti Harris	<i>id.</i>	floris rapæ Curt.	
quercus Linn.	<i>Europa</i>	raphani Mosley	
longirostris Fabr.		caprææ Fabr.	
rosæ Linn.	<i>id.</i>	pastinacæ Linn.	
dipsaci Schrank.		? Angelicæ Reaum.	
sonchi Linn.		Archangelicæ	<i>id.</i>
serratulæ Linn.		Scop.	
jaceæ Linn.		aegopodii Scop.	
picridis Fabr.		podagrariæ Scop.	
cirsii Linn.	<i>id.</i>	persicæ Sulzer	<i>id.</i>
enici Schrank.		persicariæ Hart.	
solidaginis Fabr.		symphiti Schrank.	<i>id.</i>
? Cardui Kyber		nymphææ Linn.	<i>id.</i>
campanulæ Kalt.		butomi Schrank.	
taraxaci Kalt.		rumicis Linn.	
millefolii Fabr.	<i>id.</i>	papaveris Fabr.	
? achillæræ Fabr.		fabæ Scop.	
absinthii Linn.		atriplicis Linn.	
tanacetii Linn.	<i>id.</i>	aparines Fabr.	
balsamitæ Müll.		armata Hausm.	
artemisiæ Fonscol.		cracææ Linn.	
ulmariæ Schrank.		hortensis Fabr.	
onobrychis Fonscol.		chenopodii Schr.	
lathyrî Mosley	<i>id.</i>	viciæ Fabr.	<i>id.</i>
pisî Kalt.		thlapseos Schrank.	
pisum Harris		? galiî Kalt.	
rubi Kalt.	<i>id.</i>	genistæ Scop.	
urticæ Fabr.	<i>id.</i>	laburni Kalt.	
? urticatæ Fabr.		? euphorbiæ Kalt.	
vinçæ Walk.	<i>Anglia</i>	acetosæ Linn.	
malvæ Mosley		? galiî scabri	
pelargonii Kalt.		Schrank.	
? bellidis Mosley	<i>id.</i>	Dahliaæ Mosley	
? hibernæulorum		sambuci Linn.	<i>id.</i>
Fonscol.		mali Fabr.	
pallida Walk.	<i>id.</i>	pomi Reaum.	<i>id.</i>
fragariæ Walk.	<i>id.</i>	pyri Reaum.	
dirhoda Walk.	<i>id.</i>	oxyacanthæ Schr.	
avenæ Fabr.		padi Linn.	<i>id.</i>
granaria Kirby	<i>Europa</i>	sorbi Kalt.	<i>Anglia</i>
Kordei Kyber		euonymi Fabr.	<i>German.</i>
cerealis Kalt.		lychnidis Linn.	<i>id.</i>
hieracii Schrank.	<i>id.</i>	euembali Linn.	
asteris Walk.	<i>Anglia</i>	pruni Fabr.	<i>id.</i>
lactucæ Linn.	<i>Europa</i>	arundinis Fabr.	
ribis nigri Mosley		lythri Schrank.	<i>id.</i>

dianthi Schrank.		(betularia Kalt.	
vulgaris Kyber		(tuberculata Heyden	<i>German.</i>
rapae Curt.		salicti Schrank.	<i>id.</i>
dubia Curt.	<i>German.</i>	camelliae Kalt.	<i>id.</i>
vastator Smee		(prunicola Kalt.	<i>id.</i>
? solani Kalt.		(cerasi Schrank.	<i>id.</i>
viburni Fabr.	<i>id.</i>	tragopogonis Kalt.	<i>id.</i>
xylostei Schrank.	<i>id.</i>	ligustici Fabr.	<i>Norweg.</i>
(loniceræ Fonscol.		vitis Scop.	<i>Eur. mer.</i>
cerasina Walk.	<i>Anglia</i>	enici Schrank.	<i>German.</i>
carduina Walk.	<i>id.</i>	sanguisorbæ Schrck.	<i>id.</i>
jacobæ Schrank.	<i>German.</i>	verbasci Schrank.	<i>id.</i>
(helichrysi Kalt.		napelli Schrank.	<i>id.</i>
? balsamitæ Müll.	<i>id.</i>	truncata Hausm.	<i>id.</i>
tanacetina Walk.	<i>Anglia</i>	leucanthemi Scop.	<i>Angl.</i>
crataegaria Walk.	<i>id.</i>	eichorii Dutrochet	<i>Gallia</i>
(crataegi Kalt.		discolor Burm.	<i>Germ.</i>
? pyri Fonscol.	<i>id.</i>	Zeæ Bonafous	<i>Gallia.</i>
(hederæ Kalt.		Mayeri Gmel.	<i>Bohem.</i>
(ilicis Kalt.	<i>id.</i>	saliæ Harris	<i>Amer. bor.</i>
berberidis Kalt.	<i>German.</i>	populea Bouch.	<i>German.</i>
nasturtii Kalt.	<i>id.</i>	nervosa Zetterst	<i>Lappon.</i>
(humuli Schrank.		tenuinervis Zetterst.	<i>id.</i>
pruni malaheb	<i>id.</i>	fuscipennis Zetterst.	<i>id.</i>
Fonscol.		cynoglossi Walk.	<i>Anglia</i>
prunina Walk.	<i>Anglia</i>	socia Walk.	<i>id.</i>
(prunaria Walk.	<i>id.</i>	particeps Walk.	<i>id.</i>
? spinarum Hartig		sodalis Walk.	<i>id.</i>
potentillæ Walk.	<i>id.</i>	consors Walk.	<i>id.</i>
ligustri Mosley	<i>id.</i>	pulvera Walk.	<i>id.</i>
ononidis Kalt.	<i>German.</i>	amica Walk.	<i>id.</i>
tanacetaria Kalt.	<i>id.</i>	collega Walk.	<i>id.</i>
viciæ Kalt.	<i>id.</i>	commoda Walk.	<i>id.</i>
ribicola Kalt.	<i>id.</i>	frequens Walk.	<i>id.</i>
convolvuli Kalt.	<i>id.</i>	lycopsidis Walk.	<i>id.</i>
chelidonii Kalt.	<i>id.</i>	consueta Walk.	<i>id.</i>
capsellæ Kalt.	<i>id.</i>	adjuta Walk.	<i>id.</i>
(plantaginis Schrank.	<i>id.</i>	conjuncta Walk.	<i>id.</i>
(Dauci Fabr.		basalis Walk.	<i>id.</i>
scabiosæ Scop.	<i>id.</i>	familiaris Walk.	<i>id.</i>
sedi Kalt.	<i>id.</i>	adjuvans Walk.	<i>id.</i>
rhamni Fonscol.	<i>Europa</i>	adscita Walk.	<i>id.</i>
(frangulæ Kalt.	<i>id.</i>	suffragans Walk.	<i>id.</i>
(rhamni Kalt.	<i>id.</i>	persola Walk.	<i>id.</i>
epilobii Kalt.	<i>id.</i>	nigrorufa Walk.	<i>id.</i>
grossulariæ Kalt.	<i>id.</i>	sejuncta Walk.	<i>id.</i>
ranunculi Kalt.	<i>id.</i>	asperulæ Walk.	<i>id.</i>
nepetæ Kalt.	<i>German.</i>	glechomæ Walk.	<i>id.</i>
euphorbiæ Kalt.	<i>id.</i>	limonii Walk.	<i>id.</i>
myricæ Kalt.	<i>id.</i>	veronicæ Walk.	<i>id.</i>
vitellinæ Schrank.	<i>id.</i>	polygони Walk.	<i>id.</i>
erysimi Kalt.	<i>id.</i>	similis Walk.	<i>id.</i>
(salicti Kalt.	<i>id.</i>	deposita Walk.	<i>id.</i>
(salicis Fonscol.	<i>id.</i>	diversa Walk.	<i>id.</i>
pimpinellæ Kalt.	<i>id.</i>	dispar Walk.	<i>id.</i>
amerinæ Hartig	<i>id.</i>	lateralis Walk.	<i>id.</i>
anthrisci Kalt.	<i>id.</i>	extranea Walk.	<i>id.</i>
(cardui Linn.		contennina Walk.	<i>id.</i>
(onopordi Schrank.	<i>id.</i>	redundans Walk.	<i>id.</i>
nerii Fonscol.		certa Walk.	<i>id.</i>

insessa Walk.	<i>Anglia</i>	epilobiina Walk.	<i>Anglia</i>
cadiva Walk.	<i>id.</i>	consumpta Walk.	<i>id.</i>
aucta Walk.	<i>id.</i>	pilosa Walk.	<i>id.</i>
addita Walk.	<i>id.</i>	flaveola Walk.	<i>id.</i>
adducta Walk.	<i>id.</i>	chrysanthemi Walk.	<i>id.</i>
dissita Walk.	<i>id.</i>	introducta Walk.	<i>id.</i>
tribulis Walk.	<i>id.</i>	apposita Walk.	<i>id.</i>
translata Walk.	<i>id.</i>	lata Walk.	<i>id.</i>
inducta Walk.	<i>id.</i>	diminuta Walk.	<i>id.</i>
incumbens Walk.	<i>id.</i>	cerasicolens Fitch	<i>Amer. bor.</i>
impacta Walk.	<i>id.</i>	aselepiadis Fitch	<i>id.</i>
conviva Walk.	<i>id.</i>	cornifoliae Fitch	<i>id.</i>
nociva Walk.	<i>id.</i>	crataegifoliae Fitch	<i>id.</i>
consona Walk.	<i>id.</i>	betulaecolens Fitch	<i>id.</i>
bellula Walk.	<i>id.</i>	sambucifoliae Fitch	<i>id.</i>
transmutata Walk.	<i>id.</i>	pinicolens Fitch	<i>id.</i>
convecta Walk.	<i>id.</i>	populifoliae Fitch	<i>id.</i>
persorbens Walk.	<i>id.</i>	Rudbeckiae Fitch	<i>id.</i>
internata Walk.	<i>id.</i>	* abietis Fitch	<i>id.</i>
transposita Walk.	<i>id.</i>	quercifoliae Fitch	<i>id.</i>
detracta Walk.	<i>id.</i>	salicellis Fitch	<i>id.</i>
egressa Walk.	<i>id.</i>	alnifoliae Fitch	<i>id.</i>
devecta Walk.	<i>id.</i>	farinosa Deg.	<i>Succia</i>
inserta Walk.	<i>id.</i>	fuscula Zetterst.	<i>Lappon.</i>
nutricata Walk.	<i>id.</i>	pilosa Zetterst.	<i>id.</i>
mactata Walk.	<i>id.</i>	rufipes Hartig	<i>German.</i>
insita Walk.	<i>id.</i>	cytisorum Hartig	<i>id.</i>
assidua Walk.	<i>id.</i>	calliptera Hartig	<i>id.</i>
incolta Walk.	<i>id.</i>	pallipes Hartig	<i>id.</i>
robusta Walk.	<i>id.</i>	vitellinae Hartig	<i>id.</i>
alterna Walk.	<i>id.</i>	viminalis Hartig	<i>id.</i>
secunda Walk.	<i>id.</i>	pilicornis Hartig	<i>id.</i>
illata Walk.	<i>id.</i>	tulipae Fonscol.	<i>Gallia</i>
relata Walk.	<i>id.</i>	tuberosae Fonscol.	<i>id.</i>
tertia Walk.	<i>id.</i>	aurantii Fonscol.	<i>id.</i>
indecisa Walk.	<i>id.</i>	lapidaria Fabr.	<i>id.</i>
inserta Walk.	<i>id.</i>	glandulosa Kalt.	<i>German.</i>
inulae Walk.	<i>id.</i>	cerastii Kalt.	<i>id.</i>
conspersa Walk.	<i>id.</i>	setosa Kalt.	<i>id.</i>
confusa Walk.	<i>id.</i>	valida Walk.	<i>Anglia</i>
indistincta Walk.	<i>id.</i>	subterranea Walk.	<i>id.</i>
adjecta Walk.	<i>id.</i>	terricola Rondani	<i>Ital.</i>
vacillans Walk.	<i>id.</i>	insita Walk.	<i>Anglia</i>
rufula Walk.	<i>id.</i>	abrotani Walk.	<i>id.</i>
pieta Walk.	<i>id.</i>	abietaria Walk.	<i>id.</i>
impacta Walk.	<i>id.</i>	egens Walk.	<i>id.</i>
exul Walk.	<i>id.</i>	hippohaes Walk.	<i>id.</i>
advena Walk.	<i>id.</i>	melissae Walk.	<i>id.</i>
quaerens Walk.	<i>id.</i>	cisti Walk.	<i>id.</i>
assueta Walk.	<i>id.</i>	poae Hardy	<i>id.</i>
bartsiae Walk.	<i>id.</i>	stellariae Hardy	<i>id.</i>
tenuior Walk.	<i>id.</i>	holci Hardy	<i>id.</i>
gnaphalii Walk.	<i>id.</i>	ericae Walk.	<i>id.</i>
atomaria Walk.	<i>id.</i>	humilis Walk.	<i>id.</i>
derelicta Walk.	<i>id.</i>	betulina Walk.	<i>id.</i>
euphrasiae Walk.	<i>id.</i>	superabilis Walk.	<i>id.</i>
tineta Walk.	<i>id.</i>	gracilis Walk.	<i>id.</i>
praeterita Walk.	<i>id.</i>	veratri Walk.	<i>Helvet.</i>
pollinosa Walk.	<i>id.</i>	triphaga Walk.	<i>Angl.</i>
perspecta Walk.	<i>id.</i>	inhaerens Walk.	<i>id.</i>

impingens Walk.	<i>Anglia</i>	barsarius Linné	
diphaga Walk.	<i>id.</i>	populi Mosley	<i>German.</i>
salviae Walk.	<i>Helvet.</i>	bumeliae Schrank.	<i>id.</i>
palans Walk.	<i>Anglia</i>	ranunculi Kalt.	
reducta Walk.	<i>id.</i>	? polyanthis Sulz.	
persequens Walk.	<i>id.</i>	? graminis Réaum.	<i>id.</i>
menthae Walk.	<i>id.</i>	? radicum Fonscol.	
tentans Walk.	<i>id.</i>	? lactucae Mosley	
ascita Walk.	<i>id.</i>	Degeeri Kalt.	<i>id.</i>
ranunculina Walk.	<i>id.</i>	xylostei Deg.	<i>id.</i>
* Zeae Curt.	<i>id.</i>	loniceræ Hart.	<i>id.</i>
* saliceti Harris	<i>id.</i>	pedunculî Hart.	<i>id.</i>
elegantula Dahlb.	<i>Succia</i>	? fraxini Geoffr.	<i>id.</i>
aucupariae Dahlb.	<i>id.</i>	americanus Walk	<i>Nov. Scot.</i>
distinguenda Dahlb.	<i>id.</i>	globosus Walk.	<i>Anglia</i>
excelsioris Dahlb.	<i>id.</i>	pistaciae Linné	<i>Eur. mer.</i>
malifoliae Fitch	<i>Amer. bor.</i>	? sinensis Walk.	<i>China</i>
prunifoliae Fitch	<i>id.</i>	? Oleae Walk.	<i>Eur. mer.</i>
cerasifoliae Fitch	<i>id.</i>	utricularius	<i>Ital.</i>
caryella Fitch	<i>id.</i>	Passerini	
punctatella Fitch	<i>id.</i>	semilunarius	<i>id.</i>
maculella Fitch	<i>id.</i>	Passer.	
fumipenella Fitch	<i>id.</i>	cornicularius	<i>id.</i>
marginella Fitch	<i>id.</i>	Passer.	
maidis Fitch	<i>id.</i>	Boyeri Passer.	<i>id.</i>
		coeruleus	<i>id.</i>
		Passer.	
		lactucarius Passer.	<i>id.</i>
<b>Schizoncra</b> <i>Hartig.</i>			
corni Fabr.	<i>German.</i>		
lanigera Hausm.	<i>id.</i>		
mali Ringley	<i>id.</i>		
lanuginosa Hart.	<i>id.</i>	<b>Tetraneura</b> <i>Hartig.</i>	
Ulni Fonscol.	<i>id.</i>	ulmi Geoffr.	<i>Europa</i>
tremulae Kalt.	<i>id.</i>	pallida Halid.	<i>Anglia</i>
ulmi Linné	<i>id.</i>	alba Ratzeb.	<i>German.</i>
Reannuri Kalt.	<i>id.</i>	nigricornis Hartig	<i>id.</i>
costata Hartig	<i>id.</i>	hamamelidis Fitch	<i>Amer. bor.</i>
alba Ratzeb.	<i>id.</i>	lentisei Passer.	<i>Ital.</i>
stigma Curt.	<i>Anglia</i>		
obscura Walk.	<i>id.</i>	<b>Rhizobius</b> <i>Burmeister.</i>	
turbida Walk.	<i>id.</i>	pilosellae Burm.	<i>German.</i>
albipennis Walk.	<i>id.</i>	pini Burm.	<i>id.</i>
? lanata Zetterst.	<i>Lappon.</i>	subterraneus Kalt.	<i>id.</i>
? pyri Fitch	<i>Amer. bor.</i>		
? tessellata Fitch	<i>id.</i>		
? imbricator Fitch	<i>id.</i>		
<b>Thelaxes</b> <i>Westwood.</i>		<b>Rhizoterus</b> <i>Hartig.</i>	
betulae Kalt.	<i>German.</i>	vacca Hart.	<i>German.</i>
dryophila Schrank.	<i>id.</i>	formicaria Kalt.	
quercus Mosley		? zeae maidis Duf.	<i>Gallia</i>
<b>Pemphigus</b> <i>Hartig.</i>			
gnaphalii Kalt.	<i>German.</i>	<b>Trama</b> <i>Heyden.</i>	
? filaginis Fonscol.		troglydytes Heyden	
affinis Kalt.		radicis Kalt.	<i>German.</i>
		heliathanthemi	
		Westw.	

<b>Paracletus</b> Kaltenbach.		<b>Lecanium</b> Illiger.	
cimiciformis Kalt.	German.	hesperidum Linné	Europa.
<b>Smynthuodes</b> Westwood.		(persicae Modeer	id.
betae Westw.	Anglia.	(persicorum Roem.	id.
<b>Adelges</b> Vallot.		(costatum Schrank.	id.
laricis Hart.	German.	ilicis Linné	id.
(corticalis Kalt.	id.	(quercus Linné	id.
(Strobi Hart.	id.	? roboris Schrank.	German.
(? piceae Ratzeb.	id.	cestri Bouché	German.
(abietis Linné.	id.	(vitis Linné	Europa
(viridis Ratzeb.	id.	(spumoso Costa	Eur. mer.
strobilobius Kalt.	id.	oleae Latr.	Europa
coccineus Ratzeb.	id.	tiliae Linné	id.
? strobi Fitch.	Amer. bor.	(coryli Linné	id.
<b>Phylloxera</b> Fonscolombe.		(laevis Costa	Gallia
(quercus Fonscol.	German.	rorismarini Fonscol.	id.
(coccinea Heyden	German.	aonidium Linné	Asia
<b>Coccidae.</b>		betulae Linné	Europa
<b>Aspidiotus</b> Bouché.		carpini Linné	id.
nerii Bouché	Europa	rusei Linné	Eur. mer.
rosae Bouché	id.	salicis Linné	Europa
echinocacti Bouché	id.	alni Modeer	id.
lauri Bouché	id.	racemosum Ratzeb.	id.
palmarum Bouché	id.	cambii Ratzeb.	German.
salicis Bouché	id.	(uvae-ursi Linné	id.
bromeliae Bouché	id.	? arbuti Fabr.	id.
Proteus Curt.	Anglia	(crataegi Linné	id.
conchiformis Gmel.	Europa	(oxyacanthae Gmel.	id.
ostreaeformis Curt.	Anglia	berberidis Schrank.	id.
linearis Costa	Europa	piceae Schrank.	id.
calyptroides Costa	Italia	asari Schrank.	id.
obliquus Costa	id.	rubi Schrank.	id.
cryptogamus Dalm.	Suecia	epidendri Bouché	id.
hordeolum Dalm.	id.	prenanthis Schrank.	id.
betulae Baerenspr.	German.	aceris Modeer	id.
populi Baerenspr.	id.	(amygdali Schrank.	id.
minimus Baerenspr.	id.	(persicae Schrank.	id.
falciformis Baerenspr.	id.	padi Schrank.	id.
pomorum Bouché	id.	xylostei Schrank.	id.
pini Bouché	id.	juglandis Bouché	id.
buxi Bouché	id.	ulmi Linné	id.
saliceti Bouché	id.	pyri Schrank.	id.
pinnaeformis Bouch.	id.	purpuratum Dalm.	Suecia
tiliae Bouché	id.	hemicyrphum Dalm.	id.
vacinii Bouché	id.	gibberum Dalm.	id.
* populi Bouché	id.	cypraecola Dalm.	id.
juniperi Bouché	id.	corni Bouché	German.
myrthi Bouché	id.	testudo Curt.	Anglia
		patellaeformis Curt.	id.
		myricae Linné	Cap. b. sp.
		capreae Linné	Europa
		hypericonis Pallas	Russia
		pilosellae Linné	Suecia
		? serratae Fabr.	Anglia
		? zosteriae Fabr.	German.
		? liriodendri Hamb.	id.
		? caricae Fabr.	id.
		? diosmatis Modeer	Cap. b. sp.

? uva Modeer	<i>Succia</i>	caudatus Walk.	<i>Columb.</i>
? abietis Modeer		* fagi Walk.	<i>Anglia</i>
arborum Schrank.	<i>Europa</i>	ulmi Baerenspr.	<i>German.</i>
pineti Schrank.		strobi Baerenspr.	<i>id.</i>
? spurium Modeer	<i>Succia</i>	fagi Baerenspr.	<i>id.</i>
? aterrimum Costa	<i>Neapel</i>	hystrix Baerenspr.	<i>id.</i>
? radiatum Costa	<i>id.</i>	pruni Burm.	<i>id.</i>
? testudineum Costa	<i>id.</i>	? salicis Macquart	<i>Gallia</i>
? fasciatum Costa	<i>id.</i>	fabae Guér.	<i>id.</i>
coffae Walk.	<i>Ceylon</i>		
capense Walk.	<i>Algoa Bay</i>		
australe Walk.	<i>Tasman</i>		
vini Bouché	<i>German.</i>		
salicis Bouché	<i>id.</i>		
quercicola Bouché	<i>id.</i>		
epidendri Bouché	<i>id.</i>		
quereus Bouché	<i>id.</i>		
tiliae Baerenspr.	<i>id.</i>		
complanatum	<i>id.</i>		
Baerenspr.			
		<b>Porphyro-</b>	
		<b>phora</b>	
		<i>Brandt.</i>	
		polonicus Linné	<i>Polon.</i>
		(Hameli Brandt	<i>Armen.</i>
		(armeniaca Burm.	<i>German.</i>
		radicum graminum	
		Baerenspr.	
		<b>Ceroplastes</b>	
		<i>Gray.</i>	
		chilensis Gray	<i>Chile</i>
		janeirensis Gray	<i>Brasil.</i>
		jamaicensis White	<i>Jamaica</i>
		ceriferus Fabr.	<i>Madras</i>
		(cereus Walk.	<i>China</i>
		(pe-lá Chavannes	<i>Austral.</i>
		australiae Walk.	
		<b>Margarodes</b>	
		<i>Lansdown.</i>	
		formicarum Lansd.	<i>Ind. occid.</i>
		<b>Aspisarcus</b>	
		<i>Newport.</i>	
		Eucalypti Newp.	<i>Nov. Holl.</i>
		<b>Monophlebus</b>	
		<i>Leach.</i>	
		(dubius Fabr.	<i>Sumatra</i>
		(Fabricii Westw.	<i>Ind. orient</i>
		atripennis Klug	<i>Malab.</i>
		Leachi Westw.	<i>?</i>
		Burneisteri Westw	<i>Ind. orient</i>
		Saundersi Westw.	<i>Afr. occid.</i>
		Raddoni Westw.	<i>Tasman.</i>
		Illigeri Westw.	<i>German.</i>
		fuscipennis Burm.	<i>Brasil.</i>
		brasiliensis Walk.	
		<b>Callipappus</b>	
		<i>Guérin.</i>	
		Westwoodi Guér.	<i>Austral.</i>
		<b>Orthezia</b>	
		<i>Bosc.</i>	
		(urticae Linné	<i>Europa</i>
		(characias Orthez.	
		(dubia Fabr.	
		(urticata Stew.	

floccosa Deg.  
cataphractus Shaw.  
Chiton Zetterst.  
americana Walk.

**Aleurodes**  
Latreille.  
(proletella Linné  
(chelidonii Latr.

?  
*Anglia*  
*Lappon.*  
*Amer. bor.*

*Europa*

brassicae Walk.  
fragariae Walk.  
loniceriae Walk.  
phillyreae Halck.  
corni Haldem.  
abutilonea Haldem.  
cocois Curt.  
aceris Bäreuspr.

*Anglia*  
*id.*  
*id.*  
*id.*  
*Amer. bor.*  
*id.*  
*Barbad.*  
*German.*

## ANHANG.

Die Familie der Sciocoridae nach Fieber.

**Dryptocephala**  
Laporte.

(livida Perty.  
(Brullei A. & S.  
(dentata Fieb.  
(truncata Fieb.  
(livida H.-Sch.  
Brullei Lap.  
? asperula Perty.  
? cydnoides Perty.  
punctata A. & S.

*Brasil.*

*id.*

*Columb.*

?

*Brasil.*

*id.*

*id.*

**Oncodochilus**  
Fieber.

aradiformis H.-Sch.

*America*

**Sciocoris**  
Fallen.

(marginatus Fabr.  
(umbraculatus Wolff.  
(aparines Duf.  
(orbicularis Burm.  
(capito Germ.  
(capensis Hope.  
(luctuosus Germ.  
(paleaceus Germ.  
(mundus Germ.  
(arenicolus Scholtz.  
(ciliatus Muls & Rey.  
(umbrinus Wolff.  
(brevicollis Fieb.  
(assimilis Fieb.  
(pallens Klug.  
(conspurecatus Klug.  
(macrocephalus  
Fieb.  
(granulatus Fieb.  
(maculatus Fieb.

*Eur. mer.*

*Cap. b. sp.*

*id.*

*id.*

*id.*

*Europa*

*id.*

*German.*

*id.*

*Aegypt.*

*id.*

*Syria*

*Cap. b. sp.*

*Eur. mer.*

lateralis Fieb.  
Gravenhorsti Fieb.  
reflexus Fieb.  
basalis Fieb.  
homalonotus Fieb.  
Helferi Fieb.  
(terreus Schrank.  
(umbrinus Fall.  
distinctus Fieb.  
senegalensis Fieb.  
sulcatus Fieb.

*Assam.*  
*Silesia.*  
*Hispan.*  
*Italia.*  
*id.*  
*id.*  
*Europa.*  
*Carinth.*  
*Senegal*  
*German.*

**Discocephala**  
Laporte.

gibba Fieb.  
Kollari Fieb.  
humilis H.-Sch.  
rugulosa Fieb.  
marmorea Lap.  
complanata Burm.  
oblonga Fieb.  
(umbraculata Fabr.  
(lusitanica H.-Sch.

*Brasil.*  
*id.*  
*Columb.*  
*Brasil.*  
*id.*  
*id.*  
*id.*  
*id.*

**Macrothyreus**  
Fieber.

annulicornis Burm.

*Brasil.*

**Paramecus**  
Fieber. 1551

ruficornis Fieb.

*Assam.*

**Sephela**

*Amyot & Servile.*  
linearis A. & S.

*Senegal.*



Auf Seite 48 ist statt **Conorhinus** zu lesen, wie folgt:

<b>Belminus</b> Stål.		lecticularius Stål.	<i>Carol. Ind.</i>
rugulosus Stål.	<i>Columb.</i>	lateralis Stål.	<i>orient</i>
<b>Eratyrus</b> Stål.		sordidus Stål.	<i>Georgia</i>
mucronatus Stål.	<i>Demerar.</i>	maculatus Stål.	<i>Brasil.</i>
cuspidatus Stål.	<i>Columb.</i>	vitticeps Stål.	<i>Guiana</i>
<b>Rhodnius</b> Stål.		dimidiatus Latr.	<i>Brasil.</i>
prolixus Stål.	<i>Columb.</i>	maculipennis Stål.	<i>Columb.</i>
nasutus Stål.	<i>Siara</i>	Gerstaeckeri Stål.	<i>Mexico</i>
<b>Meccus</b> Stål.		Renggeri H.-Sch.	<i>id.</i>
phyllosoma Burm.	<i>Mexico</i>	variegatus Stål.	<i>Chile</i>
mexicanus H.-Sch.	<i>id.</i>	rubro-varius Blanch.	<i>Columb.</i>
<b>Conorhinus</b> <i>Laporte.</i>		phyllosoma H.-Sch.	<i>Buen. Ayr.</i>
rubro-fasciatus	<i>Amer. Afr.</i>	rubro-niger Stål.	<i>Brasil.</i>
Deg.	<i>Aust.</i>	circummaculatus Stål.	<i>Buen. Ayr.</i>
		<b>Lamus</b> Stål.	
		megistus Burm.	<i>Brasil.</i>
		geniculatus Latr.	<i>id.</i>
		lutulentus Erichs.	

### Emendanda et Corrigena.

Seite	1	ist hinzuzufügen:	Solenosthedium pallescens Stål.	<i>Caffrar.</i>
"	"	"	Sphaerocoris simulans Stål.	<i>id.</i>
"	"	zu lesen statt	Sphaerocoris lateritius Hope	
			Caffrar: Ind. orient.	
"	3	hinzuzufügen:	Odontotarsus illotus Stål.	<i>Caffrar.</i>
"	"	"	Callidea patricia Fabr.	<i>Ind. orient.</i>
"	4	"	Bolbocoris obscuricornis Stål.	<i>Caffrar.</i>
"	"	"	Eurygaster sculpturatus Stål.	<i>id.</i>
"	6	als synonym zu	Ceratocoris bucephalus hinzu-	
			zufügen: dispar Spin.	
"	"	statt Strombosoma unipunctatum zu lesen:	unipunctatum.	
"	8	hinter <i>Arma</i> einzuschalten:		
		<b>Heteropus</b>		
		<i>Spinola.</i>		
		Lefebvrei Spin.	<i>Java.</i>	
"	9	hinzuzufügen:	Aethus lautipennis Stål.	<i>Caffrar.</i>
"	"	"	hinter Aethus:	
		<b>Cydnius</b>		
		<i>Fabricius.</i>		
		aterrimus Forst.		
		niger-spinipes Deg.	<i>Eur. mer.</i>	
		tristis Fabr.		
		spinipes Schrank.		
"	"	hinter <i>Scaptocoris</i> einzuschalten:		
		<b>Amblyottus</b>		
		<i>Amyot &amp; Serville.</i>		
		Dufouri A. & S.	<i>Gall. mer.</i>	
		<b>Cephalocteus</b>		
		<i>Dufour.</i>		

- (histeroides Duf. *Hispan.*  
 (scarabaeoides Ramb.
- „ 10 „ hinzuzufügen: *Sciocoris fuco-sparsus* Stål. *Caffrar.*  
 „ „ „ *Mecidea prolixa* Stål. *id.*
- Seite 12 ist hinzuzufügen: *Atelocera notatipennis* Stål. *Caffrar.*  
 „ 14 „ zu lesen statt *Tetratoma Signoret*: *Aeliomorpha*  
 Stål.  
 und hinzuzufügen: *Aeliomorpha simulans* Stål. *Caffrar.*  
 „ „ „ „ *Mormidea tristicula* Stål. *id.*  
 „ „ „ „ *pugionata* Stål. *id.*  
 „ 15 „ „ *Pentatoma vittaticeps* Stål. *id.*  
 „ 16 lies statt *Strachia thesgica*: *Str. lhesgica*.  
 „ 17 hinter *Pentatoma* einzuschalten:
- Hymenarceus**  
*Amyot & Serville.*  
*aeruginosa* A. & S. *Amer. bor.*  
 „ 22 ist hinzuzufügen: *Macrina bimaculata* Stål. *Caffrar.*  
 „ 23 lies statt **Mictididae**: **Mictidae**.  
 „ 24 ist hinzuzufügen hinter *Melucha*:
- Carlisis**  
*Stål.*  
*Wahlbergi* Stål. *Caffrar.*  
 „ 25 lies statt *Zoreva pentipes*: *Z. dentipes*.  
 „ „ hinter *Amorbus* einzuschalten:
- Piezogaster**  
*Amyot & Serville.*  
*albonotatus* A. & S. *Amer bor.*  
 „ „ hinter *Zoreva* einzuschalten:
- Golema**  
*Amyot & Serville.*  
*rubromaculata* A. & S. *Surinam.*  
 „ 26 lies statt *Homococereus*: *Homococerus*.  
 „ 28 ist hinzuzufügen: *Hypsolopus pallidiventris* Stål. *Caffrar.*  
 „ „ „ *validipes* Stål. *id.*  
 „ „ „ *sordidatus* Stål. *id.*  
 „ „ „ *inornatus* Stål. *id.*  
 „ „ hinter *Hypsolonotus* einzuschalten:
- Nyttum**  
*Spinola.*  
*limbatum* Spin. *Brasil.*  
 „ 29 „ „ *Gonocerus bis-bipunctatus* Stål. *id.*  
 „ „ „ *binotulatus* Stål. *id.*  
 „ 31 „ „ *Aanthocoris spinulosus* Stål. *id.*  
 „ „ zu *Rhopalus* hinzuzufügen *cinereus* A. & S.  
 (Therapha). *Brasil.*  
 „ 32 „ hinzuzufügen: *Lygaeus fasciiventris* Stål. *Caffrar.*  
 „ „ hinter *Lygaeus* einzuschalten:
- Lygaosoma**  
*Spinola.*  
*sardeum* Spin. *Eur. mer.*  
 „ 33 ist hinzuzufügen:
- Teracrius**  
*Stål.*  
*namaquensis* Stål. *Caffrar.*  
 „ 36 lies statt *Mycrophysa*: *Microphysa*.  
 „ hinter *Cymus* einzuschalten:
- Artheneis**  
*Spinola.*  
*cymoides* Spin. *Ital.*  
*foveolata* Spin. *id.*

Seite	36	füge zu <i>Pyrrhocoris</i> : ? <i>marginatus</i> Kolen. <i>Eur. mer.</i>	hinzu.
"	40	ist hinzuzufügen: <i>Eurymerocoris viridipunctatus</i> Stål.	<i>Caffrar. id.</i>
"		"	<i>tabescens</i> Stål.
"	43	lies statt <i>Mesira</i> : <i>Mezira</i> .	
"	45	ist hinzuzufügen: <i>Harpactor albo-notatus</i> Stål.	<i>Caffrar. id.</i>
"	47	"	<i>Euagoras agathidioides</i> Stål.
"	48	lies statt <i>Aeanthaspis</i> : <i>Acanthaspis</i>	
"	49	ist hinzuzufügen: <i>Holotrichius obscureicollis</i> Stål.	<i>Caffrar. id.</i>
"	"	"	<i>Reduvius fusciceps</i> Stål.
"	50	"	<i>Peirates lugubris</i> Stål.
"	51	lies statt <i>Rasahus</i> <i>Am. &amp; Serv.</i> : <i>Sirthenea</i> Spin.	
"	"	füge zu <i>Nabis</i> hinzu: <i>agilis</i> Spin. <i>Sardin.</i>	
"		"	<i>viridulus</i> Spin. <i>id</i>
"		"	<i>angustus</i> Spin. <i>Ind orient.</i>
"	52	lies statt <i>Jecius</i> Dohrn: <i>Orthunga</i> Dohrn und schiebe die ganze Familie <b>Emesina</b> auf Seite 47 vor <b>Reduvina</b> ein.	
"	53	ist hinzuzufügen: <i>Gerris swakopensis</i> Stål.	<i>Caffrar. id.</i>
"	56	"	<i>Sigara sentellaris</i> Stål.
"	59	lies statt <i>Dyctiophora</i> : <i>Dictyophora</i> .	
"	60	ist hinzuzufügen:	
		<b>Duilius</b>	
		<i>Stål.</i>	
		<i>tenuis</i> Stål.	<i>Caffrar. id.</i>
"	61	ist hinzuzufügen: <i>Delphax lautipes</i> Stål.	
"	67	lies statt <i>Daladax</i> : <i>Dalapax</i> .	
"	72	ist hinzuzufügen: <i>Platypleura latielavia</i> Stål.	<i>Caffrar. id.</i>
"	75	"	
		<b>Menicotettix</b>	
		<i>Stål.</i>	
		<i>Hageni</i> Stål.	<i>Caffrar. id.</i>
"	85	ist hinzuzufügen: <i>Bythoscopus nigro-signatus</i> Stål.	<i>id.</i>
"	"	"	<i>glauco-virens</i> Stål. <i>id.</i>

Folgende Arten sind mir bei Abfassung des Catalogs ebenfalls entgangen, da sie in einer Zeitschrift (*Annales des sciences physiques et naturelles d'agriculture et d'industrie* Tom. VII. pag. 92. 113. 1855) beschrieben sind, die sonst wenig entomologische Arbeiten liefert. Die Arten sind von *Montrouzier* beschrieben und stammen aus *Woodlark* in Oceanien.

<i>Scutellera variabilis</i> M.	<i>Astacops variegatus</i> M.
" <i>metallica</i> M.	" <i>fiens</i> M.
" <i>splendida</i> M.	" <i>viridis</i> M.
" <i>leucoeyanea</i> M.	<i>Lygaeus Woodlarkianus</i> M.
<i>Pentatoma tricolor</i> M.	" <i>dichrous</i> M.
" <i>erythrapsis</i> Boisd. var.	" <i>cruciatus</i> M.
" <i>polychroa</i> M.	" <i>Fabricii</i> M.
" <i>lugubris</i> M.	" <i>lugubris</i> M.
" <i>marmoratum</i> M.	" <i>violaceus</i> M.
" <i>glaucomelas</i> M.	<i>Aradus thoracoceras</i> M.
" <i>bimaculatum</i> M.	<i>Reduvius armatus</i> M.
" <i>sulcatum</i> M.	" <i>megagaster</i> M.
" <i>viride</i> M.	" <i>acanthifer</i> M.
<i>Tessarotoma ostraciopterum</i> M.	" <i>leucomelas</i> M.
" <i>dilatatum</i> M.	" <i>polyacanthus</i> M.
<i>Anisoscelis bidentatus</i> M.	<i>Zelus marginatus</i> M.
<i>Alydus erythromelas</i> M.	<i>Ploiaria pallida</i> M.
<i>Astacops</i> (Boisd.) <i>Boisduvali</i> M.	<i>Galgulus macrothorax</i> M.

Flata rubra M.  
 „ flava M.  
 „ rostrata M.

Cercopis Boitardi M.  
 Centrotus rugosus M.  
 Tettigonia flavescens M.

Genera incertae sedis.

Acanthia intrusa H.-Sch.	German.	Arilus ramentaceus Germ.	Prom. b. sp.
<b>Epirodera</b> Westwood.		Arilus auctus Germ.	id.
notata Westw.	?	<b>Pachygrontha</b> Germar.	
<b>Enicocephalus</b> Westwood.		lineata Germ.	id.
basalis Westw.	Ind. or.		

(ceterarum generis Enicocephali specierum nomina adjungere nequeo quia liber, in quo descriptae sunt, mihi deest.)

---

# Register.

		Amblycotis	62	Asiraca	62
		Amblythyreus	41	<b>Asopidae</b>	7
		Amnestus	9	Asopus	8
		Amorbus	25	Aspidestrophus	5
		Amphaces	18	Aspidiotes	100
		Anapus	40	Aspisareus	101
		Anasa	30	Aspongobus	21
		Ancyra	63	Atelocera	12
		Ancyrosoma	4	Atrachelus	46
		Aneurus	43	Atractophora	34
		Anischys	18	Atractus	31
		Anisops	56	Angocoris	1
		<b>Anisoscelidae</b>	27	Anlacosternum	30
		Anisoscelis	27	Axiagastus	14
		Anisostropha	95		
		Anomaloptera	42	<b>B.</b>	
		Anomus	82	Bardistus	23
		Anotia	63	Bathrus	12
		<b>Anthocoridae</b>	36	Bathycœlia	17
		Anthocoris	36	Bebaeus	19
		Antiteuchus	11	Beharus	50
		Apateticus	8	Belostoma	54
		Aphaena	57	<b>Belostomidae</b>	54
		Aphalara	95	Benna	60
		Aphanaus	33	Bidis	62
		Aphelochira	54	Blissus	35
		<b>Aphidae</b>	95	Boeydium	81
		Aphis	95	Bolbocoris	4
		Aphrophora	68	Bolbonota	77
		<b>Aphrophoridae</b>	68	Bohemia	83
		Apines	15	Borborotrepes	54
		<b>Apiomeridae</b>	50	Bothriocera	59
		Apiomerus	50	<b>Brachyrhynchidae</b>	43
		Aplosterna	20	Brachyrhynchus	43
		Aplerotus	12	Brachyplatys	6
		Apodiphus	12	Brachysthetus	20
		Appasus	4	Brachytes	23
		<b>Aradidae</b>	42	Brixia	63
		Aradus	13	Brochymena	13
		Araeophus	11	Bruchomorpha	63
		Archimerus	12	<b>Bythoscopidae</b>	84
		Arilus	14	Bythoscopus	84
		Arma	102		
		Arocatus	62	<b>C.</b>	
		Arocera	4	Caenomorpha	13
		Arvelius	28	Caliscelis	63
		Arytaina	28		
		Aselgeia	69		
<b>A.</b>					
Acanalonia	67				
<b>Acanaloniidae</b>	67				
Acanonicus	23				
Acanthaspis	48				
Acanthia	44				
<b>Acanthidae</b>	44				
Acanthischium	46				
Acanthocoris	31				
Acanthosoma	19				
Acanthothorax	47				
Acatalectus	9				
Aceratodes	20				
Acestra	29				
Achilus	60				
Acinocoris	37				
<b>Acocephalidae</b>	84				
Acocephalus	84				
Aeonophora	78				
Aerometopon	65				
Acutalis	81				
Adana	63				
Adelges	100				
Aednus	10				
Aegius	17				
Aelia	14				
Aëptus	10				
Aeschrus	14				
Aethalion	83				
<b>Aethalionidae</b>	83				
Aethus	9				
Agaeus	13				
Agapophyta	20				
Agenor	12				
Agonoscelis	12				
Agonosoma	4				
Agromma	42				
Agroecus	13				
Alathetus	11				
Alcaeus	12				
Aleimus	14				
Aleurodes	102				
Alleloplasis	62				
Alphocoris	4				
<b>Alydidae</b>	28				
Alydus	28				
Amarusa	69				

Callidea	2	Colobesthes	66	Derula	1856	15
Callipappus	101	Colpoptera	59	Desjuss	1859	48
Calyptoproctus	58	Combophora	81	Diactor		27
Campylosteira	42	Conna	60	Diceraeus	37	14
Cantao	2	Conorhinus	48	Dichelocephala	553	23
Cantharodes	6	Conosimus	64	Dichelorhinus	553	22
Canthecona	8	Copicerus	62	Dichoptera		59
Canthesancus	47	Copius	28	Dietyonota		43
<b>Capsidae</b>	38	Coptocheilus	4	Dietyophora		59
Carineta	76	Coptosoma	6	Dietyotus		10
Carpia	26	<b>Coreidae</b>	29	Dilobura		57
Catacanthus	17	Corethrura	63	Dinidor		11
Catamiarus	50	Coreus	30	Diospolis		63
Cataulax	17	Corimelaena	5	Diplacus		38
Cazira	7	Coriplatus	11	Diplodus		47
Cenchrea	62	Corixa	55	Diplonychus		54
Centraspis	49	<b>Corixidae</b>	55	Diplorhinus		22
Centrocnemis	48	Coryssorhaphis	8	Diplostira		18
Centrotus	82	Cressona	22	Diploxys		13
<b>Cephalelidae</b>	84	Crimia	43	<b>Dipsocoridae</b>		36
Cephalelus	84	Crinoceris	25	Dipsocoris		36
Cephaloplatus	10	Cromna	66	Diraphia		94
Cephaloxys	75	Cryphocerius	54	Discocephala		10
Ceraleptus	31	Cuspicona	18	Discocera		7
Ceratocoris	6	Cyclochila	72	Discogaster		30
Ceratopachys	30	Cyclogaster	21	Dismegistus		10
<b>Cercopidae</b>	69	Cyclodelta	21	Dorydium		84
Cercopis	70	<b>Cydniidae</b>	9	Dryptiocephala		10
Cerotmetus	55	Cydus	95	Duadiens		18
Ceresa	78	Cyllecoris	38	Dundubia		72
Cermatulus	8	Cymus	35	Durganda		49
Ceroplastes	101	Cyphonia	81	Dyroderes		10
Cethera	48	Cyphotes	81	Dysdereus		37
Chalepus	69	Cyptocoris	4	Dysodius		43
Chariesterus	30	Cyrene	58			
Cheirochela	54	Cyrtomenus	9			
Chlaenocoris	5	Cystingocephala	65	<b>E.</b>		
Chlorocoris	12	Cystosoma	71	Ectatops		37
Choerocoris	2			Ectenus		12
Choerocydmus	9	<b>D.</b>		Ectinopus		9
Choerommatius	31	Dalader	23	Ectinoderus		50
Chorosoma	29	Dalapax	67	Ectrichodia		49
Cicada	73	Dalcantha	21	<b>Ectrichodidae</b>		49
Cidoria	44	Dalpada	12	Edessa		19
Cimbus	50	Daradax	59	<b>Edessidae</b>		19
Cixius	60	Darbanus	46	Elasmogaster		23
Cladodiptera	59	Darnis	80	Elasmognathus		43
Clastoptera	69	Darnoides	81	Elasmoscelis		65
<b>Clastopteridae</b>	69	Dasycoris	31	Elicia		59
Clavigralla	30	<b>Delphacidae</b>	61	Elidiptera		65
Cleptria	50	Delphax	61	Embolophora		61
Clopophora	49	Deraecocoris	38	Emesa		52
<b>Coccidae</b>	100	Derbe	62	Emesella		52
Coenus	101	<b>Derbidae</b>	62	<b>Emesidae</b>		52
Coelidia	84	Derephysia	43	Emesodema		52
<b>Coelididae</b>	84	Derepteryx	23	Enchophora		57
Coenus	15	Deribia	63	Enithares		56
Coleotichus	1	Dermatinus	36	Entylia		79
Colobathristes	28	Deroploa	5	Epiclinae		93
Colsa	70			Epipedus		16

Epipolops	33	Gonielytrum	18	Hypselonotus	28
Episcius	57	Gonocerus	29	Hypselopus	28
Epora	59	Graphosoma	5	Hypsteropterus	64
Erana	63	Gynenica	12		
Erthesina	12	Gypona	93		
Euacanthus	88			<b>I.</b>	
Enagona	23			Jalla	7
Euagoras	47	<b>II.</b>		<b>Jassidae</b>	86
Eucarpia	60			Jassus	86
Eucercorix	38	Haematochares <sup>261</sup>	47	Iccius	52
Eulyes	44	<b>Haematocha-</b>	47	Irochrotus	5
Eumenotus	23	<b>ridae</b>		Isaca	93
Eumecopus	12	Halobates	53	Isocondylus	47
Eumetopia	5	<b>Halysidae</b>	11	Isporisa	59
Euoplites	19	Halys	13	<b>Issidae</b>	63
Eupelix	83	Hammatocherus	50	Issus	64
Euphyllura	95	Hapalomelus <sup>1553</sup>	62	Isthmia	69
Eupilis	60	Harmostes	31		
Eurhinocoris	1537	Harpactor	45		
Euria	59	<b>Harpactoridae</b>	44	<b>L.</b>	
Eurostus	21	Harpagocoris <sup>102</sup>	46	Labicerus	62
Eurus	13	<b>Hebriidae</b>	41	Labops	40
Eurybrachys	63	Hebrus	41	Laccometopus	43
Eurygaster	4	Helcita	62	Lagaria <sup>1821</sup>	26
<b>Eurygastridae</b>	4	Helonotus	45	Lamproptera	83
Eurymela	85	Hemidietya	71	Lamus <sup>1925</sup>	18
Eurymerocoris	40	Hemiptycha	80	Laphyctes <sup>1827</sup>	45
Eurypleura	21	Hemisphaerius	64	Lappida	59
Eurysaspis	19	Henestaris	33	<b>Largidae</b>	37
Eusarcocoris	15	Herega	50	Largus	37
Euschistus	13	Heterocrates	6	Laryngodus	34
Eusthenes	21	Heterogaster	33	Lecanium	100
Euthetus	29	Heteronotus	81	Ledra	93
Euthyrhynchus	8	Heza	46	Ledropsis	93
Eutropistes	60	Himella <sup>1827</sup>	25	Leptocoris	29
		Hiracia	64	Leptolobus <sup>1845</sup>	7
<b>F.</b>		Hiverus	9	Leptomerochoris <sup>1827</sup>	39
Ficarasa	60	<b>Holoptilidae</b>	44	Leptopus	51
Fidicina	73	Holoptilus	44	Leptoscelis	27
Flata	66	Holotrichius	49	Lepyronia	69
<b>Flatidae</b>	65	Homaemus <sup>1847</sup>	3	Lestomerus	50
Flatoides	65	<b>Homoeoce-</b>	26	Lethaeus <sup>1827</sup>	33
Fulgora	56	<b>ridae</b>		Lethocerus <sup>1857</sup>	54
<b>Fulgoridae</b>	56	Homoeocerus	26	Leusaba	59
		Hoplistodera	14	Libyssa <sup>1827</sup>	2
		Hoplophora	77	Lichenobia <sup>1867</sup>	36
		Hoploxys <sup>1801</sup>	8	Limnogeton <sup>1857</sup>	54
<b>G.</b>		Horiola	81	Livia	94
Galaesus	26	Hotea	3	Livilla	94
Galedanta	13	Hotinus	57	Lobostoma	9
<b>Galgulidae</b>	53	Huechys	71	Lophocephala	44
Galgulus	53	Hyalymenus	28	<b>Lophocephala-</b>	44
Gardena	52	Hydara <sup>1842</sup>	29	<b>lidae</b>	
Geaena	71	Hydrobates	53	Lophops	65
Geocoris	35	Hydrocyrius	54	Lopodytes <sup>1857</sup>	48
<b>Gerridae</b>	53	Hydroëssa	53	Lopus	37
Gerris	53	Hymnis	63	Loxa	13
Ghilianella	52	Hypencha	21	Luteva <sup>1827</sup>	52
Glymmatophora	51	Hypsanchenia	82	Lybas	27
Glypsus	8	Hypselometopum	58	Lycoderes <sup>1827</sup>	82

**Lygaeidae**

Lygaeus  
Lyramorpha  
Lystra

**M.**

Maccevethus  
Machaerota  
Macraulax  
Macrina  
**Macrocephalidae**  
Macrocephalus  
Macrocheraea  
Macromolus  
Macrops  
Macropygium  
Macrorhaphis  
Macrothyreus  
Maotys  
Margarodes  
Margus  
Massecephalus  
Mattiphus  
Mazium  
Mecidea  
Mecistorhinus  
Mecocephala  
Mecosoma  
Megarhynchus  
Megophthalmus  
**Megymenidae**  
Megymenum  
Melucha  
**Membracidae**  
Membracis  
Menaccarus  
Menenotus  
Merocoris  
Meropachus  
Mesovelia  
Metacanthus  
Metapodius  
Mezira  
Mierauchenus  
Mirelytra  
Mireune  
Microbasis  
Microdeuterus  
Microphysa  
**Microphysidae**  
Micropus  
Microvelia  
**Mictidae**  
Mictis  
**Miridae**  
Miris  
Mogannia  
Molchina

31 Monalocoris  
31 Monalonia  
21 Monanthia  
58 Monecphora  
Monopsis  
Mononyx  
Monophlebus  
31 Montina  
69 Mormidea  
3 Mozena  
22 Mucanum  
41 Mustha  
Myeterodes  
41 Myocoris  
36 Myodocha  
13 Myrmecoris  
48 Myrmedobia  
11 Mysidia

**N.**

**Nabidae**  
101 Nabis  
31 Nabis  
15 Namacus  
21 **Naucoridae**  
11 Naucoris  
10 Neides  
11 Nematopus  
12 Nepa  
8 Nephesa  
22 **Nepidae**  
83 Nessorhinus  
23 Nicerta  
23 Notius  
24 Notoneeta  
76 **Notonectidae**  
76 Nysius

**O.**

25 Ochlerus  
41 Odontoptera  
29 Odontopus  
26 **Odontoscelidae**  
43 Odontoscelis  
50 Odontoscelis  
29 Odontotarsus  
82 Oeda  
27 Oedaneala  
18 Ommatidiotus  
36 Omalocephala  
36 Oncocephalus  
35 Oncodochilus  
53 Oncomeris  
23 Oncoscelis  
24 Ophiderma  
73 Opinus  
37 Oplomus  
76 Ornytus  
23 Orsillus

39 Orthaea  
38 Orthezia  
42 Orthorhaphia  
59 Orthosteira  
60 Ostama  
53 Otiocerus  
101 Oxycaraenus  
45 OxYGONIA  
14 **Oxynotidae**  
25 Oxynotus  
20 Oxypleura  
13 Oxyrhachis  
65 Oxythyreus

**P.**


**Pachycoridae**  
36 Pachycoris  
62 Pachycoris  
Pachylis  
Pachynomus  
Pantoleistes  
51 Paracletus  
51 Paralystra  
28 Paramecocoris  
54 Paricana  
54 Parmula  
29 Paropia  
25 **Paropidae**  
55 Paryphes  
67 Passalcutus  
55 Patara  
79 **Pelagonidae**  
62 Pelogonus  
11 Peltasticus  
56 Peltonotus  
56 Peltophora  
32 Pemphigus  
Pentatoma  
**Pentatomidae**  
Penthimia  
11 Perinoia  
58 Peromatus  
37 Perthostoma  
5 Petalocephala  
5 Petalocnemis  
5 Petalocneris  
3 Petalops  
81 Petascelis  
35 Phalaenomorphia  
64 Phatnoma  
58 Phenax  
47 Phenice  
10 Philonus  
21 Phimodera  
21 Phleboterum  
81 Phloea  
49 **Phloeidae**  
7 Phloergates  
27 Phonoctonus  
32 Phonolibes

34  
101  
69  
42  
62  
63  
35  
79  
6  
6  
72  
77  
41  
1  
3  
24  
51  
45  
100  
58  
11  
60  
80  
83  
83  
26  
46  
63  
52  
52  
12  
64  
2  
99  
15  
13  
93  
69  
19  
54  
68  
48  
26  
26  
23  
65  
42  
58  
62  
27  
5  
65  
11  
11  
49  
46  
46



Phricodes	10	Probaenops	6	<b>Scaridae</b>	92
Phrictus	56	Prolepta	57	Scaris	93
Phrygia	63	Prostemma	51	Schismatops	22
Phyllocephala	22	Proxys	14	Schizoneura	10
<b>Phyllocephala-</b>		Psacasta	4	<b>Scioceridae</b>	99
<b>lidae</b>	22	<b>Pseudopha-</b>		Sciocoris	10
Phyllocheirus	7	<b>nidae</b>		Sciodopterus	51
Phyllomorpha	29	Psylla	59	Scutellera	2
Phylloscelis	64	<b>Psyllidae</b>	94	Sehirus	9
Phylloxera	100	Pterodictya	59	Selenocephalus	84
Phylliphanta	66	Pterygia	77	Sephela	11
Phymata	41	Ptilocnemus	44	Serinettha	27
<b>Phymatidae</b>	41	Ptilomera	53	Sethenira	30
Phymatocoris	6	Ptyelus	68	Sigara	56
Physomerus	25	Pycanum	21	Sinea	46
Physopelta	36	Pycna	71	Simotettix	60
Physoplia	77	Pygolampis	48	Smilia	78
Physorhynchus	49	Pygloplatys	21	Smiliorhachis	78
Phytocoris	38	Pyrops	57	Smynthurodes	100
Pieromerus	8	<b>Pyrrhocoridae</b>	36	Solenosthedium	1
<b>Piesmidae</b>	42	Pyrrhocoris	36	Spanioneura	95
Piestosoma	44			Spartocera	23
Piezopleura	45			<b>Spartoceridae</b>	23
Piezosternum	20	<b>R.</b>		Spathophora	24
Pirates	50	Ranatra	55	Sphaerocoris	1
<b>Piratidae</b>	50	Rasahus	51	Sphaerodema	54
Placosternum	22	<b>Reduvidae</b>	48	Sphagiastes	45
Platacantha	22	Reduvius	49	Sphenorhina	69
<b>Plataspidae</b>	5	Resthenia	38	Sphinctothorax	38
Plataspis	6	Raphidosoma	48	Sphongophorus	77
Platycoris	11	Rhaphigaster	17	Spiniger	48
Platygaster	34	Rhinaulax	70	Spudaeus	12
Platynopus	7	Rhinocola	95	Stauralia	18
Platypleura	72	Rhinortha	58	Stegaspis	83
Plaxiscelis	26	Rhinotettix	62	<b>Stenocephala-</b>	29
Plea	56	Rhizobius	99	<b>lidae</b>	
Plegmatoptera	59	Rhizoterus	99	Stenocephalus	29
Ploegaster	45	Rhombogaster	25	Stenocotis	83
Ploiaria	52	<b>Rhopalidae</b>	31	Stenolemus	52
Pochazia	67	Rhopalimorpha	18	Stenopoda	48
Pododus	10	Rhopalus	31	<b>Stenopodidae</b>	47
<b>Pododidae</b>	10	Rhotala	59	Sternodontus	4
<b>Podopidae</b>	5	Rhynchochoris	18	Stibaropus	9
Podops	5	Rhyparochromus	33	Stiretrosoma	7
Poecilocoris	1	Ricania	67	Stiretrus	7
Poecilometis	12	<b>Ricanidae</b>	67	Strachia	16
Poeciloptera	65			Strombosoma	6
Poecilotoma	12			<b>Sycanidae</b>	44
Poicocera	58	<b>S.</b>		Sycanus	44
Polydietya	58	Saccoderes	47	Symphylus	3
Polyglypta	79	<b>Saccoderidae</b>	47	Sympiezorhincus	11
Polyneura	71	Saica	47	Syromastes	30
<b>Polyneuridae</b>	71	Salda	51		
Ponerobius	50	<b>Saldidae</b>	51	<b>T.</b>	
Porphyrophora		Salyavata	48	Tacua	71
Pothea	49	Sastrapada	47	Tagalis	47
Prionaca	18	Sava	22	<b>Tagalidae</b>	47
Prionogaster	22	Scaphula	45	Taphrosthétus	42
Prionotus	45	Scaptocoris	45		
Pristhesancus	45				

Tarisa	7	Tomaspis	70	<b>Urostylidae</b>	19
Taurodes 54	14	Tosena	71	Urostylis	19
Taurocerus	18	<b>Tosenidae</b>	71		
Tectocoris	2	Trachelium 57	28		
Teleia	42	Trachyops 154	13	<b>V.</b>	
Telmatotrepes 1324	55	Tragopa	80	Velia	53
Tenagognus 75 2	53	Trama	99	<b>Velidae</b>	53
Tessaratomy	21	Tribelocephala 123 2	48	Verlusia	30
Tetraneura	99	Trichosecelis	50	Vulsirea	17
Tetraplatys	77	Tricephora	70		
Tetrarthria	2	Trigonosoma	4	<b>X.</b>	
Tetratoma 512	14	Trioza	94	Xylocoris	36
Tetroda	22	Triquetra	78		
Tetroxia	48	Tritomacera	34		
Tettigades	75	Tropicoris	17	<b>Y.</b>	
Tettigareta	76	Tropidocephala	62	Yolimus	44
Tettigometra	67	Tropiduchus	65		
<b>Tettigometri-</b>	67	Tynacantha	8	<b>Z.</b>	
<b>dae</b>		Typhlocyba	86	Zalega	14
Tettigomyia	76			Zammara	72
Tettigonia	88			Zaitha	54
<b>Tettigonidae</b>	88	<b>U.</b>		Zelus	46
Thelaxes	99	Ugyops	62	Zengma	63
Thelia	79	Ulopa	83	Zierona	8
Thopha	72	<b>Ulopidae</b>	83	Zinneca	93
Thracia	62	Umbonia	78	Zophoëssa	4
Tiarodes	50	Urochela	19	Zoreva	25
<b>Tingidae</b>	42	Urolabida	19	<b>Zosmenidae</b>	41
Tingis	43	Urophora	83	Zosmenus	41
Tinna 57	52				



Anton Dohn

Carl J Drake












THE  BOUND TO PLEASE

*Heckman Bindery* INC.



JUNE . 65

N. MANCHESTER,  
INDIANA

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00722 7697